

ASCARI™ CASEGOOD

Planning Guide + Price List

Product Design Consultant: Gensler

QUICK LINKS

[PLANNING GUIDE](#)

[ASCARI CASEGOOD TYPICALS](#)

[ASCARI CASEGOOD PRICING](#)

[SMALL MEETING TABLES](#)

[POWER AND DATA OPTIONS](#)

[GENERAL INFORMATION](#)

[FINISH INFORMATION](#)

[SURFACE MATERIALS](#)



TABLE OF CONTENTS

Click the shortcuts below to jump to each section.

General Information	ii-iii
Finish Information	iv-v
Surface Materials	vi-vii
Order of Specification	3
Work Surface Support Options	4-5
Applications	6-7
Typicals	8-18
Planning Guide	19-23
Price list	24-84



ORDER OF SPECIFICATION

STATIC ASCARI CASEGOOD APPLICATIONS

1. Determine Typical Shape:

- Freestanding
- T-Shape
- L-Shape
- U-Shape

2. Choose Desks

- Supports
- Modesty

3. Choose Secondary Work surface

- Access Panel (optional)
- Supports

4. Select Overhead and Back Panel Options

Starting from uppermost left corner working across to far right and then below left to right.

5. Choose Freestanding Options

- Tower
- Lateral File
- Meeting Table

HEIGHT ADJUSTABLE ASCARI CASEGOOD APPLICATIONS

1. Determine Typical Shape:

- Freestanding
- T-Shape
- L-Shape
- U-Shape

2. Choose Desk and Support

- Secondary Supports
- Modesty

3. Choose Secondary Work surface

- Supports


4. Select Overhead and Back Panel Options

Starting from uppermost left corner working across to far right and then below left to right.


5. Choose Freestanding Options

- Tower
- Lateral File
- Meeting Table


FREESTANDING




T-SHAPE



L-SHAPE



U-SHAPE







STATIONARY WORK SURFACE SUPPORTS

DESK SUPPORTS


Pages 28-29




Hoop Leg




Faceted Panel Leg




Faceted Peninsula Support



Box Box File Pedestal




File File Pedestal




Bookcase

COMMON CASE


Pages 50-53




L-Shape Double Door & Open Shelf




L-Shape Lateral File & Open Shelf




L-Shape Open Shelf with Sliding Doors



T-Shape Double Door & Open Shelf




T-Shape Lateral File & Open Shelf




T-Shape Open Shelf with Sliding Doors

RETURN/CREDENZA SUPPORTS


Pages 43-44




Box Box File




File File




Double Door



Open Shelf




Trash/Recycle



End Panel

ACCESS PANEL

Page 37







ADJUSTABLE HEIGHT WORK SURFACE SUPPORTS

DESK SUPPORTS


Pages 30-32




Faceted Panel Leg



Faceted Peninsula Support




Box File Pedestal




Bookcase

LOW COMMON CASE


Pages 47-49




T-Shape Double Door & Open Shelf




T-Shape Lateral File & Open Shelf




T-Shape Open Shelf with Sliding Doors



L-Shape Double Door & Open Shelf




L-Shape Lateral File & Open Shelf




L-Shape Open Shelf with Sliding Doors

RETURN/CREDENZA SUPPORTS


Pages 47




Box File




Open Shelf




Single Door



Double Door




Trash/Recycle



End Panel

ACCESS PANEL

Page 38






STANDARD HEIGHT APPLICATIONS


Ascari Casegood is available in two application planes: Low Height and Standard Height. Standard Height applications are on the same plane.

Shaded work surfaces illustrate which work surfaces are available as height adjustable. Dark gray indicates both work surfaces are height adjustable. Light gray indicates an independent height adjustable work surface.

T-Shape




Freestanding




- Both Work surfaces Height Adjustable
- Independent Height Adjustable Work Surface


Back U-Shape




Back U-Shape




L-Shape with Single Pedestal Desk or Desk Shell



L-Shape with Run-Off Desk



L-Shape






LOW HEIGHT APPLICATIONS


Ascari Casegood is available in two application planes: Low Height and Standard Height. Low Height applications are layered over a Low Credenza.

Shaded work surfaces illustrate which work surfaces are available as height adjustable. Dark gray indicates both work surfaces are height adjustable. Light gray indicates an independent height adjustable work surface. Grain direction will run the depth for run-off desks or the length for single pedestal desks.

L-Shape




T-Shape




- Both Work surfaces Height Adjustable
- Independent Height Adjustable Work Surface


Side U-Shape




Back U-Shape



Side F-Shape



Freestanding





ASCARI CASEGOOD TYPICALS





FREESTANDING DESK WITH ADJUSTABLE HEIGHT PANEL BASE

PROGRAMMABLE CONTROLLER

The programmable controller features up/down buttons, four programmable preset stops, and a digital readout that displays the worksurface height.

RECOMMENDED ACCESSORIES

- Freestanding Storage Pedestal (page 80)
- Plug Strip (page 84)





TYPICAL ASC-01-F

COMPONENT	MODEL #	DIMENSIONS	DESCRIPTION	PRICE
Height Adjustable Freestanding Desk	AAAFD-3684-V	36 X 84	Height Adjustable Faceted Panel Legs, Work Surface and Modesty	13,934
Tower	AABBF-2426-84-V-L	24 x 84 x 26	Box/Box/ File with Upper Doors Wardrobe	9,382
Work Surface	AAC-24108-V	24 X 108	Credenza Work Surface	4,612
Common Case Credenza	AACC-T-SD-10826-V	108 x 26 x 27	Common Case Credenza with (3) 36" w openings and (1) 36" w sliding door	10,150
Integrated Pull	-MIP		Integrated Pull with Metal Accent	-
Wall Panel	AAGB-7256	72 x 56.5	Magnetic Glass Wall Panel	4,982
Ascari Storage Shelves	AAS2-3656-V	36 x 56.5	Ascari Series Double Stacked 36" w Metal Storage Shelves with Veneer Wall Panel	2,650

Private Office List Price: \$45,710

PANEL BASE WIRE MANAGEMENT







DESK WITH ADJUSTABLE HEIGHT PENINSULA BASE

PROGRAMMABLE CONTROLLER

The programmable controller features up/down buttons, four programmable preset stops, and a digital readout that displays the worksurface height.

RECOMMENDED ACCESSORIES

- Freestanding Storage Pedestal (page 80)
- Plug Strip (page 84)





TYPICAL ASC-01-L

COMPONENT	MODEL #	DIMENSIONS	DESCRIPTION	PRICE
Work Surface	AASD-3672-V	36 x 72	Desk Work Surface	4,266
Height Adjustable Support	AAH-APN-3672-V-L	36 x 72	Height Adjustable Peninsula Base	5,204
Access Panel	AAAP-AH-36-V	36	Height Adjustable Access Panel	1,578
Work Surface	AAR-2454-V	24 x 54	Return Work Surface	3,067
Height Adjustable Support	AAH-MF-4826-S-L	26 x 48	Height Adjustable Multi File Support (18" and 30" Box Box File)	7,494
Integrated Pull	-MIP		Integrated Pull with Metal Accent	-
Overhead Shelf	AAOW-AM-120S-V	120	Ascari Series Single Metal Shelf with Veneer Back Panel	8,705
Wall Panel	AAGB-9044	90 x 44.5	Magnetic Glass Wall Panel- single overhead	5,714
Ascari Storage Shelves	AAS2-3044-V	30 x 44.5	Ascari Series Double Stacked 36" w Metal Storage Shelves with Veneer Wall Panel	2,139
Lift Controller	AALIFT-3		3-Lift Controller Box and Cables	-

Private Office List Price: \$38,167

PENINSULA BASE WIRE MANAGEMENT







ADJUSTABLE HEIGHT DESK WITH COMMON CASE SUPPORT

PROGRAMMABLE CONTROLLER

The programmable controller features up/down buttons, four programmable preset stops, and a digital readout that displays the worksurface height.

RECOMMENDED ACCESSORIES

- Freestanding Storage Pedestal (page 80)
- Plug Strip (page 84)




TYPICAL ASC-01-U

COMPONENT	MODEL #	DIMENSIONS	DESCRIPTION	PRICE
Height Adjustable Support	AAAFD-3672-V	36 x 72	Height Adjustable Desk with Lifts Worksurface and Modesty	13,368
Work Surface	AAR-2672-V-XR	26 x 72	Run-off Work Surface	3,152
Low Common Case	AACS-LL-BF-10826-V-L	26 x 108	Height Adjustable Low Common Case with (2) 36" W Box File & (1) 36" W Open Shelf	12,992
Integrated Pull	-MIP		Integrated Pull with Metal Accent	-
Metal Shelf	AAOW-MM-1085-V		Single Metal Shelf with Veneer Back Panel	7,976
Wall Panel	AATB-10844-COM	108 x 44.5	Fabric Wall Panel	1,376
Tower	AAFW-2426-84-V-R	24 x 84	Wardrobe with Upper Shelf	7,919
Integrated Pull	-MIP		Integrated Pull with Metal Accent	-
Lift Controller	AALIFT-3		3-Lift Controller Box and Cables	-

Private Office List Price: \$46,783

PANEL BASE WIRE MANAGEMENT







DESK WITH ADJUSTABLE HEIGHT BOOKCASE SUPPORT

PROGRAMMABLE CONTROLLER

The programmable controller features up/down buttons, four programmable preset stops, and a digital readout that displays the worksurface height.

RECOMMENDED ACCESSORIES

- Freestanding Storage Pedestal (page 80)
- Plug Strip (page 84)





TYPICAL ASC-02-L

COMPONENT	MODEL #	DIMENSIONS	DESCRIPTION	PRICE
Work Surface	AASD-3684-V	36 x 84	Desk Work Surface	4,859
Height Adjustable Support	AAH-APL-36-V-L	36 x 5	Height Adjustable Faceted Panel Leg	3,250
Height Adjustable Support	AAH-BC-36-V-R	36 x 26	Height Adjustable Bookcase Corner Support	3,358
Modesty	MP-BC-F-84-V	12 x 48.31	1/2 Height Modesty	2,014
Work Surface	AAR-2648-V	26 x 48	Run off Credenza Work Surface	2,155
Access Panel	AAAP-AH-24-V	24	Height Adjustable Access Panel	1,418
Height Adjustable Support	AAH-BF-2426-V	26 x 24	Height Adjustable Box File Pedestal	6,280
Integrated Pull	-MIP		Integrated Pull with Metal Accent	-
Lift Controller	AALIFT-3		3-Lift Controller Box and Cables	-

Private Office List Price: \$23,334

BOOKCASE WIRE MANAGEMENT







FREESTANDING DESK AND ADJUSTABLE HEIGHT BACK CREDENZA

PROGRAMMABLE CONTROLLER

The programmable controller features up/down buttons, four programmable preset stops, and a digital readout that displays the worksurface height.

RECOMMENDED ACCESSORIES

- Freestanding Storage Pedestal (page 80)
- Plug Strip (page 84)
- Pencil Drawer (page 84)





TYPICAL ASC-02-F

COMPONENT	MODEL #	DIMENSIONS	DESCRIPTION	PRICE
Static Freestanding Desk	AAHD-3684-V	36 x 84	Desk Work Surface, Mitered Modesty, and (2) Hoop Bases	10,289
Tower	AAFF-1826-68-V-L	18 x 26	File/ File with Upper Door Wardrobe	7,803
Integrated Pull	-WIP		Integrated Pull with Wood Accent	-
Work Surface	AAC-2484-V-TT	24 x 84	Credenza Work Surface	4,179
Height Adjustable Support	AAH-BF-1826-S	18 x 26	Adjustable Height Box File Support	5,812
Integrated Pull	-WIP		Integrated Pull with Wood Accent	-
Access Panel	AAAP-AH-48-V	48	Height Adjustable Access Panel	1,578
Height Adjustable Support	AAH-BF-1826-S	18 x 26	Adjustable Height Box File Support	5,812
Integrated Pull	-WIP		Integrated Pull with Wood Accent	-
Wall Panel	AAGB-8444	84 x 44	Magnetic Glass Wall Panel	5,334
Tower	AAFF2-1826-68-V-R	18 x 26	File/ File with Upper Door Wardrobe	8,127
Integrated Pull	-WIP		Integrated Pull with Wood Accent	-
Lift Controller	AALIFT-2		2-Lift Controller Box and Cables	-

Private Office List Price: \$48,934

WIRE MANAGEMENT







RUN-OFF DESK WITH LOW COMMON CASE CREDENZA SUPPORT

PROGRAMMABLE CONTROLLER

The programmable controller features up/down buttons, four programmable preset stops, and a digital readout that displays the worksurface height.

RECOMMENDED ACCESSORIES

- Freestanding Storage Pedestal (page 80)
- Plug Strip (page 84)
- Pencil Drawer (page 84)




TYPICAL ASC-02-T

COMPONENT	MODEL #	DIMENSIONS	DESCRIPTION	PRICE
Work Surface	AASD-3084-V-XL	30 x 84	Run Off Desk Work Surface	4,162
Support	AAHL-30-L	30 x .5	Hoop Leg without Modesty Hardware	1,671
Spacer Leg	AASP-30-V		Spacer Leg	181
Tower	AAFW-3026-68-V-L	30 x 68	Wardrobe with (5) Adjustable Shelves	8,650
Integrated Pull	-MIP		Integrated Pull with Metal Accent	-
Low Common Case	AACS-T-DD-9026-V	90 x 26	Low Common Case Support (2) 30"w Double Door Units & (1) 30"w Open Shelf	9,146
Integrated Pull	-MIP		Integrated Pull with Metal Accent	-
Wall Panel	AAVB-6044	60 x 44.5	Magnetic Veneer Wall	3,018
Ascari Storage Shelves	AAS2-3044-V	30 x 44.5	Ascari Series Double Stacked 30"w Metal Storage Shelves with Veneer Wall Panel	2,139

Private Office List Price: \$28,967

CREDENZA SUPPORT WIRE MANAGEMENT







RUN-OFF DESK ADJUSTABLE HEIGHT COMMON CASE AND CREDENZA

PROGRAMMABLE CONTROLLER

The programmable controller features up/down buttons, four programmable preset stops, and a digital readout that displays the worksurface height.

RECOMMENDED ACCESSORIES

- Freestanding Storage Pedestal (page 80)
- Plug Strip (page 84)
- Pencil Drawer (page 84)




TYPICAL ASC-02-U

COMPONENT	MODEL #	DIMENSIONS	DESCRIPTION	PRICE
Work Surface	AASD-3684-V-XL	36 x 84	Run Off Work Surface	4,859
Support	AAHL-36-L	36 x .5	Metal Hoop Leg Desk without Modesty Hardware	1,878
Common Case Credenza	AACS-LL-SD-10826-V-R	108 x 26	Height Adjustable Common Case (2) 36" w Open Shelves with (1) 36" w Sliding Door	12,992
Spacer Leg	AASP-36-V		Spacer Leg	181
Work Surface	AAC-2484-V	26 x 84	Credenza Work Surface	4,179
Height Adjustable Support	AAH-MF-4826-V-L	48 x 26	Height Adjustable Multi File with Lift Support (18" and 30" Box Box File)	7,807
Shelf	AAOW-WW-114S-V	114 x 15	Single Wood Shelf	6,609
Wall Panel	AAGB-11444	114 x 44.5	Magnetic Glass Wall Panel	6,625
Tower	AAFV-1826-84-V-R	24 x 84	Wardrobe with Upper Shelf	6,790
Integrated Pull	-MIP		Integrated Pull with Metal Accent	-
Lift Controller	AALIFT-2		2-Lift Controller Box and Cables	-

Private Office List Price: \$51,920

WALL SUPPORT WIRE MANAGEMENT







HEIGHT ADJUSTABLE CREDENZA AND RETURN WORK SURFACE

PROGRAMMABLE CONTROLLER

The programmable controller features up/down buttons, four programmable preset stops, and a digital readout that displays the worksurface height.

RECOMMENDED ACCESSORIES

- Freestanding Storage Pedestal (page 80)
- Plug Strip (page 84)





TYPICAL ASC-02-M

COMPONENT	MODEL #	DIMENSIONS	DESCRIPTION	PRICE
Work Surface	AASD-3684-V-XR	36 x 84	Desk Work Surface	4,859
Height Adjustable Support	AAH-APL-36-V-L	36 x 5	Height Adjustable Faceted Panel Base	3,250
Height Adjustable Support	AAH-BC-36-V	36 x 26	Height Adjustable Bookcase Corner Support	3,358
Modesty	MP-BC-F-84-V	48.3	1/2 Height Modesty Panel	2,014
Work Surface	AAR-2448-V-T	24 x 48	Run Off Work Surface	2,834
Access Panel	AAAP-AH-30-V	30	Height Adjustable Access Panel	1,418
Height Adjustable Support	AAH-BF-1826-V	26 x 18	Height Adjustable Box/ File Support	6,051
Integrated Pull	-MIP		Integrated Pull with Metal Accent	-
Shelf	AAOW-MM-84S-V	84 x 15.5	Single Metal Shelf	6,840
Wall Panel	AAVB-8441	84 x 41	Magnetic Veneer Wall Panel	3,664
Tower	AAFW-1826-84-V	18 x 84	Wardrobe with Upper Shelf	6,790
Integrated Pull	-MIP		Integrated Pull with Metal Accent	-
Lift Controller	AALIFT-3		3-Lift Controller Box and Cables	-

Private Office List Price: \$41,078

CREDENZA SUPPORT WIRE MANAGEMENT








MEETING TABLE AND CREDENZA

PROGRAMMABLE CONTROLLER

The programmable controller features up/down buttons, four programmable preset stops, and a digital readout that displays the worksurface height.

RECOMMENDED ACCESSORIES

- Freestanding Storage Pedestal (page 80)
- Plug Strip (page 84)





TYPICAL ASC-01-M

COMPONENT	MODEL #	DIMENSIONS	DESCRIPTION	PRICE
Meeting Table	AASQ-XC-42-V	42 x 42	Square Meeting Table with Column Base	4,861
Work Surface	AAC-24108-V	108 X 24	Veneer Credenza Work Surface	4,612
Support	AADD-3626-V	36 X 26	Double Door Storage Pedestal	4,352
Integrated Pull	-WIP		Integrated Pull with Wood Accent	-
Access Panel	AAAP-S-36-V	36	Static Access Panel	1,364
Support	AADD-3626-V	36 X 26	Double Door Storage Pedestal	4,352
Integrated Pull	-WIP		Integrated Pull with Wood Accent	-
Wall Panel	AAVB-10860	108 x 60	Veneer Back Wall	4,844
Grommet	-WPRC		2" Grommet	167

Private Office List Price: \$24,552



RUN-OFF DESK WITH LOW COMMON CASE CREDENZA



TYPICAL ASC-03-T

COMPONENT	MODEL #	DIMENSIONS	DESCRIPTION	PRICE
Work Surface	AARO-3084-V-L	30 x 84	Run Off Work Surface	4,162
Support	AAHL-30-L	30 x .5	Hoop Leg without Modesty Hardware	1,671
Spacer Leg	AASP-30-V	30	Spacer Leg	181
Low Common Case	AACC-T-DD-9026-V	90 x 26	Low Common Case with (2) 30" w Double Door Units & (1) 30" w Open Shelf	9,421
Metal Tab Pull	-MP		Metal Tab Pull	-

Private Office List Price: \$15,435



ASCARI CASEGOOD PLANNING GUIDE



SHALLOW-DEPTH TOWERS (ALIGN WITH OVERHEAD)

Single Door Wardrobe Tower:

- Hatshelf above wardrobe bar is fixed
- Wardrobe bar runs front to back behind valance
- Optional mirror does not ship installed


Double Door Storage Tower:

- Lock option includes two locks, one per door, 35" High
- 68" h includes one fixed shelf, three adjustable shelves and can accept one additional set of adjustable shelves
- 84" h includes one fixed shelf, four adjustable shelves and can accept one additional set of adjustable shelves
- Side panels of tower are pre bored with 12 locations for optional shelf placement above and below the fixed shelf
- Optional mirror does not ship installed

68" and 84" Shallow-Depth Towers




68" Single Door Wardrobe Tower




AAFW-2417-68

68" Double Door Storage Tower




AABC-D-3617-68

84" Single Door Wardrobe Tower



AAFW-2417-84

84" Double Door Storage Tower



AABC-D-3617-84




FULL-DEPTH TOWERS (ALIGN WITH WORK SURFACE DEPTH)

- Double Door Tower is field reversible
- Double Door Towers include 3 adjustable shelves
- Optional mirror does not ship installed
- Hatshelf above wardrobe bar is fixed
- Double Door Lock option includes two locks, one per door, 35" High

68" and 84" Full-Depth Towers




68" Single Door Tower




AAFW-1826-68

68" Double Door Tower




AAFW-3626-68-L

84" Single Door Tower



AAFW-1826-84

84" Double Door Tower



AAFW-3626-84-L




WORK SURFACE POWER OPTIONS


GROMMET

- Grommet is 2" diameter
- Available in Powder coat, Clear Anodized and Polished
- Height adjustable Bridges, Returns, and Credenzas are available with center grommet location only
- Grommets are included as an option within each work surface
- Grommets may not be placed directly over the end panel of a support pedestal below
- Only one Grommet or Spec may be specified per work surface


Freestanding Desks, Run-Off Desks, Hoop Run-Off Desks



24"-Deep Credenzas




26"-Deep Credenzas



GROMMETS ON COMMON CASES

- When a grommet is specified on a common case, the grommet will be over the open bay of the case. The case will include a false back with wire management and access to the architectural wall.
- Wires can be routed through the open shelf location and into the back panel cavity of a common case when a grommet is specified on a run off work surface above or in alignment with the common case.

Freestanding Hoop Hoop Desk



POWER SPEC AND USB SPEC


This compact unit allows for the addition of power or data to a work surface in a discreet way. Available in round or square shapes, and multiple finish options.

- Power or USB Spec is a work surface accessory, specified in addition to the work surface.
- Only one Grommet or Spec may be specified per work surface
- Power or USB Spec may not be placed directly over the end panel of a support pedestal below

Power Spec

- Spill-proof power simplex
- Compact design
- 1-3/4" cutout for installation
- UL Listed


Power Spec



USB Spec

- Used to charge devices or transfer data
- Compact design
- Offered with USB-A+C
- 1-3/4" cutout
- UL Listed

USB Spec





FREESTANDING POWER OPTION: TECH ZONE

TECH ZONE

Simple, easy to use and portable, this freestanding table top power option allows you to easily charge all of your devices.


Available in two configurations with a variety of power and data connectivity options. Includes a 72"-long plug-in infeed cord.

ZONE-USB-C


Includes two simplex receptacles, one data port and one charging USB-A+C charging port

ZONE-DATA


Includes two simplex receptacles and two open data ports



Tech Zone - Side View



ZONE-USB-C



ZONE-DATA






ASCARI CASEGOOD PRICE LIST



HOOP-HOOP FREESTANDING DESK WITH WATERFALL MODESTY



FREESTANDING

SURFACE MATERIAL KEY

V Veneer

FREESTANDING WORK SURFACE

MODEL #	DEPTH	WIDTH	DESCRIPTION	-V
AAHD-3060	30	60	Desk Work Surface, Mitered Modesty, (2) Hoop Bases	8,106
AAHD-3066	30	66	Desk Work Surface, Mitered Modesty, (2) Hoop Bases	8,386
AAHD-3072	30	72	Desk Work Surface, Mitered Modesty, (2) Hoop Bases	8,658
AAHD-3078	30	78	Desk Work Surface, Mitered Modesty, (2) Hoop Bases	8,922
AAHD-3084	30	84	Desk Work Surface, Mitered Modesty, (2) Hoop Bases	9,182
AAHD-3660	36	60	Desk Work Surface, Mitered Modesty, (2) Hoop Bases	9,069
AAHD-3666	36	66	Desk Work Surface, Mitered Modesty, (2) Hoop Bases	9,388
AAHD-3672	36	72	Desk Work Surface, Mitered Modesty, (2) Hoop Bases	9,702
AAHD-3678	36	78	Desk Work Surface, Mitered Modesty, (2) Hoop Bases	10,003
AAHD-3684	36	84	Desk Work Surface, Mitered Modesty, (2) Hoop Bases	10,289

OPTIONS

CODE

PRICE

NOTES

Polished Chrome Hoop Legs:

-PC

\$3,291

For (2) Hoop Legs

2"-Diameter Grommet Options:

Center Grommet

-WPRC

\$216

Left Grommet

-WPRL

\$216

Right Grommet

-WPRR

\$216

Left and Right Grommet

-WPR2

\$430

Polished Chrome Grommet

-PCG

\$90

per Grommet

Power Spec / USB Spec Options:

Center Unit

-SP-C

Left Unit

-SP-L

Right Unit

-SP-R

Left and Right Units

-SP-LR

Please Note: Power Spec and USB Spec are specified separately. See page 83.



GENERAL INFORMATION

- Veneer species often dictates cut; default veneer cut is flat
- Work surface height: 29-1/2"
- Work surface is 2"-thick with square edge profile
- Work surface tops will be grain-matched sets based on configuration
- Grommets available in Powder Coat, Clear Anodized, and Polished Chrome (upcharge applies)
- Modesty is 3/4 height
- Power Spec and USB Spec specified separately. See page 83.


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.


- Choose Veneer Finish, if applicable
- Choose Metal Finish, if applicable
- Choose Paint Finish, if applicable



DESK: WORK SURFACE



WORK SURFACE



RUN-OFF

SURFACE MATERIAL KEY

V Veneer

WORK SURFACE: FREESTANDING // SINGLE PEDESTAL // RUN-OFF WITH LOW CREDENZA (L-SHAPE AND U-SHAPE)

MODEL #	DEPTH	WIDTH	DESCRIPTION	-V
AASD-3060	30	60	Desk Work Surface	3,086
AASD-3066	30	66	Desk Work Surface	3,367
AASD-3072	30	72	Desk Work Surface	3,638
AASD-3078	30	78	Desk Work Surface	3,902
AASD-3084	30	84	Desk Work Surface	4,162
AASD-3660	36	60	Desk Work Surface	3,638
AASD-3666	36	66	Desk Work Surface	3,958
AASD-3672	36	72	Desk Work Surface	4,266
AASD-3678	36	78	Desk Work Surface	4,570
AASD-3684	36	84	Desk Work Surface	4,859

RUN-OFF: L-SHAPE, T-SHAPE AND U-SHAPE

MODEL #	DEPTH	WIDTH	DESCRIPTION	-V
AARO-3048	30	48	Desk Work Surface	2,472
AARO-3054	30	54	Desk Work Surface	2,780
AARO-3060	30	60	Desk Work Surface	3,086
AARO-3066	30	66	Desk Work Surface	3,367
AARO-3072	30	72	Desk Work Surface	3,638
AARO-3078	30	78	Desk Work Surface	3,902
AARO-3084	30	84	Desk Work Surface	4,162
AARO-3648	36	48	Desk Work Surface	2,907
AARO-3654	36	54	Desk Work Surface	3,269
AARO-3660	36	60	Desk Work Surface	3,638
AARO-3666	36	66	Desk Work Surface	3,958
AARO-3672	36	72	Desk Work Surface	4,266
AARO-3678	36	78	Desk Work Surface	4,570
AARO-3684	36	84	Desk Work Surface	4,859

If using a single Hoop support with a Run-Off Desk **-HL or -HR** No Charge "L" and "R" designates Left or Right relative to the user

If using a Height Adjustable support against a work wall **-XL or -XR** No Charge "L" and "R" designates Left or Right relative to the user



DESK: WORK SURFACE



OPTIONS	CODE	PRICE	NOTES
2"-Diameter Grommet Options:			
Center Grommet	-WPRC	\$216	
Left Grommet	-WPRL	\$216	
Right Grommet	-WPRR	\$216	
Left and Right Grommet	-WPR2	\$430	
Polished Chrome Grommet	-PCG	\$90	per Grommet
Power Spec / USB Spec Options:			
Center Unit	-SP-C		Please Note: Power Spec and USB Spec are specified separately. See page 83.
Left Unit	-SP-L		
Right Unit	-SP-R		
Left and Right Units	-SP-LR		

GENERAL INFORMATION

- Veneer species often dictates cut; default veneer cut is flat
- Work surface is 2"-thick with square edge profile
- Grain direction on work surfaces should always run parallel to a seam
- Work surface tops will be grain-matched sets based on configuration
- Grommets available in Powder Coat, Clear Anodized, and Polished Chrome (upcharge applies)
- Power Spec and USB Spec specified separately. See page 83.


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.


- Choose Veneer Finish, if applicable
- Choose Metal Finish, if applicable
- Choose Paint Finish, if applicable




DESK SUPPORTS: STATIC




AAHL-30
METAL HOOP




AASP-30
SPACER LEG



AAPLM-30
FACETED PANEL LEG
WITH MODESTY HARDWARE




AAPL-30
FACETED PANEL LEG




AAPN-60
FACETED PENINSULA SUPPORT

SURFACE MATERIAL KEY


- S All Paint
- V Veneer
- VS Veneer Case and Painted Front




AAFC-30
FACETED CORNER SUPPORT




AABC-30
BOOKCASE CORNER SUPPORT



AABBF-1830
BOX BOX FILE PEDESTAL



AAFF-1826
FILE FILE PEDESTAL



AAPC-30
PANEL CORNER SUPPORT

DESK SUPPORTS


MODEL #	DEPTH	WIDTH	DESCRIPTION	PRICE	-S	-V	-VS
AAHL-30-[]	30	0.5	Metal Hoop Leg without Modesty Hardware	1,671	-	-	-
AAHL-36-[]	36	0.5	Metal Hoop Leg without Modesty Hardware	1,878	-	-	-
AASP-30	30		Spacer Leg (Low Cred Applications)		174	181	-
AASP-36	36		Spacer Leg (Low Cred Applications)		174	181	-
AAPLM-30-[]	30	5	Faceted Panel Leg with Modesty Hardware	1,653	1,741	-	-
AAPLM-36-[]	36	5	Faceted Panel Leg with Modesty Hardware	1,860	1,956	-	-
AAPL-30-[]	30	5	Faceted Panel Leg without Modesty Hardware	1,588	1,671	-	-
AAPL-36-[]	36	5	Faceted Panel Leg without Modesty Hardware	1,784	1,878	-	-
AAPN-3660-[]	60		Faceted Penninsula Support	3,305	3,478	-	-
AAPN-3666-[]	66		Faceted Penninsula Support	3,512	3,694	-	-
AAPN-3672-[]	72		Faceted Penninsula Support	3,714	3,910	-	-
AAPN-3678-[]	78		Faceted Penninsula Support	3,918	4,124	-	-
AAPN-3684-[]	84		Faceted Penninsula Support	4,123	4,341	-	-
AAFC-30-[]	30	5	Faceted Corner Support	1,588	1,671	-	-
AAFC-36-[]	36	5	Faceted Corner Support	1,784	1,878	-	-
AABC-30-[]	30	26	Bookcase Corner Support	1,748	1,839	-	-
AABC-36-[]	36	26	Bookcase Corner Support	1,960	2,063	-	-
AABBF-1526	26	15.5	Box Box File Pedestal	4,189	4,410	4,410	
AABBF-1530	30	15.5	Box Box File Pedestal	4,834	5,089	5,089	
AABBF-1826	26	18	Box Box File Pedestal	4,305	4,534	4,534	
AABBF-1830	30	18	Box Box File Pedestal	4,969	5,229	5,229	
AAFF-1526	26	15.5	File File Pedestal	3,916	4,122	4,122	
AAFF-1530	30	15.5	File File Pedestal	4,518	4,755	4,755	
AAFF-1826	26	18	File File Pedestal	4,026	4,236	4,236	
AAFF-1830	30	18	File File Pedestal	4,645	4,887	4,887	
AAPC-26-[]	26	5	Panel Corner Support	1,376	1,449	-	-
AAPC-30-[]	30	5	Panel Corner Support	1,588	1,671	-	-

[] Specify Left (-L) or Right (-R) relative to the user position




DESK SUPPORTS: STATIC

OPTIONS	CODE	PRICE	NOTES
Polished Chrome Hoop Leg:	-PC	\$1,647	per Hoop Leg
No Locks (Pedestals):	-NL	No Charge	
Pull Options:			
Integrated Pull (Metal Accent)	-MIP	No Charge	
Integrated Pull (Wood Accent)	-WIP	No Charge	
Metal Tab Pull	-MP	No Charge	
Polished Chrome Pulls	-PCP	\$286	per Pull



-MIP or -WIP



-MP

GENERAL INFORMATION

- Vertical grain direction
- Veneer species often dictates cut, default veneer cut is flat
- Case Height 28"
- Mitered case construction
- Face locking standard on all storage components
- Storage fronts will be grain-matched set
- All lateral, pedestal and box file drawers are standard with white drawer boxes and undermount soft closing slides
- Integrated pull includes a horizontal accent in which a finish must be specified; finish options include veneer, powdercoat, chrome accent, or clear anodized
- If a wood integrated pull (WIP) is selected on a veneer case with painted drawer fronts (VS), the finish of the wood on the integrated pull will default to the veneer of the case unless otherwise specified
- If a wood integrated pull (WIP) is selected on a painted case (S), the finish of the wood on the integrated pull will default to the paint color of the drawer unless otherwise specified
- Metal Tab Pull finish options include powdercoat, chrome, or clear anodized.
- Box drawers include fabric wrapped drawer bottoms. Felt (K1207) or Hopsack (K1206) selection required. If no selection is made, the default choice will be Knoll Felt - Pewter.
- Faceted peninsula base only compatible with 36"-wide work surfaces
- The back of the integrated pull will reflect the wood or metal selection (see shaded area of drawing)
- Spacer leg matches case finish
- Spacer support and pedestals are non handed
- Handedness of the peninsula base is defined by the open end of the work surface - opposite of the position of the base


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Veneer Finish, if applicable
- Choose Metal Finish, if applicable
- Choose Paint Finish, if applicable
- Choose Pull option for Pedestals: Integrated Pull (-MIP or -WIP) or Metal Pull (-MP)
- Choose Fabric option, if applicable



FREESTANDING DESK: ADJUSTABLE HEIGHT PANEL BASE



ADJUSTABLE HEIGHT
PANEL BASE

SURFACE MATERIAL KEY

V Veneer

ADJUSTABLE HEIGHT FREESTANDING DESK ASSEMBLY

MODEL #	DEPTH	WIDTH	DESCRIPTION	-V
AAAFD-3060	30	60	Height Adjustable Faceted Panel Legs, Work Surface & Modesty	11,748
AAAFD-3066	30	66	Height Adjustable Faceted Panel Legs, Work Surface & Modesty	12,015
AAAFD-3072	30	72	Height Adjustable Faceted Panel Legs, Work Surface & Modesty	12,272
AAAFD-3078	30	78	Height Adjustable Faceted Panel Legs, Work Surface & Modesty	12,526
AAAFD-3084	30	84	Height Adjustable Faceted Panel Legs, Work Surface & Modesty	12,775
AAAFD-3660	36	60	Height Adjustable Faceted Panel Legs, Work Surface & Modesty	12,772
AAAFD-3666	36	66	Height Adjustable Faceted Panel Legs, Work Surface & Modesty	13,073
AAAFD-3672	36	72	Height Adjustable Faceted Panel Legs, Work Surface & Modesty	13,368
AAAFD-3678	36	78	Height Adjustable Faceted Panel Legs, Work Surface & Modesty	13,658
AAAFD-3684	36	84	Height Adjustable Faceted Panel Legs, Work Surface & Modesty	13,934



OPTIONS

2"-Diameter Grommet Options:

	CODE	PRICE	NOTES
Center Grommet	-WPRC	\$216	
Left Grommet	-WPRL	\$216	
Right Grommet	-WPRR	\$216	
Left and Right Grommet	-WPR2	\$430	

Polished Chrome Grommet	-PCG	\$90	per Grommet
-------------------------	------	------	-------------

Power Spec / USB Spec Options:

Center Unit	-SP-C		Please Note: Power Spec and USB Spec are specified separately. See page 83.
Left Unit	-SP-L		
Right Unit	-SP-R		
Left and Right Units	-SP-LR		

GENERAL INFORMATION


- Vertical grain direction
- Veneer species often dictates cut, default veneer cut is flat
- Work surface height adjustable range of travel 28" - 46"
- Lift mechanisms are designed to support all desk components, plus a maximum of 100lbs additional weight
- Height adjustable lift mechanism is warranted for 2 years
- Grommets available in Powder Coat, Clear Anodized, and Polished Chrome (upcharge applies)
- Work surface is 2"-thick with square edge profile
- Work surface tops will be grain-matched sets based on configuration
- Modesty is full height
- Power Spec and USB Spec specified separately. See page 83.

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)


- See appendix pages vi-vii for surface material options.
- Choose Veneer Finish, if applicable
 - Choose Metal Finish, if applicable
 - Choose Paint Finish, if applicable
 - Choose Pull option for Pedestals: Integrated Pull (-MIP or -WIP) or Metal Pull (-MP)
 - Choose Fabric option, if applicable




DESK SUPPORTS: ADJUSTABLE HEIGHT




AAH-APL-36
FACETED PANEL LEG
WITH LIFT



AAH-BF-1826
BOX FILE SUPPORT
WITH LIFT



AAH-BC-36
BOOKCASE CORNER
SUPPORT WITH LIFT



AAH-APN-3660
ADJUSTABLE HEIGHT FACETED
PENINSULA SUPPORT

SURFACE MATERIAL KEY

- S All Paint
- V Veneer
- VS Veneer Case and Painted Front

DESK SUPPORTS


MODEL #	DEPTH	WIDTH	DESCRIPTION	-S	-V	-VS
AAH-APL-30-[]	30	5	Faceted Panel Leg with Lift	2,949	3,035	-
AAH-APL-36-[]	36	5	Faceted Panel Leg with Lift	3,152	3,250	-
AAH-BF-1526-[]	26	15	Box File Support with Lift	5,209	5,416	5,416
AAH-BF-1826	26	18	Box File Support with Lift	5,812	6,051	6,051
AAH-BF-1530-[]	30	15	Box File Support with Lift	5,600	5,830	5,830
AAH-BF-1830	30	18	Box File Support with Lift	6,263	6,524	6,524
AAH-BC-30-[]	30	26	Bookcase Corner Support with Lift	3,039	3,133	-
AAH-BC-36-[]	36	26	Bookcase Corner Support with Lift	3,256	3,358	-
AAH-APN-3660-[]	36	60	Adjustable Height Faceted Peninsula Support	4,600	4,773	-
AAH-APN-3666-[]	36	66	Adjustable Height Faceted Peninsula Support	4,802	4,988	-
AAH-APN-3672-[]	36	72	Adjustable Height Faceted Peninsula Support	5,008	5,204	-
AAH-APN-3678-[]	36	78	Adjustable Height Faceted Peninsula Support	5,212	5,419	-
AAH-APN-3684-[]	36	84	Adjustable Height Faceted Peninsula Support	5,417	5,634	-

[] Specify Left (-L) or Right (-R) relative to the user position


LIFT SUPPORT (MUST BE SPECIFIED)

MODEL #	DESCRIPTION	PRICE
AALIFT-2	Add when there is one Height Adjustable Work Surface	No Charge
AALIFT-3	Add when there are two connected Height Adjustable work surfaces	No Charge

OPTIONS	CODE	PRICE	NOTES
No Locks (Pedestals):	-NL	No Charge	
Pull Options:			
Integrated Pull (Metal Accent)	-MIP	No Charge	
Integrated Pull (Wood Accent)	-WIP	No Charge	
Metal Tab Pull	-MP	No Charge	
Polished Chrome Pulls	-PCP	\$286	per Pull



-MIP or -WIP



-MP



DESK SUPPORTS: ADJUSTABLE HEIGHT

GENERAL INFORMATION

- Vertical grain direction
- Veneer species often dictates cut, default veneer cut is flat
- Case Height 23-1/2"
- Mitered case construction
- Integrated pull includes a horizontal accent in which a finish must be specified; finish options include veneer, powdercoat, chrome accent, or clear anodized
- If a wood integrated pull (WIP) is selected on a veneer case with painted drawer fronts (VS), the finish of the wood on the integrated pull will default to the veneer of the case unless otherwise specified
- If a wood integrated pull (WIP) is selected on a painted case (S), the finish of the wood on the integrated pull will default to the paint color of the drawer unless otherwise specified
- Metal Tab Pull finish options include powdercoat, chrome, or clear anodized.
- Face locking standard on all storage components
- Storage fronts will be grain-matched set
- All lateral, pedestal and box file drawers are standard with white drawer boxes and undermount soft closing slides
- Door and open shelf storage pedestals include a single adjustable height shelf
- Work surface height adjustable range of travel 28" - 46"
- Lift mechanisms are designed to support all desk components, plus a maximum of 100lbs additional weight
- Height adjustable lift mechanism is warranted for 2 years
- Box drawers include fabric wrapped drawer bottoms. Felt (K1207) or Hopsack (K1206) selection required. If no selection is made, the default choice will be Knoll Felt - Pewter.
- The back of the integrated pull will reflect the wood or metal selection (see shaded area of drawing)
- 15"-wide box file supports are handed
- 18"-wide box file supports are not handed
- Handedness of the peninsula base is defined by the open end of the work surface - opposite of the position of the base


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.


- Choose Veneer Finish, if applicable
- Choose Metal Finish, if applicable
- Choose Paint Finish, if applicable
- Choose Pull option for Pedestals: Integrated Pull (-MIP or -WIP) or Metal Pull (-MP)
- Choose Fabric option, if applicable




DESK: MODESTY PANEL



FACETED PANEL - FACETED PANEL
(FULL HEIGHT)



PED-PED
(STATIC FULL HEIGHT)



PED-PED
(HEIGHT ADJUSTABLE
FULL HEIGHT)

SURFACE MATERIAL KEY

S All Paint
V Veneer

FREESTANDING DESK

MODEL #	DEPTH	WIDTH	SEAT CLEARANCE WIDTH	DESCRIPTION	-S	-V
FACETED PANEL-FACETED PANEL // FULL HEIGHT MODESTY						
MP-F-60	28.25	58.219	48.6	60" Freestanding Desk Modesty	1,433	1,685
MP-F-66	28.25	64.219	54.6	66" Freestanding Desk Modesty	1,607	1,891
MP-F-72	28.25	70.219	60.6	72" Freestanding Desk Modesty	1,785	2,101
MP-F-78	28.25	76.219	66.6	78" Freestanding Desk Modesty	1,962	2,308
MP-F-84	28.25	82.219	72.6	84" Freestanding Desk Modesty	2,139	2,514
PED-PED // STATIC // FULL HEIGHT MODESTY						
			15.5" PED	18" PED		
MP-P-60	26	60	29	24	1,433	1,685
MP-P-66	26	66	35	30	1,607	1,891
MP-P-72	26	72	41	36	1,785	2,101
MP-P-78	26	78	47	42	1,962	2,308
MP-P-84	26	84	53	48	2,139	2,514
PED-PED // HEIGHT ADJUSTABLE // FULL HEIGHT MODESTY						
			15.5" PED	18" PED		
MPAH-P-60	26	60	29	24	1,433	1,685
MPAH-P-66	26	66	35	30	1,607	1,891
MPAH-P-72	26	72	41	36	1,785	2,101
MPAH-P-78	26	78	47	42	1,962	2,308
MPAH-P-84	26	84	53	48	2,139	-

GENERAL INFORMATION

- Modesty panel required with Freestanding Metal Hoop Leg
- Modesty panel required with Freestanding Faceted Panel Base


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.


- Choose Veneer Finish, if applicable
- Choose Metal Finish, if applicable
- Choose Paint Finish, if applicable




DESK: MODESTY PANEL




HOOP
(1/2 HEIGHT)



FACETED PANEL
(1/2 HEIGHT)



PEDESTAL - 15.5"
(1/2 HEIGHT)



PED - 18"
(1/2 HEIGHT)

SURFACE MATERIAL KEY

- S All Paint
- V Veneer

RUN-OFF DESK: STANDARD HEIGHT

MODEL #	DEPTH	WIDTH	SEAT CLEARANCE WIDTH	DESCRIPTION	-S	-V
HOOP // 1/2 HEIGHT MODESTY // SET BACK 8 // INSET 2" EACH SIDE						
MP-RH-60	12	56	60	60" Run-Off Desk Modesty	1,300	1,412
MP-RH-66	12	62	66	66" Run-Off Desk Modesty	1,438	1,564
MP-RH-72	12	68	72	72" Run-Off Desk Modesty	1,578	1,713
MP-RH-78	12	74	78	78" Run-Off Desk Modesty	1,716	1,864
MP-RH-84	12	80	84	84" Run-Off Desk Modesty	1,855	2,014
FACETED PANEL // 1/2 HEIGHT MODESTY // SET BACK 8 // INSET 2" EACH SIDE						
MP-RF-60	12	50.3125	54.3	60" Run-Off Desk Modesty	1,300	1,412
MP-RF-66	12	56.3125	60.3	66" Run-Off Desk Modesty	1,438	1,564
MP-RF-72	12	62.3125	66.3	72" Run-Off Desk Modesty	1,578	1,713
MP-RF-78	12	68.3125	72.3	78" Run-Off Desk Modesty	1,716	1,864
MP-RF-84	12	74.3125	78.3	84" Run-Off Desk Modesty	1,855	2,014
PED - 15.5" // 1/2 HEIGHT MODESTY // SET BACK 8 // INSET 2" EACH SIDE						
MP-RP15-60	12	40.5	44.5	60" Run-Off Desk Modesty	1,300	1,412
MP-RP15-66	12	46.5	50.5	66" Run-Off Desk Modesty	1,438	1,564
MP-RP15-72	12	52.5	56.5	72" Run-Off Desk Modesty	1,578	1,713
MP-RP15-78	12	58.5	62.5	78" Run-Off Desk Modesty	1,716	1,864
MP-RP15-84	12	64.5	68.5	84" Run-Off Desk Modesty	1,855	2,014
PED - 18" // 1/2 HEIGHT MODESTY // SET BACK 8 // INSET 2" EACH SIDE						
MP-RP18-60	12	38	42	60" Run-Off Desk Modesty	1,300	1,412
MP-RP18-66	12	44	48	66" Run-Off Desk Modesty	1,438	1,564
MP-RP18-72	12	50	54	72" Run-Off Desk Modesty	1,578	1,713
MP-RP18-78	12	56	60	78" Run-Off Desk Modesty	1,716	1,864
MP-RP18-84	12	62	66	84" Run-Off Desk Modesty	1,855	2,014

GENERAL INFORMATION

- Modesty panel required with Freestanding Metal Hoop Leg
- Modesty panel required with Freestanding Faceted Panel Base


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.


- Choose Veneer Finish, if applicable
- Choose Metal Finish, if applicable
- Choose Paint Finish, if applicable




SINGLE PEDESTAL DESK: MODESTY PANELS




HOOP
1/2 HEIGHT




FACETED PANEL
1/2 HEIGHT



PEDESTAL - 15.5"
1/2 HEIGHT



PED - 18"
1/2 HEIGHT



15.5" & 18" PED
FULL MODESTY

SURFACE MATERIAL KEY

S All Paint
V Veneer

SINGLE PEDESTAL DESK: STANDARD HEIGHT // FACETED CORNER SUPPORT

MODEL #	DEPTH	WIDTH	SEAT CLEARANCE WIDTH	DESCRIPTION	-S	-V
HOOP // 1/2 HEIGHT MODESTY // SET BACK 8 // INSET 2" EACH SIDE						
MP-FC-H-60	12	50.3125	34	60" Run-Off Desk Modesty	1,300	1,412
MP-FC-H-66	12	56.3125	40	66" Run-Off Desk Modesty	1,438	1,564
MP-FC-H-72	12	62.3125	46	72" Run-Off Desk Modesty	1,578	1,713
MP-FC-H-78	12	68.3125	52	78" Run-Off Desk Modesty	1,716	1,864
MP-FC-H-84	12	74.3125	58	84" Run-Off Desk Modesty	1,855	2,014
FACETED PANEL // 1/2 HEIGHT MODESTY // SET BACK 8 // INSET 2" EACH SIDE						
MP-FC-F-60	12	44.625	28.3	60" Run-Off Desk Modesty	1,300	1,412
MP-FC-F-66	12	50.625	34.3	66" Run-Off Desk Modesty	1,438	1,564
MP-FC-F-72	12	56.625	40.3	72" Run-Off Desk Modesty	1,578	1,713
MP-FC-F-78	12	62.625	46.3	78" Run-Off Desk Modesty	1,716	1,864
MP-FC-F-84	12	68.625	52.3	84" Run-Off Desk Modesty	1,855	2,014
PED - 15.5" // 1/2 HEIGHT MODESTY // SET BACK 8 // INSET 2" EACH SIDE						
MP-FC-P15-60	12	34.8125	18.5	60" Run-Off Desk Modesty	1,300	1,412
MP-FC-P15-66	12	40.8125	24.5	66" Run-Off Desk Modesty	1,438	1,564
MP-FC-P15-72	12	46.8125	30.5	72" Run-Off Desk Modesty	1,578	1,713
MP-FC-P15-78	12	52.8125	36.5	78" Run-Off Desk Modesty	1,716	1,864
MP-FC-P15-84	12	58.8125	42.5	84" Run-Off Desk Modesty	1,855	2,014
PED - 18" // 1/2 HEIGHT MODESTY // SET BACK 8 // INSET 2" EACH SIDE						
MP-FC-P18-60	12	32.3125	16	60" Run-Off Desk Modesty	1,300	1,412
MP-FC-P18-66	12	38.3125	22	66" Run-Off Desk Modesty	1,438	1,564
MP-FC-P18-72	12	44.3125	28	72" Run-Off Desk Modesty	1,578	1,713
MP-FC-P18-78	12	50.3125	34	78" Run-Off Desk Modesty	1,716	1,864
MP-FC-P18-84	12	56.3125	40	84" Run-Off Desk Modesty	1,855	2,014


SINGLE PED DESK: STANDARD HEIGHT // PANEL CORNER SUPPORT

MODEL #	DEPTH	WIDTH	DESCRIPTION	-S	-V
15.5" & 18" PED // FULL MODESTY (USE SAME FROM FREESTANDING DESK)					
MP-P-60	26	60	60" Freestanding Desk Modesty	1,433	1,685
MP-P-66	26	66	66" Freestanding Desk Modesty	1,607	1,891
MP-P-72	26	72	72" Freestanding Desk Modesty	1,785	2,101
MP-P-78	26	78	78" Freestanding Desk Modesty	1,962	2,308
MP-P-84	26	84	84" Freestanding Desk Modesty	2,139	2,514


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
 See appendix pages vi-vii for surface material options.
 ■ Choose Veneer Finish, if applicable
 ■ Choose Metal Finish, if applicable
 ■ Choose Paint Finish, if applicable




SINGLE PEDESTAL DESK: MODESTY PANELS




HOOP
1/2 HEIGHT



FACETED PANEL
1/2 HEIGHT



PEDESTAL - 15.5"
1/2 HEIGHT



PED - 18"
1/2 HEIGHT

SURFACE MATERIAL KEY

S All Paint
V Veneer

SINGLE PEDESTAL DESK: STANDARD HEIGHT // BOOKCASE CORNER SUPPORT // COMMON CASE

MODEL #	DEPTH	WIDTH	SEAT CLEARANCE WIDTH	DESCRIPTION	-S	-V
HOOP // 1/2 HEIGHT MODESTY // SET BACK 8 // INSET 2" EACH SIDE						
MP-BC-H-60	12	30	34	60" Run-Off Desk Modesty	1,300	1,412
MP-BC-H-66	12	36	40	66" Run-Off Desk Modesty	1,438	1,564
MP-BC-H-72	12	42	46	72" Run-Off Desk Modesty	1,578	1,713
MP-BC-H-78	12	48	52	78" Run-Off Desk Modesty	1,716	1,864
MP-BC-H-84	12	54	58	84" Run-Off Desk Modesty	1,855	2,014
FACETED PANEL // 1/2 HEIGHT MODESTY // SET BACK 8 // INSET 2" EACH SIDE						
MP-BC-F-60	12	24.3125	28.3	60" Run-Off Desk Modesty	1,300	1,412
MP-BC-F-66	12	30.3125	34.3	66" Run-Off Desk Modesty	1,438	1,564
MP-BC-F-72	12	36.3125	40.3	72" Run-Off Desk Modesty	1,578	1,713
MP-BC-F-78	12	42.3125	46.3	78" Run-Off Desk Modesty	1,716	1,864
MP-BC-F-84	12	48.3125	52.3	84" Run-Off Desk Modesty	1,855	2,014
PED - 15.5" // 1/2 HEIGHT MODESTY // SET BACK 8 // INSET 2" EACH SIDE						
MP-BC-P15-60	12	14.5	18.5	60" Run-Off Desk Modesty	1,300	1,412
MP-BC-P15-66	12	20.5	24.5	66" Run-Off Desk Modesty	1,438	1,564
MP-BC-P15-72	12	26.5	30.5	72" Run-Off Desk Modesty	1,578	1,713
MP-BC-P15-78	12	32.5	36.5	78" Run-Off Desk Modesty	1,716	1,864
MP-BC-P15-84	12	38.5	42.5	84" Run-Off Desk Modesty	1,855	2,014
PED - 18" // 1/2 HEIGHT MODESTY // SET BACK 8 // INSET 2" EACH SIDE						
MP-BC-P18-60	12	12	16	60" Run-Off Desk Modesty	1,300	1,412
MP-BC-P18-66	12	18	22	66" Run-Off Desk Modesty	1,438	1,564
MP-BC-P18-72	12	24	28	72" Run-Off Desk Modesty	1,578	1,713
MP-BC-P18-78	12	30	34	78" Run-Off Desk Modesty	1,716	1,864
MP-BC-P18-84	12	36	40	84" Run-Off Desk Modesty	1,855	2,014

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.


- Choose Veneer Finish, if applicable
- Choose Metal Finish, if applicable
- Choose Paint Finish, if applicable




ACCESS PANELS: STATIC




HOOP
1/2 HEIGHT




FACETED PANEL
1/2 HEIGHT



PEDESTAL - 15.5"
1/2 HEIGHT



PED - 18"
1/2 HEIGHT



15.5" & 18" PED
FULL MODESTY

SURFACE MATERIAL KEY

S All Paint
V Veneer

ACCESS PANEL (FINAL PART NUMBER SHOULD BE THE ACTUAL LENGTH OF ACCESS PANEL NEEDED. EXAMPLE:g-30)

MODEL #	MINIMUM WIDTH	MAXIMUM WIDTH	DESCRIPTION	-S	-V
AAAP-S-XX	12	40	Access Panel (No Work Surface Support)	1,294	1,364
AAAP-S-XX	41	69	Access Panel (One Work Surface Support)	1,383	1,465
AAAP-S-XX	70	87	Access Panel (Two Work Surface Supports)	1,530	1,608
AAAP-S-XX	88	105	Access Panel (Three Work Surface Supports)	1,681	1,772
AAAP-S-XX	106	116	Access Panel (Four Work Surface Supports)	1,851	1,950

GENERAL INFORMATION

- Final part number should be the actual length of Access Panel needed. Example: AAAP-S-30


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Veneer Finish, if applicable
- Choose Metal Finish, if applicable
- Choose Paint Finish, if applicable



ACCESS PANELS: ADJUSTABLE HEIGHT



HOOP
1/2 HEIGHT

SURFACE MATERIAL KEY

- S All Paint
- V Veneer

ACCESS PANEL (FINAL PART NUMBER SHOULD BE THE ACTUAL LENGTH OF ACCESS PANEL NEEDED. EXAMPLE: AAAP-AH-30)

MODEL #	MINIMUM WIDTH	MAXIMUM WIDTH	DESCRIPTION	-S	-V
AAAP-AH-XX	12	30	Access Panel for openings 12"-30"	1,347	1,418
AAAP-AH-XX	31	60	Access Panel for openings 31"-60"	1,498	1,578
AAAP-AH-XX	61	90	Access Panel for openings 61"-90"	1,647	1,735

GENERAL INFORMATION

- Final part number should be the actual length of Access Panel needed. Example: AAAP-AH-30

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)


See appendix pages vi-vii for surface material options.

- Choose Veneer Finish, if applicable
- Choose Metal Finish, if applicable
- Choose Paint Finish, if applicable




26" -DEEP CREDENZA / BRIDGE WORK SURFACES

FOR USE WHEN NOT ADJACENT TO A WORK WALL OR WHEN EXPOSED



WORK SURFACE



RUN-OFF BACK CREDENZA / BRIDGE

SURFACE MATERIAL KEY

V Veneer

**26" -DEEP WORK SURFACE
SIDE CREDENZA // RETURN // FREESTANDING (FREESTANDING, L-SHAPE, T-SHAPE, U-SHAPE)
RUN-OFF BACK CREDENZA (U-SHAPE WITH LOW SIDE CREDENZA)**

MODEL #	MINIMUM WIDTH	MAXIMUM WIDTH	DESCRIPTION	-V
AAC-2630	26	30	Credenza Work Surface	1,487
AAC-2636	26	36	Credenza Work Surface	1,866
AAC-2642	26	42	Credenza Work Surface	1,999
AAC-2648	26	48	Credenza Work Surface	2,155
AAC-2654	26	54	Credenza Work Surface	2,280
AAC-2660	26	60	Credenza Work Surface	3,496
AAC-2666	26	66	Credenza Work Surface	3,733
AAC-2672	26	72	Credenza Work Surface	3,972
AAC-2678	26	78	Credenza Work Surface	4,203
AAC-2684	26	84	Credenza Work Surface	4,432
AAC-2690	26	90	Credenza Work Surface	4,656
AAC-2696	26	96	Credenza Work Surface	4,883
AAC-26102	26	102	Credenza Work Surface	5,095
AAC-26108	26	108	Credenza Work Surface	4,890
AAC-26114	26	114	Credenza Work Surface	5,126
AAC-26120	26	120	Credenza Work Surface	5,352

If using a Height Adjustable support against a work wall **-XL or -XR** No Charge "L" and "R" designates Left or Right relative to the user

**26" -DEEP RUN-OFF BACK CREDENZA / BRIDGE
(U-SHAPE APPLICATIONS)**

MODEL #	MINIMUM WIDTH	MAXIMUM WIDTH	DESCRIPTION	-V
AAR-2630	26	30	Credenza Work Surface	1,586
AAR-2636	26	36	Credenza Work Surface	1,859
AAR-2642	26	42	Credenza Work Surface	1,999
AAR-2648	26	48	Credenza Work Surface	2,155
AAR-2654	26	54	Credenza Work Surface	2,280
AAR-2660	26	60	Credenza Work Surface	2,680
AAR-2666	26	66	Credenza Work Surface	2,919
AAR-2672	26	72	Credenza Work Surface	3,152
AAR-2678	26	78	Credenza Work Surface	3,383
AAR-2684	26	84	Credenza Work Surface	3,606
AAR-2690	26	90	Credenza Work Surface	3,831
AAR-2696	26	96	Credenza Work Surface	4,047
AAR-26102	26	102	Credenza Work Surface	4,261
AAR-26108	26	108	Credenza Work Surface	4,474
AAR-26114	26	114	Credenza Work Surface	4,688
AAR-26120	26	120	Credenza Work Surface	4,886

If using a Height Adjustable support against a work wall **-XL or -XR** No Charge "L" and "R" designates Left or Right relative to the user

If using with a Height Adjustable Support:
 Adjacent to (1) Tower **-T**
 Between (2) Towers **-TT**
 Between (1) Tower and (1) Storage Shelf **-TS**
 Adjacent to (1) Storage Shelf **-S**
 Between (2) Storage Shelves **-SS**



26" -DEEP CREDENZA / BRIDGE WORK SURFACES

OPTIONS	CODE	PRICE	NOTES
2"-Diameter Grommet Options:			
Center Grommet	-WPRC	\$216	
Left Grommet	-WPRL	\$216	
Right Grommet	-WPRR	\$216	
Left and Right Grommet	-WPR2	\$430	
Polished Chrome Grommet	-PCG	\$90	per Grommet
Power Spec / USB Spec Options:			
Center Unit	-SP-C		Please Note: Power Spec and USB Spec are specified separately. See page 83.
Left Unit	-SP-L		
Right Unit	-SP-R		
Left and Right Units	-SP-LR		

GENERAL INFORMATION

- Veneer species often dictates cut, default veneer cut is flat
- Work surface is 2"-thick with square edge profile
- Grain direction on work surfaces should always run parallel to a seam
- Work surface tops will be grain-matched sets based on configuration
- Grommets available in Powder Coat, Clear Anodized, and Polished Chrome (upcharge applies)
- Power Spec and USB Spec specified separately. See page 83.
- See page 84 for Pencil Stop information


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
 See appendix pages vi-vii for surface material options.

- Choose Veneer Finish, if applicable
- Choose Metal Finish, if applicable
- Choose Paint Finish, if applicable



24" -DEEP CREDENZA / BRIDGE WORK SURFACES

FOR USE WHEN ADJACENT TO A WORK WALL



SURFACE MATERIAL KEY

V Veneer

**24" -DEEP WORK SURFACE
SIDE CREDENZA // RETURN (L-SHAPE, T-SHAPE, U-SHAPE)
RUN-OFF BACK CREDENZA (U-SHAPE WITH LOW SIDE CREDENZA)**

MODEL #	MINIMUM WIDTH	MAXIMUM WIDTH	DESCRIPTION	-V
AAC-2430	24	30	Credenza Work Surface	1,487
AAC-2436	24	36	Credenza Work Surface	1,759
AAC-2442	24	42	Credenza Work Surface	2,593
AAC-2448	24	48	Credenza Work Surface	2,834
AAC-2454	24	54	Credenza Work Surface	3,067
AAC-2460	24	60	Credenza Work Surface	3,296
AAC-2466	24	66	Credenza Work Surface	3,522
AAC-2472	24	72	Credenza Work Surface	3,747
AAC-2478	24	78	Credenza Work Surface	3,965
AAC-2484	24	84	Credenza Work Surface	4,179
AAC-2490	24	90	Credenza Work Surface	4,393
AAC-2496	24	96	Credenza Work Surface	4,606
AAC-24102	24	102	Credenza Work Surface	4,807
AAC-24108	24	108	Credenza Work Surface	4,612
AAC-24114	24	114	Credenza Work Surface	4,836
AAC-24120	24	120	Credenza Work Surface	5,047

If using a Height Adjustable support against a work wall **-XL or -XR** No Charge "L" and "R" designates Left or Right relative to the user

**24" -DEEP RUN-OFF BACK CREDENZA / BRIDGE
(U-SHAPE APPLICATIONS)**

MODEL #	MINIMUM WIDTH	MAXIMUM WIDTH	DESCRIPTION	-V
AAR-2430	24	30	Credenza Work Surface	1,487
AAR-2436	24	36	Credenza Work Surface	1,759
AAR-2442	24	42	Credenza Work Surface	2,593
AAR-2448	24	48	Credenza Work Surface	2,834
AAR-2454	24	54	Credenza Work Surface	3,067
AAR-2460	24	60	Credenza Work Surface	3,296
AAR-2466	24	66	Credenza Work Surface	3,522
AAR-2472	24	72	Credenza Work Surface	3,747
AAR-2478	24	78	Credenza Work Surface	3,965
AAR-2484	24	84	Credenza Work Surface	4,179
AAR-2490	24	90	Credenza Work Surface	4,393
AAR-2496	24	96	Credenza Work Surface	4,606
AAR-24102	24	102	Credenza Work Surface	4,807
AAR-24108	24	108	Credenza Work Surface	4,612
AAR-24114	24	114	Credenza Work Surface	4,836
AAR-24120	24	120	Credenza Work Surface	5,047

If using a Height Adjustable support against a work wall **-XL or -XR** No Charge "L" and "R" designates Left or Right relative to the user

If using with a Height Adjustable Support:
 Adjacent to (1) Tower **-T**
 Between (2) Towers **-TT**
 Between (1) Tower and (1) Storage Shelf **-TS**
 Adjacent to (1) Storage Shelf **-S**
 Between (2) Storage Shelves **-SS**



24" -DEEP CREDENZA / BRIDGE WORK SURFACES

OPTIONS	CODE	PRICE	NOTES
2"-Diameter Grommet Options:			
Center Grommet	-WPRC	\$216	
Left Grommet	-WPRL	\$216	
Right Grommet	-WPRR	\$216	
Left and Right Grommet	-WPR2	\$430	
Polished Chrome Grommet	-PCG	\$90	per Grommet
Power Spec / USB Spec Options:			
Center Unit	-SP-C		Please Note: Power Spec and USB Spec are specified separately. See page 83.
Left Unit	-SP-L		
Right Unit	-SP-R		
Left and Right Units	-SP-LR		

GENERAL INFORMATION


- Veneer species often dictates cut, default veneer cut is flat
- Work surface is 2"-thick with square edge profile
- Grain direction on work surfaces should always run parallel to a seam
- Work surface tops will be grain-matched sets based on configuration
- Grommets available in Powder Coat, Clear Anodized, and Polished Chrome (upcharge applies)
- Power Spec and USB Spec specified separately. See page 83.
- See page 84 for Pencil Stop information

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
 See appendix pages vi-vii for surface material options.


- Choose Veneer Finish, if applicable
- Choose Metal Finish, if applicable
- Choose Paint Finish, if applicable



CREDENZA SUPPORTS: STATIC




AAEP-26
END PANEL




AAKC-26
KEEL CORNER PANEL FOR
(2) CREDENZA WORK SURFACES




AASP-26
SPACER LEG




AABBF-3626
BOX BOX FILE PEDESTAL




AAFF-2426
FILE FILE PEDESTAL



AADD-3626
DOUBLE DOOR STORAGE



AAOS-3626
OPEN SHELF STORAGE



AATR-1826
PULL-OUT DOOR
WASTE / RECYCLE

SURFACE MATERIAL KEY

- S All Paint
- V Veneer
- VS Veneer Case and Painted Front

STATIC SUPPORTS

MODEL #	DEPTH	WIDTH	DESCRIPTION	-S	-V	-VS
AAEP-26	26	2	End Panel	972	1,024	-
AAKC-26-[]	26	2	Keel Corner Panel for Two Credenza Work Surfaces	1,376	1,449	-
AASP-24	24		Spacer Leg (Low Credenza Applications)	174	181	-
AASP-26	26		Spacer Leg (Low Credenza Applications)	174	181	-
AABBF-1826	26	18	Box Box File Pedestal	4,305	4,534	4,534
AABBF-2426	26	24	Box Box File Pedestal	4,736	4,986	4,986
AABBF-3026	26	30	Box Box File Pedestal	5,165	5,438	5,438
AABBF-3626	26	36	Box Box File Pedestal	5,598	5,892	5,892
AAFF-1826	26	18	File File Pedestal	4,026	4,236	4,236
AAFF-2426	26	24	File File Pedestal	4,430	4,662	4,662
AAFF-3026	26	30	File File Pedestal	4,831	5,085	5,085
AAFF-3626	26	36	File File Pedestal	5,234	5,507	5,507
AAD-1826-[]	26	18	Single Door Storage	3,592	3,781	3,781
AAD-2426-[]	26	24	Single Door Storage	3,757	3,955	3,955
AADD-3026	26	30	Double Door Storage	3,971	4,181	4,181
AADD-3626	26	36	Double Door Storage	4,137	4,352	4,352
AAOS-1826	26	18	Open Shelf Storage	3,189	3,358	-
AAOS-2426	26	24	Open Shelf Storage	3,278	3,448	-
AAOS-3026	26	30	Open Shelf Storage	3,356	3,533	-
AAOS-3626	26	36	Open Shelf Storage	3,439	3,620	-
AATR-1826	26	18	Pull-Out Door Waste/Recycle	4,026	4,236	4,236
AATR-2426	26	24	Pull-Out Door Waste/Recycle	4,430	4,662	4,662


[] Specify Left (-L) or Right (-R) relative to the user position

- FS Freestanding/No Adjacent Supp
- LH Left Hand Starter; Adjacent to -AO or -RH
- RH Right Hand Starter; Adjacent to -AO or -LH
- AO Add-on; Adjacent to -RH or -LH




CREDENZA SUPPORTS: STATIC

OPTIONS	CODE	PRICE	NOTES
Polished Chrome Hoop Leg:	-PC	\$1,647	per Hoop Leg
No Locks (Pedestals):	-NL	No Charge	
Pull Options:			
Integrated Pull (Metal Accent)	-MIP	No Charge	
Integrated Pull (Wood Accent)	-WIP	No Charge	
Metal Tab Pull	-MP	No Charge	
Polished Chrome Pulls	-PCP	\$286	per Pull



-MIP or -WIP



-MP

GENERAL INFORMATION

- Vertical grain direction
- Veneer species often dictates cut, default veneer cut is flat
- Case Height 28"
- Mitered case construction
- Face locking standard on all storage components
- Storage fronts will be grain-matched set
- All lateral, pedestal and box file drawers are standard with white drawer boxes and undermount soft closing slides
- Door and open shelf storage pedestals include a single adjustable height shelf
- Integrated pull includes a horizontal accent in which a finish must be specified; finish options include veneer, powdercoat, chrome accent, or clear anodized
- If a wood integrated pull (WIP) is selected on a veneer case with painted drawer fronts (VS), the finish of the wood on the integrated pull will default to the veneer of the case unless otherwise specified
- If a wood integrated pull (WIP) is selected on a painted case (S), the finish of the wood on the integrated pull will default to the paint color of the drawer unless otherwise specified
- Metal Tab Pull finish options include powdercoat, chrome, or clear anodized
- Box drawers include fabric wrapped drawer bottoms. Felt (K1207) or Hopsack (K1206) selection required. If no selection is made, the default choice will be Knoll Felt - Pewter.
- The back of the integrated pull will reflect the wood or metal selection (see shaded area of drawing)
- Spacer leg matches case finish
- Single door storage units are handed and are defined by the hinge side


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.


- Choose Veneer Finish, if applicable
- Choose Metal Finish, if applicable
- Choose Paint Finish, if applicable
- Choose Pull option for Pedestals: Integrated Pull (-MIP or -WIP) or Metal Pull (-MP)
- Choose Fabric option, if applicable




CREDENZA SUPPORTS: LOW, STATIC




AAL-BF-1826
1/2 HEIGHT



AAL-D-1826
1/2 HEIGHT



AAL-OS-1826
1/2 HEIGHT



AAL-TR-1826
1/2 HEIGHT

SURFACE MATERIAL KEY

- S All Paint
- V Veneer
- V Veneer Cased and Painted Front




LOW STORAGE // 23.5"-HIGH

MODEL #	DEPTH	WIDTH	HEIGHT	DESCRIPTION	-S	-V	-VS
AAL-BF-1826	26	18	23.5	Box File Pedestal	3,660	3,854	3,854
AAL-BF-2426	26	24	23.5	Box File Pedestal	4,027	4,237	4,237
AAL-BF-3026	26	30	23.5	Box File Pedestal	4,393	4,623	4,623
AAL-BF-3626	26	36	23.5	Box File Pedestal	4,757	5,008	5,008
AAL-D-1826-[]	26	18	23.5	18"W x 26"D Single Door Storage	3,573	3,759	3,759
AAL-D-2426-[]	26	24	23.5	24"W x 26"D Single Door Storage	3,654	3,845	3,845
AAL-DD-3026	26	30	23.5	30"W x 26"D Double Door Storage	3,735	3,930	3,930
AAL-DD-3626	26	36	23.5	36"W x 26"D Double Door Storage	4,112	4,328	4,328
AAL-OS-1826	26	18	23.5	18"W x 26"D Open Shelf Storage	3,174	3,338	3,338
AAL-OS-2426	26	24	23.5	24"W x 26"D Open Shelf Storage	3,253	3,425	3,425
AAL-OS-3026	26	30	23.5	30"W x 26"D Open Shelf Storage	3,335	3,512	3,512
AAL-OS-3626	26	36	23.5	36"W x 26"D Open Shelf Storage	3,420	3,600	3,600
AAL-TR-1826	26	18	23.5	18"W x 26"D Pull-Out Door Waste/Recycle	3,624	3,814	3,814
AAL-TR-2426	26	24	23.5	24"W x 26"D Pull-Out Door Waste/Recycle	3,987	4,196	4,196

[] Specify Left (-L) or Right (-R) relative to the user

OPTIONS

	CODE	PRICE	NOTES
Polished Chrome Hoop Leg:	-PC	\$1,647	per Hoop Leg
No Locks (Pedestals):	-NL	No Charge	
Pull Options:			
Integrated Pull (Metal Accent)	-MIP	No Charge	
Integrated Pull (Wood Accent)	-WIP	No Charge	
Metal Tab Pull	-MP	No Charge	
Polished Chrome Pulls	-PCP	\$286	per Pull
24" or 30"-wide Seat Cushion (1 yd):			
COM Fabric	-SC-1COM	\$421	
Grade A	-SC-1A	\$658	
Grade B	-SC-1B	\$739	
Grade C	-SC-1C	\$840	
Grade D	-SC-1D	\$934	
Grade E	-SC-1E	\$1,035	
Grade F	-SC-1F	\$1,102	
Grade G	-SC-1G	\$1,202	
Grade H	-SC-1H	\$1,245	
36"-wide Seat Cushion (1-1/2 yd):			
COM Fabric	-SC-COM	\$630	
Grade A	-SC-A	\$984	
Grade B	-SC-B	\$1,107	
Grade C	-SC-C	\$1,260	
Grade D	-SC-D	\$1,407	
Grade E	-SC-E	\$1,552	
Grade F	-SC-F	\$1,653	
Grade G	-SC-G	\$1,799	
Grade H	-SC-H	\$1,866	





CREDENZA SUPPORTS: LOW, STATIC

GENERAL INFORMATION

- Vertical grain direction
- Veneer species often dictates cut, default veneer cut is flat
- Case Height 28"
- Mitered case construction
- Face locking standard on all storage components
- Storage fronts will be grain-matched set
- All lateral, pedestal and box file drawers are standard with white drawer boxes and undermount soft closing slides
- Door and open shelf storage pedestals include a single adjustable height shelf
- Integrated pull includes a horizontal accent in which a finish must be specified; finish options include veneer, powdercoat, chrome accent, or clear anodized
- If a wood integrated pull (WIP) is selected on a veneer case with painted drawer fronts (VS), the finish of the wood on the integrated pull will default to the veneer of the case unless otherwise specified
- If a wood integrated pull (WIP) is selected on a painted case (S), the finish of the wood on the integrated pull will default to the paint color of the drawer unless otherwise specified
- Metal Tab Pull finish options include powdercoat, chrome, or clear anodized
- Box drawers include fabric wrapped drawer bottoms. Felt (K1207) or Hopsack (K1206) selection required. If no selection is made, the default choice will be Knoll Felt - Pewter.
- The back of the integrated pull will reflect the wood or metal selection (see shaded area of drawing)
- Single door storage units are handed and are defined by the hinge side.


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Veneer Finish, if applicable
- Choose Metal Finish, if applicable
- Choose Paint Finish, if applicable
- Choose Pull option for Pedestals: Integrated Pull (-MIP or -WIP) or Metal Pull (-MP)
- Choose Fabric option, if applicable



CREDENZA SUPPORTS: ADJUSTABLE HEIGHT




SURFACE MATERIAL KEY

S All Paint
 V Veneer
 VS Veneer Case and Painted Front

ADJUSTABLE HEIGHT CREDENZA / RETURN SUPPORT // 23.5"-HIGH

MODEL #	DEPTH	WIDTH	DESCRIPTION	-S	-V	-VS
AAH-BF-1826	26	18	Box File with Lift Support	5,812	6,051	6,051
AAH-BF-2426	26	24	Box File with Lift Support	6,030	6,280	6,280
AAH-BF-3026	26	30	Box File with Lift Support	6,460	6,732	6,732
AAH-BF-3626	26	36	Box File with Lift Support	6,890	7,184	7,184
AAH-MF-4826-[]	26	48	Multi File with Lift Support (18" & 30" Box File)	7,494	7,807	7,807
AAH-OS-1826	26	18	Open Shelf with Lift Support	4,485	4,652	-
AAH-OS-2426	26	24	Open Shelf with Lift Support	4,570	4,741	-
AAH-OS-3026	26	30	Open Shelf with Lift Support	4,650	4,825	-
AAH-OS-3626	26	36	Open Shelf with Lift Support	4,734	4,914	-
AAH-D-1826-[]	26	18	Single Door Storage with Lift Support	4,885	5,077	5,077
AAH-D-2426-[]	26	24	Single Door Storage with Lift Support	5,052	5,247	5,247
AAH-DD-3026	26	30	Double Door Storage with Lift Support	5,265	5,474	5,474
AAH-DD-3626	26	36	Double Storage with Lift Support	5,428	5,648	5,648
AAH-TR-1826	26	18	Pull-Out Door Waste/Recycle with Lift Support	5,319	5,532	5,532
AAH-TR-2426	26	24	Pull-Out Door Waste/Recycle with Lift Support	5,723	5,952	5,952
AAH-EP-26-[]	26	5	End Panel with Lift Support for L-Shape Configuration	2,269	2,318	-

[] Specify Left (-L) or Right (-R) relative to the user position



SURFACE MATERIAL KEY

S All Paint
 V Veneer
 VS Veneer Case and Painted Front


LOW COMMON CASE WITH LIFT // L-SHAPE APPLICATIONS // 23.5"-HIGH

MODEL #	DEPTH	WIDTH	DESCRIPTION	-S	-V	-VS
AACS-LL-BF-6026-[]	26	60	(1) 30"W Box File with 30"W Open Shelf with Lift	8,288	8,595	8,595
AACS-LL-BF-7226-[]	26	72	(1) 36"W Box File with 36"W Open Shelf with Lift	8,959	9,296	9,296
AACS-LL-BF-9026-[]	26	90	(2) 30"W Box File with 30"W Open Shelf with Lift	11,757	12,242	12,242
AACS-LL-BF-10826-[]	26	108	(2) 36"W Box File with 36"W Open Shelf with Lift	12,468	12,992	12,992
AACS-LL-BF-12026-[]	26	120	(3) 30"W Box File with (1) 30"W Open Shelf with Lift	13,181	13,874	13,874
AACS-LL-SD-6026-[]	26	60	(1) 30"W Sliding Door with 30"W Open Shelf with Lift	8,288	8,595	8,595
AACS-LL-SD-7226-[]	26	72	(1) 36"W Sliding Door with 36"W Open Shelf with Lift	8,959	9,296	9,296
AACS-LL-SD-9026-[]	26	90	(1) 30"W Sliding Door with 30"W Open Shelf with Lift	11,757	12,242	12,242
AACS-LL-SD-10826-[]	26	108	(1) 36"W Sliding Door with 36"W Open Shelf with Lift	12,468	12,992	12,992
AACS-LL-SD-12026-[]	26	120	(2) 30"W Sliding Door with (2) 30"W Open Shelf with Lift	13,181	13,874	13,874
AACS-LL-DD-6026-[]	26	60	(1) 30"W Double Door Unit with 30"W Open Shelf with Lift	8,288	8,595	8,595
AACS-LL-DD-7226-[]	26	72	(1) 36"W Double Door Unit with 36"W Open Shelf with Lift	8,959	9,296	9,296
AACS-LL-DD-9026-[]	26	90	(2) 30"W Double Door Units with 30"W Open Shelf with Lift	11,757	12,242	12,242
AACS-LL-DD-10826-[]	26	108	(2) 36"W Double Door Units with 36"W Open Shelf with Lift	12,468	12,992	12,992
AACS-LL-DD-12026-[]	26	120	(3) 30"W Double Door Units with (1) 30"W Open Shelf with Lift	13,181	13,874	13,874


[] Specify Left (-L) or Right (-R) relative to the position of the lift




CREDENZA SUPPORTS: ADJUSTABLE HEIGHT



AACS-TL-BF-10826
BOX FILE / OPEN SHELF WITH LIFT



AACS-TL-SD-10826
SLIDING DOOR / OPEN SHELVES
WITH LIFT



AACS-TL-DD-10826
DOUBLE DOOR UNITS / OPEN SHELF
WITH LIFT

SURFACE MATERIAL KEY

- S All Paint
- V Veneer
- VS Veneer Case and Painted Front

T-SHAPE APPLICATIONS // 23.5"-HIGH

MODEL #	DEPTH	WIDTH	DESCRIPTION	-S	-V	-VS
AACS-TL-BF-9026	26	90	(2) 30"W Box File with 30"W Open Shelf with Lift	11,757	12,242	12,242
AACS-TL-BF-10826	26	108	(2) 36"W Box File with 36"W Open Shelf with Lift	12,468	12,992	12,992
AACS-TL-BF-12026-[]	26	120	(3) 30"W Box File with 30"W Open Shelf with Lift	12,671	13,224	13,224
AACS-TL-SD-9026	26	90	(1) 30"W Sliding Door with (2) 30"W Open Shelves with Lift	11,757	12,242	12,242
AACS-TL-SD-10826	26	108	(1) 36"W Sliding Door with (2) 36"W Open Shelves with Lift	12,468	12,992	12,992
AACS-TL-SD-12026-[]	26	120	(2) 30"W Sliding Door with (2) 30"W Open Shelves with Lift	14,947	15,599	15,599
AACS-TL-DD-9026	26	90	(2) 30"W Double Door Units with 30"W Open Shelf with Lift	11,757	12,242	12,242
AACS-TL-DD-10826	26	108	(2) 36"W Double Door Units with 36"W Open Shelf with Lift	12,468	12,992	12,992
AACS-TL-DD-12026-[]	26	120	(3) 30"W Double Door Units with 30"W Open Shelf with Lift	14,947	15,599	15,599

[] Specify Left (-L) or Right (-R) relative to the position of the lift

LIFT SUPPORT (MUST BE SPECIFIED)

MODEL #	DESCRIPTION	PRICE
AALIFT-2	Add when there is one Height Adjustable Work Surface	No Charge
AALIFT-3	Add when there are two connected Height Adjustable work surfaces	No Charge

OPTIONS


No Locks (Pedestals):

CODE PRICE NOTES


-NL No Charge

Pull Options:

Integrated Pull (Metal Accent) **-MIP** No Charge
 Integrated Pull (Wood Accent) **-WIP** No Charge
 Metal Tab Pull **-MP** No Charge
 Polished Chrome Pulls **-PCP** \$286 per Pull



-MIP or -WIP



-MP



CREDENZA SUPPORTS: ADJUSTABLE HEIGHT

GENERAL INFORMATION

- Vertical grain direction
- Veneer species often dictates cut, default veneer cut is flat
- Case Height 23-1/2"
- Mitered case construction
- Credenza does not include the 2"-thick work surface nor does it accept a work surface as standard
- Run off desk is to be positioned above the open shelf located at either end of credenza
- Integrated pull includes a horizontal accent in which a finish must be specified; finish options include veneer, powdercoat, chrome accent, or clear anodized
- If a wood integrated pull (WIP) is selected on a veneer case with painted drawer fronts (VS), the finish of the wood on the integrated pull will default to the veneer of the case unless otherwise specified
- If a wood integrated pull (WIP) is selected on a painted case (S), the finish of the wood on the integrated pull will default to the paint color of the drawer unless otherwise specified
- Metal Tab Pull finish options include powdercoat, chrome, or clear anodized
- Face locking standard on all storage components
- Storage fronts will be grain-matched set
- All lateral, pedestal and box file drawers are standard with white drawer boxes and undermount soft closing slides
- Door and open shelf storage pedestals include a single adjustable height shelf
- Work surface height adjustable range of travel 28" - 46"
- Lift mechanisms are designed to support all desk components, plus a maximum of 100lbs additional weight
- Height adjustable lift mechanism is warranted for 2 years
- Box drawers include fabric wrapped drawer bottoms. Felt (K1207) or Hopsack (K1206) selection required. If no selection is made, the default choice will be Knoll Felt - Pewter.
- The back of the integrated pull will reflect the wood or metal selection (see shaded area of drawing)
- Sliding door common cases do not have locks
- Multi-file with lift support handedness is defined by the position of the 18" portion with the lift
- Single door storage units handedness is defined by the hinge side
- End panel with lift support handedness is based on the position under the work surface
- Handedness of low common cases with lifts is defined by the position of the lift, facing the unit
- For 120" T-Shape units, handedness is based on the position relative to the center


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.


- Choose Veneer Finish, if applicable
- Choose Metal Finish, if applicable
- Choose Paint Finish, if applicable
- Choose Pull option for Pedestals: Integrated Pull (-MIP or -WIP) or Metal Pull (-MP)
- Choose Fabric option, if applicable




COMMON CASE CREDENZA SUPPORTS: STATIC



AACC-T-LF-12026
BOX FILE / OPEN SHELF



AACC-T-SD-12026
SLIDING DOOR / OPEN SHELVES



AACC-T-DD-9026
DOUBLE DOOR UNITS / OPEN SHELF


SURFACE MATERIAL KEY

- S All Paint
- V Veneer
- VS Veneer Case and Painted Front


COMMON CASE // T-SHAPE APPLICATIONS // 27"-HIGH

MODEL #	DEPTH	WIDTH	HEIGHT	DESCRIPTION	-S	-V	-VS
AACC-T-LF-9026	26	90	27	(2) 30"W Lateral File with 30"W Open Shelf	8,951	9,421	9,421
AACC-T-LF-10826	26	108	27	(2) 36"W Lateral File with 36"W Open Shelf	9,641	10,150	10,150
AACC-T-LF-12026-[]	26	120	27	(3) 30"W Lateral File with 30"W Open Shelf	12,045	12,676	12,676
AACC-T-SD-9026	26	90	27	(2) 30"W Openings with 30"W Sliding Door	8,951	9,421	9,421
AACC-T-SD-10826	26	108	27	(2) 36"W Openings with 36"W Sliding Door	9,641	10,150	10,150
AACC-T-SD-12026-[]	26	120	27	(2) 30"W Openings with (2) 30"W Sliding Doors	12,045	12,676	12,676
AACC-T-DD-9026	26	90	27	(2) 30"W Double Door Units with 30"W Open Shelf	8,951	9,421	9,421
AACC-T-DD-10826	26	108	27	(2) 36"W Double Door Units with 36"W Open Shelf	9,641	10,150	10,150
AACC-T-DD-12026-[]	26	120	27	(3) 30"W Double Door Units with 30"W Open Shelf	12,045	12,676	12,676


[] Specify Left (-L) or Right (-R) relative to the position of the open shelf from the center



AACC-L-LF-9026
BOX FILE / OPEN SHELF



AACC-L-SD-9026
SLIDING DOOR / OPEN SHELVES



AACC-L-DD-9026
DOUBLE DOOR UNITS / OPEN SHELF

SURFACE MATERIAL KEY

- S All Paint
- V Veneer
- VS Veneer Case and Painted Front

COMMON CASE // L-SHAPE APPLICATIONS // 27"-HIGH


MODEL #	DEPTH	WIDTH	HEIGHT	DESCRIPTION	-S	-V	-VS
AACC-L-LF-6026-[]	26	60	27	(1) 30"W Lateral File with 30" W Open Shelf	6,021	6,338	6,338
AACC-L-LF-7226-[]	26	72	27	(1) 36"W Lateral File with 36"W Open Shelf	6,626	6,976	6,976
AACC-L-LF-9026-[]	26	90	27	(2) 30"W Lateral File with 30"W Open Shelf	9,509	10,009	10,009
AACC-L-LF-10826-[]	26	108	27	(2) 36"W Lateral File with 36"W Open Shelf	10,244	10,782	10,782
AACC-L-LF-12026-[]	26	120	27	(3) 30"W Lateral File with (1) 30"W Open Shelf	12,045	12,676	12,676
AACC-L-SD-6026-[]	26	60	27	(1) 30"W Open Shelves with 30"W Sliding Door	6,021	6,338	6,338
AACC-L-SD-7226-[]	26	72	27	(1) 36"W Open Shelves with 36"W Sliding Door	6,626	6,976	6,976
AACC-L-SD-9026-[]	26	90	27	(2) 30"W Open Shelves with 30"W Sliding Door	9,509	10,009	10,009
AACC-L-SD-10826-[]	26	108	27	(2) 36"W Open Shelves with 36"W Sliding Door	10,244	10,782	10,782
AACC-L-SD-12026-[]	26	120	27	(2) 30"W Open Shelves with (2) 30"W Sliding Door	12,045	12,676	12,676
AACC-L-DD-6026-[]	26	60	27	(1) 30"W Double Door Unit with 30"W Open Shelf	6,021	6,338	6,338
AACC-L-DD-7226-[]	26	72	27	(1) 36"W Double Door Unit with 36"W Open Shelf	6,626	6,976	6,976
AACC-L-DD-9026-[]	26	90	27	(2) 30"W Double Door Units with 30"W Open Shelf	9,509	10,009	10,009
AACC-L-DD-10826-[]	26	108	27	(2) 36"W Double Door Units with 36"W Open Shelf	10,244	10,782	10,782
AACC-L-DD-12026-[]	26	120	27	(3) 30"W Double Door Units with (1) 30"W Open Shelf	12,045	12,676	12,676

[] Specify Left (-L) or Right (-R) relative to the open shelf position




COMMON CASE CREDENZA SUPPORTS: STATIC

OPTIONS	CODE	PRICE	NOTES
Grommet	-GR	No Charge	
No Locks (Pedestals):	-NL	No Charge	
Pull Options:			
Integrated Pull (Metal Accent)	-MIP	No Charge	
Integrated Pull (Wood Accent)	-WIP	No Charge	
Metal Tab Pull	-MP	No Charge	
Polished Chrome Pulls	-PCP	\$286	per Pull



-MIP or -WIP



-MP

GENERAL INFORMATION

- Vertical grain direction
- Veneer species often dictates cut, default veneer cut is flat
- Case Height 28"
- Mitered case construction
- Credenza does not include the 2"-thick work surface. Must be specified for standard height common cases.
- Static run off desk is to be positioned above the open shelf
- Storage fronts will be grain-matched set
- All lateral, pedestal and box file drawers are standard with white drawer boxes and undermount soft closing slides
- Door and open shelf storage pedestals include a single adjustable height shelf
- Integrated pull includes a horizontal accent in which a finish must be specified; finish options include veneer, powdercoat, chrome accent, or clear anodized
- If a wood integrated pull (WIP) is selected on a veneer case with painted drawer fronts (VS), the finish of the wood on the integrated pull will default to the veneer of the case unless otherwise specified
- If a wood integrated pull (WIP) is selected on a painted case (S), the finish of the wood on the integrated pull will default to the paint color of the drawer unless otherwise specified
- Metal Tab Pull finish options include powdercoat, chrome, or clear anodized
- Box drawers include fabric wrapped drawer bottoms. Felt (K1207) or Hopsack (K1206) selection required. If no selection is made, the default choice will be Knoll Felt - Pewter.
- Face locking standard on all storage components
- The back of the integrated pull will reflect the wood or metal selection (see shaded area of drawing)
- Sliding door common cases do not have locks
- When adding a grommet to a standard height common case, ensure the work surface also has a grommet location option selected
- Handedness is based on the open shelf location, facing the unit
- For 120" T-Shape units, handedness is based on the position relative to the center


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.


- Choose Veneer Finish, if applicable
- Choose Metal Finish, if applicable
- Choose Paint Finish, if applicable
- Choose Pull option for Pedestals: Integrated Pull (-MIP or -WIP) or Metal Pull (-MP)
- Choose Fabric option, if applicable




COMMON CASE CREDENZA SUPPORTS: LOW, STATIC



AACS-T-BF-9026
BOX FILE / OPEN SHELF



AACS-T-SD-9026
SLIDING DOOR / OPEN SHELVES



AACS-T-DD-9026
DOUBLE DOOR UNITS / OPEN SHELF


SURFACE MATERIAL KEY

- S All Paint
- V Veneer
- VS Veneer Case and Painted Front


LOW COMMON CASE // T-SHAPE APPLICATIONS // 23.5"-HIGH

MODEL #	DEPTH	WIDTH	HEIGHT	DESCRIPTION	-S	-V	-VS
AACS-T-BF-9026	26	90	23.5	(2) 30"W Box File with 30"W Open Shelf	8,690	9,146	9,146
AACS-T-BF-10826	26	108	23.5	(2) 36"W Box File with 36"W Open Shelf	9,360	9,854	9,854
AACS-T-BF-12026-[]	26	120	23.5	(3) 30"W Box File with 30"W Open Shelf	11,692	12,308	12,308
AACS-T-SD-9026	26	90	23.5	(1) 30"W Sliding Door with (2) 30"W Open Shelf	8,690	9,146	9,146
AACS-T-SD-10826	26	108	23.5	(1) 36"W Sliding Door with (2) 36"W Open Shelves	9,360	9,854	9,854
AACS-T-SD-12026	26	120	23.5	(2) 30"W Open Shelves with (2) 30"W Sliding Doors	11,692	12,308	12,308
AACS-T-DD-9026	26	90	23.5	(2) 30"W Double Door Units with 30"W Open Shelf	8,690	9,146	9,146
AACS-T-DD-10826	26	108	23.5	(2) 36"W Double Door Units with 36"W Open Shelf	9,360	9,854	9,854
AACS-T-DD-12026-[]	26	120	23.5	(3) 30"W Double Door Units with 30"W Open Shelf	11,692	12,308	12,308


[] Specify Left (-L) or Right (-R) relative to the position of the open shelf from the center



AACS-L-BF-9026
BOX FILE / OPEN SHELF



AACS-L-SD-9026
SLIDING DOOR / OPEN SHELVES



AACS-L-DD-9026
DOUBLE DOOR UNITS / OPEN SHELF

SURFACE MATERIAL KEY

- S All Paint
- V Veneer
- VS Veneer Case and Painted Front

LOW COMMON CASE // L-SHAPE APPLICATIONS // 23.5"-HIGH


MODEL #	DEPTH	WIDTH	HEIGHT	DESCRIPTION	-S	-V	-VS
AACS-L-BF-6026-[]	26	60	23.5	(1) 30"W Box File with 30"W Open Shelf	5,847	6,154	6,154
AACS-L-BF-7226-[]	26	72	23.5	(1) 36"W Box File with 36"W Open Shelf	6,434	6,772	6,772
AACS-L-BF-9026-[]	26	90	23.5	(2) 30"W Box File with 30"W Open Shelf	9,233	9,718	9,718
AACS-L-BF-10826-[]	26	108	23.5	(2) 36"W Box File with 36"W Open Shelf	9,946	10,468	10,468
AACS-L-BF-12026-[]	26	120	23.5	(3) 30"W Box File with 30"W Open Shelf	11,692	12,308	12,308
AACS-L-SD-6026-[]	26	60	23.5	(1) 30"W Sliding Door with 30"W Open Shelf	5,847	6,154	6,154
AACS-L-SD-7226-[]	26	72	23.5	(1) 36"W Sliding Door with 36"W Open Shelf	6,434	6,772	6,772
AACS-L-SD-9026-[]	26	90	23.5	(1) 30"W Sliding Door with (2) 30"W Open Shelves	9,233	9,718	9,718
AACS-L-SD-10826-[]	26	108	23.5	(1) 36"W Sliding Door with (2) 36"W Open Shelves	9,946	10,468	10,468
AACS-L-SD-12026-[]	26	120	23.5	(2) 30"W Sliding Door with (2) 30"W Open Shelves	11,692	12,308	12,308
AACS-L-DD-6026-[]	26	60	23.5	(1) 30"W Double Door Unit with 30"W Open Shelf	5,847	6,154	6,154
AACS-L-DD-7226-[]	26	72	23.5	(1) 36"W Double Door Unit with 36"W Open Shelf	6,434	6,772	6,772
AACS-L-DD-9026-[]	26	90	23.5	(2) 30"W Double Door Units with 30"W Open Shelf	9,233	9,718	9,718
AACS-L-DD-10826-[]	26	108	23.5	(2) 36"W Double Door Units with 36"W Open Shelf	9,946	10,468	10,468
AACS-L-DD-12026-[]	26	120	23.5	(3) 30"W Double Door Units with 30"W Open Shelf	11,692	12,308	12,308

[] Specify Left (-L) or Right (-R) relative to the open shelf position




COMMON CASE CREDENZA SUPPORTS: LOW, STATIC

OPTIONS	CODE	PRICE	NOTES
Grommet	-GR	No Charge	
No Locks (Pedestals):	-NL	No Charge	
Pull Options:			
Integrated Pull (Metal Accent)	-MIP	No Charge	
Integrated Pull (Wood Accent)	-WIP	No Charge	
Metal Tab Pull	-MP	No Charge	
Polished Chrome Pulls	-PCP	\$286	per Pull



-MIP or -WIP



-MP

GENERAL INFORMATION

- Vertical grain direction
- Veneer species often dictates cut, default veneer cut is flat
- Case Height 23.5"
- Mitered case construction
- Credenza does not include the 2"-thick work surface. Must be specified for standard height common cases.
- Static run off desk is to be positioned above the open shelf
- Storage fronts will be grain-matched set
- All lateral, pedestal and box file drawers are standard with white drawer boxes and undermount soft closing slides
- Door and open shelf storage pedestals include a single adjustable height shelf
- Integrated pull includes a horizontal accent in which a finish must be specified; finish options include veneer, powdercoat, chrome accent, or clear anodized
- If a wood integrated pull (WIP) is selected on a veneer case with painted drawer fronts (VS), the finish of the wood on the integrated pull will default to the veneer of the case unless otherwise specified
- If a wood integrated pull (WIP) is selected on a painted case (S), the finish of the wood on the integrated pull will default to the paint color of the drawer unless otherwise specified
- Metal Tab Pull finish options include powdercoat, chrome, or clear anodized
- Box drawers include fabric wrapped drawer bottoms. Felt (K1207) or Hopsack (K1206) selection required. If no selection is made, the default choice will be Knoll Felt - Pewter.
- Face locking standard on all storage components
- The back of the integrated pull will reflect the wood or metal selection (see shaded area of drawing)
- Sliding door common cases do not have locks
- Open shelves are always at the opposite end designated by the handedness of the case (e.g., a left-handed case has open shelves on the right end of the case)
- When adding a grommet to a standard height common case, ensure the work surface also has a grommet location option selected
- Optional grommet placement: location is based on "L" or "T" shape
- Handedness is based on the open shelf location, facing the unit
- For 120" T-Shape units, handedness is based on the position relative to the center


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.


- Choose Veneer Finish, if applicable
- Choose Metal Finish, if applicable
- Choose Paint Finish, if applicable
- Choose Pull option for Pedestals: Integrated Pull (-MIP or -WIP) or Metal Pull (-MP)
- Choose Fabric option, if applicable




68.5" -HIGH TOWERS




AAFW-1826-68
WARDROBE




AABF-1826-68
BOX/FILE
WARDROBE



AABF2-2426-68
BOX/FILE
(2) ADJ SHELVES




AABBF-1826-68
BOX/BOX/FILE
WARDROBE




AABBF2-2426-68
BOX/BOX/FILE
(2) ADJ SHELVES



AAFF-1826-68
FILE/FILE
WARDROBE



AAFF2-3026-68
FILE/FILE
WARDROBE
(2) ADJ SHELVES



AABC-D-1826-68
STORAGE TOWER

SURFACE MATERIAL KEY

- S All Paint
- V Veneer
- VS Veneer Case and Painted Front


68.5" -HIGH TOWER

MODEL #	DEPTH	WIDTH	HEIGHT	DESCRIPTION	-S	-V	-VS
AAFW-1226-68-[]	26	12	68.5	Full-Height Wardrobe	5,137	5,410	5,410
AAFW-1826-68-[]	26	18	68.5	Full-Height Wardrobe	6,165	6,491	6,491
AAFW-2426-68-[]	26	24	68.5	Full-Height Wardrobe	7,194	7,573	7,573
AAFW-3026-68-[]	26	30	68.5	Double Door Wardrobe with Adjustable Shelves (4)	8,221	8,650	8,650
AAFW-3626-68-[]	26	36	68.5	Double Door Wardrobe with Adjustable Shelves (4)	9,248	9,733	9,731
AABF-1826-68-[]	26	18	68.5	Box / File with Upper Door - Wardrobe	7,721	8,127	8,127
AABF-2426-68-[]	26	24	68.5	Box / File with Upper Door - Wardrobe	8,530	8,977	8,977
AABF-3026-68-[]	26	30	68.5	Box / File with Double Upper Doors - Wardrobe and Adjustable Shelves (2)	7,721	8,127	8,127
AABF-3626-68-[]	26	36	68.5	Box / File with Double Upper Doors - Wardrobe and Adjustable Shelves (2)	8,530	8,977	8,977
AABF2-1826-68-[]	26	18	68.5	Box / File with Upper Door - Adjustable Shelves (2)	7,721	8,127	8,127
AABF2-2426-68-[]	26	24	68.5	Box / File with Upper Door - Adjustable Shelves (2)	8,530	8,977	8,977
AABF2-3026-68	26	30	68.5	Box / File with Double Upper Doors - Adjustable Shelves (2)	7,721	8,127	8,127
AABF2-3626-68	26	36	68.5	Box / File with Double Upper Doors - Adjustable Shelves (2)	8,530	8,977	8,977
AABBF-1826-68-[]	26	18	68.5	Box / Box / File with Upper Door - Wardrobe	7,414	7,803	7,803
AABBF-2426-68-[]	26	24	68.5	Box / Box / File with Upper Door - Wardrobe	8,221	8,650	8,650
AABBF-3026-68-[]	26	30	68.5	Box / Box / File with Double Upper Doors-Wardrobe and Adjustable Shelves (2)	7,414	7,803	7,803
AABBF-3626-68-[]	26	36	68.5	Box / Box / File with Double Upper Doors-Wardrobe and Adjustable Shelves (2)	8,221	8,650	8,650
AABBF2-1826-68-[]	26	18	68.5	Box / Box / File with Upper Door - Adjustable Shelves (2)	7,721	8,127	8,127
AABBF2-2426-68-[]	26	24	68.5	Box / Box / File with Upper Door - Adjustable Shelves (2)	8,530	8,977	8,977
AABBF2-3026-68	26	30	68.5	Box / Box / File with Double Upper Doors - Adjustable Shelves (2)	7,721	8,127	8,127
AABBF2-3626-68	26	36	68.5	Box / Box / File with Double Upper Doors - Adjustable Shelves (2)	8,530	8,977	8,977
AAFF-1826-68-[]	26	18	68.5	File / File with Upper Door - Wardrobe	7,414	7,803	7,803
AAFF-2426-68-[]	26	24	68.5	File / File with Upper Door - Wardrobe	8,221	8,650	8,650
AAFF-3026-68-[]	26	30	68.5	File/File with Double Upper Doors - Wardrobe and Adjustable Shelves (2)	7,414	7,803	7,803
AAFF-3626-68-[]	26	36	68.5	File/File with Double Upper Doors - Wardrobe and Adjustable Shelves (2)	8,221	8,650	8,650
AAFF2-1826-68-[]	26	18	68.5	File / File with Upper Door - Adjustable Shelves (2)	7,721	8,127	8,127
AAFF2-2426-68-[]	26	24	68.5	File / File with Upper Door - Adjustable Shelves (2)	8,530	8,977	8,977
AAFF2-3026-68	26	30	68.5	File / File with Double Upper Doors - Adjustable Shelves (2)	7,721	8,127	8,127
AAFF2-3626-68	26	36	68.5	File / File with Double Upper Doors - Adjustable Shelves (2)	8,530	8,977	8,977
AABC-D-1826-68-[]	26	18	68.5	Storage Tower with Door, 1 Fixed Shelf and Adjustable Shelves (3)	6,165	6,491	6,491
AABC-D-2426-68-[]	26	24	68.5	Storage Tower with Door, 1 Fixed Shelf and Adjustable Shelves (3)	7,194	7,573	7,573
AABC-D-3026-68	26	30	68.5	Storage Tower with Double Doors, 1 Fixed Shelf and Adjustable Shelves (3)	8,221	8,650	8,650
AABC-D-3626-68	26	36	68.5	Storage Tower with Double Doors, 1 Fixed Shelf and Adjustable Shelves (3)	9,248	9,733	9,731


[] Specify Left (-L) or Right (-R)
 - Relative to the hinge side of single door units
 - Relative to side with wardrobe on double door units



68.5" -HIGH TOWERS



-MIP or -WIP



-MP

OPTIONS	CODE	PRICE	NOTES
Tower Locks:	-LO	\$296	
Pull Options:			
Integrated Pull (Metal Accent)	-MIP	No Charge	
Integrated Pull (Wood Accent)	-WIP	No Charge	
Metal Tab Pull	-MP	No Charge	
Polished Chrome Pulls	-PCP	\$601	per Pull

GENERAL INFORMATION

- Vertical grain direction
- Veneer species often dictates cut, default veneer cut is flat
- Towers are standard without locks
- 12" w wardrobe towers only include a hanging bar. There is no shoe tray or mirror.
- 18" w and 24" w wardrobe towers include hanger bar and mirror (13.5" w x 21" h). Full-height wardrobes also include a shoe tray.
- Shoe Tray is lined with rubber mat
- Freestanding 12" w towers must be fastened to the adjacent case
- 26" D towers include:
 - 1 fixed shelf - hat shelf above the wardrobe bar
 - The 68" h tower has 57" clearance from the wardrobe bar to the bottom panel
 - The 83.5" h tower has a 72" clearance from the wardrobe bar to the bottom panel
 - Lock option on the double door tower includes two locks - one each door
- Tower depth aligns with the work surface depth
- Integrated pull includes a horizontal accent in which a finish must be specified; finish options include veneer, powdercoat, chrome accent, or clear anodized
- If a wood integrated pull (WIP) is selected on a veneer case with painted drawer fronts (VS), the finish of the wood on the integrated pull will default to the veneer of the case unless otherwise specified
- If a wood integrated pull (WIP) is selected on a painted case (S), the finish of the wood on the integrated pull will default to the paint color of the drawer unless otherwise specified
- Metal Tab Pull finish options include powdercoat, chrome, or clear anodized
- Adjustable glides add 1/2" to overall height of the tower 68.5" h and 84" h
- The back of the integrated pull will reflect the wood or metal selection (see shaded area of drawing)
- Handedness is defined by the side of the hinges
- On double door wardrobe units (30 & 36" wide), handedness is defined by the wardrobe side


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.


- Choose Veneer Finish, if applicable
- Choose Metal Finish, if applicable
- Choose Paint Finish, if applicable
- Choose Pull option for Towers: Integrated Pull (-MIP or -WIP) or Metal Pull (-MP)




84" -HIGH TOWERS



AAFW-1826-84
WARDROBE




AABF-1826-84
BOX/FILE
WARDROBE



AABF2-2426-84
BOX/FILE
(2) ADJ SHELVES




AABBF-1826-84
BOX/BOX/FILE
WARDROBE



AABBF2-2426-84
BOX/BOX/FILE
(2) ADJ SHELVES



AAF-1826-84
FILE/FILE
WARDROBE



AAF2-3626-84
FILE/FILE
WARDROBE
(2) ADJ SHELVES



AAF2-3626-84
STORAGE TOWER

SURFACE MATERIAL KEY

- S All Paint
- V Veneer
- VS Veneer Case and Painted Front


84" -HIGH TOWER

MODEL #	DEPTH	WIDTH	HEIGHT	DESCRIPTION	-S	-V	-VS
AAFW-1226-84-[]	26	12	84	Full-Height Wardrobe with Upper Shelf	5,375	5,656	5,656
AAFW-1826-84-[]	26	18	84	Full-Height Wardrobe with Upper Shelf	6,450	6,790	6,790
AAFW-2426-84-[]	26	24	84	Full-Height Wardrobe with Upper Shelf	7,523	7,919	7,919
AAFW-3026-84-[]	26	30	84	Double Doors Wardrobe with Adjustable Shelves (5)	8,598	9,050	9,050
AAFW-3626-84-[]	26	36	84	Double Doors Wardrobe with Adjustable Shelves (5)	9,672	10,179	10,179
AABF-1826-84-[]	26	18	84	Box / File with Upper Door - Wardrobe	8,443	8,886	8,886
AABF-2426-84-[]	26	24	84	Box / File with Upper Door - Wardrobe	9,252	9,737	9,737
AABF-3026-84-[]	26	30	84	Box / File with Double Upper Doors-Wardrobe and Adjustable Shelves (3)	8,443	8,886	8,886
AABF-3626-84-[]	26	36	84	Box / File with Double Upper Doors-Wardrobe and Adjustable Shelves (3)	9,252	9,737	9,737
AABF2-1826-84-[]	26	18	84	Box / File with Upper Door - Adjustable Shelves (3)	8,443	8,886	8,886
AABF2-2426-84-[]	26	24	84	Box / File with Upper Door - Adjustable Shelves (3)	9,252	9,737	9,737
AABF2-3026-84	26	30	84	Box / File with Double Upper Doors - Adjustable Shelves (3)	8,443	8,886	8,886
AABF2-3626-84	26	36	84	Box / File with Double Upper Doors - Adjustable Shelves (3)	9,252	9,737	9,737
AABBF-1826-84-[]	26	18	84	Box / Box / File with Upper Door - Wardrobe	8,106	8,532	8,532
AABBF-2426-84-[]	26	24	84	Box / Box / File with Upper Door - Wardrobe	8,913	9,382	9,382
AABBF-3026-84-[]	26	30	84	Box / Box / File with Double Upper Doors-Wardrobe and Adjustable Shelves (3)	8,106	8,532	8,532
AABBF-3626-84-[]	26	36	84	Box / Box / File with Double Upper Doors-Wardrobe and Adjustable Shelves (3)	8,913	9,382	9,382
AABBF2-1826-84-[]	26	18	84	Box / Box / File with Upper Door - Adjustable Shelves (3)	8,443	8,886	8,886
AABBF2-2426-84-[]	26	24	84	Box / Box / File with Upper Door - Adjustable Shelves (3)	9,252	9,737	9,737
AABBF2-3026-84	26	30	84	Box / Box / File with Double Upper Doors - Adjustable Shelves (3)	8,443	8,886	8,886
AABBF2-3626-84	26	36	84	Box / Box / File with Double Upper Doors - Adjustable Shelves (3)	9,252	9,737	9,737
AAFF-1826-84-[]	26	18	84	File / File with Upper Door - Wardrobe	8,106	8,532	8,532
AAFF-2426-84-[]	26	24	84	File / File with Upper Door - Wardrobe	8,913	9,382	9,382
AAFF-3026-84-[]	26	30	84	File / File with Double Upper Doors - Wardrobe and Adjustable Shelves (3)	8,106	8,532	8,532
AAFF-3626-84-[]	26	36	84	File / File with Double Upper Doors - Wardrobe and Adjustable Shelves (3)	8,913	9,382	9,382
AAFF2-1826-84-[]	26	18	84	File / File with Upper Door - Adjustable Shelves (3)	8,443	8,886	8,886
AAFF2-2426-84-[]	26	24	84	File / File with Upper Door - Adjustable Shelves (3)	9,252	9,737	9,737
AAFF2-3026-84	26	30	84	File / File with Double Upper Doors - Adjustable Shelves (3)	8,443	8,886	8,886
AAFF2-3626-84	26	36	84	File / File with Double Upper Doors - Adjustable Shelves (3)	9,252	9,737	9,737
AABC-D-1826-84-[]	26	18	84	Storage Tower with Door, 1 Fixed Shelf and Adjustable Shelves (3)	6,450	6,790	6,790
AABC-D-2426-84-[]	26	24	84	Storage Tower with Door, 1 Fixed Shelf and Adjustable Shelves (3)	7,523	7,919	7,919
AABC-D-3026-84	26	30	84	Storage Tower with Double Doors, 1 Fixed Shelf and Adjustable Shelves (3)	8,598	9,050	9,050
AABC-D-3626-84	26	36	84	Storage Tower with Double Doors, 1 Fixed Shelf and Adjustable Shelves (3)	9,672	10,179	10,179


[] Specify Left (-L) or Right (-R)
 - Relative to the hinge side of single door units
 - Relative to side with wardrobe on double door units



84" -HIGH TOWERS



-MIP or -WIP



-MP

OPTIONS	CODE	PRICE	NOTES
Tower Locks:	-LO	\$296	
Pull Options:			
Integrated Pull (Metal Accent)	-MIP	No Charge	
Integrated Pull (Wood Accent)	-WIP	No Charge	
Metal Tab Pull	-MP	No Charge	
Polished Chrome Pulls	-PCP	\$601	per Pull

GENERAL INFORMATION

- Vertical grain direction
- Veneer species often dictates cut, default veneer cut is flat
- Towers are standard without locks
- 12" w wardrobe towers only include a hanging bar. There is no shoe tray or mirror.
- 18" w and 24" w wardrobe towers include hanger bar and mirror (13.5" w x 21" h). Full-height wardrobes also include a shoe tray.
- Shoe Tray is lined with rubber mat
- Freestanding 12" w towers must be fastened to the adjacent case
- 26" D towers include:
 - 1 fixed shelf - hat shelf above the wardrobe bar
 - The 68" h tower has 57" clearance from the wardrobe bar to the bottom panel
 - The 83.5" h tower has a 72" clearance from the wardrobe bar to the bottom panel
 - Lock option on the double door tower includes two locks - one each door
- Tower depth aligns with the work surface depth
- Integrated pull includes a horizontal accent in which a finish must be specified; finish options include veneer, powdercoat, chrome accent, or clear anodized
- If a wood integrated pull (WIP) is selected on a veneer case with painted drawer fronts (VS), the finish of the wood on the integrated pull will default to the veneer of the case unless otherwise specified
- If a wood integrated pull (WIP) is selected on a painted case (S), the finish of the wood on the integrated pull will default to the paint color of the drawer unless otherwise specified
- Metal Tab Pull finish options include powdercoat, chrome, or clear anodized
- Adjustable glides add 1/2" to overall height of the tower 68.5" h and 84" h
- The back of the integrated pull will reflect the wood or metal selection (see shaded area of drawing)
- Handedness is defined by the side of the hinges
- On double door wardrobe units (30 & 36" wide), handedness is defined by the wardrobe side


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Veneer Finish, if applicable
- Choose Metal Finish, if applicable
- Choose Paint Finish, if applicable
- Choose Pull option for Towers: Integrated Pull (-MIP or -WIP) or Metal Pull (-MP)



17"-DEEP / SHALLOW TOWERS




AAFW-2417-68
WARDROBE



AABC-D-2417-68
BOX/FILE
WARDROBE



AAFW-2417-84
BOX/FILE
(2) ADJ SHELVES



AABC-D-3617-84
BOX/BOX/FILE
WARDROBE

SURFACE MATERIAL KEY

- S All Paint
- V Veneer
- VS Veneer Case and Painted Front

68.5"-HIGH TOWER // SHALLOW DEPTH WARDROBE

MODEL #	DEPTH	WIDTH	HEIGHT	DESCRIPTION	-S	-V	-VS
AAFW-2417-68-[]	17	24	68.5	Single Door Wardrobe with Hat Shelf	5,755	6,056	6,056
AABC-D-1817-68-[]	17	18	68.5	Storage Tower with Door, (1) Fixed Shelf and (3) Adjustable Shelves	4,934	5,193	5,193
AABC-D-2417-68-[]	17	24	68.5	Storage Tower with Door, (1) Fixed Shelf and (3) Adjustable Shelves	5,755	6,056	6,056
AABC-D-3017-68	17	30	68.5	Double Door Storage Tower, (1) Fixed Shelf & (3) Adjustable Shelves	6,575	6,923	6,923
AABC-D-3617-68	17	36	68.5	Double Door Storage Tower, (1) Fixed Shelf & (3) Adjustable Shelves	7,397	7,786	7,786


84"-HIGH TOWER // SHALLOW DEPTH WARDROBE

MODEL #	DEPTH	WIDTH	HEIGHT	DESCRIPTION	-S	-V	-VS
AAFW-2417-84-[]	17	24	84	Single Door Wardrobe with Hat Shelf	6,019	6,335	6,335
AABC-D-1817-84-[]	17	18	84	Storage Tower with Door, (1) Fixed Shelf and (4) Adjustable Shelves	5,159	5,431	5,431
AABC-D-2417-84-[]	17	24	84	Storage Tower with Door, (1) Fixed Shelf and (4) Adjustable Shelves	6,019	6,335	6,335
AABC-D-3017-84	17	30	84	Double Door Storage Tower, (1) Fixed Shelf and (4) Adjustable Shelves	6,878	7,241	7,241
AABC-D-3617-84	17	36	84	Double Door Storage Tower, (1) Fixed Shelf and (4) Adjustable Shelves	7,738	8,146	8,146


[] Specify left or right relative to the hinge side of single door units



17" -DEEP / SHALLOW TOWERS



-MIP or -WIP



-MP

OPTIONS	CODE	PRICE	NOTES
Tower Locks:	-LO	\$296	
Pull Options:			
Integrated Pull (Metal Accent)	-MIP	No Charge	
Integrated Pull (Wood Accent)	-WIP	No Charge	
Metal Tab Pull	-MP	No Charge	
Polished Chrome Pulls	-PCP	\$601	per Pull

GENERAL INFORMATION

- Vertical grain direction
- Veneer species often dictates cut, default veneer cut is flat
- Towers are standard without locks
- 12" w wardrobe towers only include a hanging bar. There is no shoe tray or mirror.
- 18" w and 24" w wardrobe towers include hanger bar and mirror (13.5" w x 21" h). There is no shoe tray.
- Freestanding 12" w towers must be fastened to the adjacent case
- 17" D towers include:
 - 1 fixed shelf - hat shelf above the wardrobe bar
 - The 68" h tower has 57" clearance from the wardrobe bar to the bottom panel
 - The 83.5" h tower has a 72" clearance from the wardrobe bar to the bottom panel
 - Lock option on the double door tower includes two locks - one each door
- Tower depth aligns with Overhead case
- Integrated pull includes a horizontal accent in which a finish must be specified; finish options include veneer, powdercoat, chrome accent, or clear anodized
- If a wood integrated pull (WIP) is selected on a veneer case with painted drawer fronts (VS), the finish of the wood on the integrated pull will default to the veneer of the case unless otherwise specified
- If a wood integrated pull (WIP) is selected on a painted case (S), the finish of the wood on the integrated pull will default to the paint color of the drawer unless otherwise specified
- Metal Tab Pull finish options include powdercoat, chrome, or clear anodized
- Adjustable glides add 1/2" to overall height of the tower 68.5" h and 84" h
- The back of the integrated pull will reflect the wood or metal selection (see shaded area of drawing)


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.


- Choose Veneer Finish, if applicable
- Choose Metal Finish, if applicable
- Choose Paint Finish, if applicable
- Choose Pull option for Towers: Integrated Pull (-MIP or -WIP) or Metal Pull (-MP)



FABRIC WALL PANEL



25.5" HIGH WALL PANELS



29" HIGH WALL PANELS

25.5" HIGH WALL PANELS

FOR USE WITH STANDARD HEIGHT WORK SURFACES WITH SINGLE OVERHEAD MOUNTED AT 68.5" OR DOUBLE HEIGHT OVERHEAD MOUNTED AT 84"

MODEL #	W X H	YARDAGE	COM	A	B	C	D	E	F	G	H
AATB-2425	24 x 25.5	1	401	485	517	564	604	648	689	733	790
AATB-3025	30 x 25.5	1	488	594	635	697	747	803	855	909	979
AATB-3625	36 x 25.5	2	571	701	751	825	888	954	1,017	1,083	1,163
AATB-4225	42 x 25.5	2	648	802	863	950	1,024	1,102	1,178	1,255	1,346
AATB-4825	48 x 25.5	2	724	899	972	1,074	1,158	1,250	1,335	1,424	1,523
AATB-5425	54 x 25.5	2	793	995	1,078	1,191	1,288	1,393	1,491	1,594	1,697
AATB-6025	60 x 25.5	2	857	1,083	1,182	1,307	1,415	1,534	1,643	1,757	1,867
AATB-6625	66 x 25.5	2	908	1,164	1,291	1,414	1,542	1,671	1,797	1,921	2,034
AATB-7225	72 x 25.5	3	960	1,240	1,383	1,524	1,662	1,803	1,945	2,087	2,198
AATB-7825	78 x 25.5	3	1,010	1,318	1,473	1,626	1,784	1,940	2,095	2,245	2,358
AATB-8425	84 x 25.5	3	1,051	1,392	1,560	1,733	1,892	2,067	2,240	2,401	2,513
AATB-9025	90 x 25.5	3	1,097	1,462	1,647	1,828	2,010	2,190	2,384	2,562	2,670
AATB-9625	96 x 25.5	3	1,133	1,528	1,723	1,921	2,117	2,321	2,512	2,710	2,819
AATB-10225	102 x 25.5	3	1,174	1,597	1,805	2,020	2,236	2,439	2,652	2,866	2,977
AATB-10825	108 x 25.5	4	1,207	1,657	1,885	2,109	2,330	2,560	2,781	3,011	3,119
AATB-11425	114 x 25.5	4	1,238	1,714	1,954	2,198	2,432	2,678	2,916	3,156	3,265
AATB-12025	120 x 25.5	4	1,267	1,775	2,030	2,285	2,538	2,791	3,047	3,296	3,408

29" HIGH WALL PANELS

FOR USE WITH LOW HEIGHT WORK SURFACES WITH SINGLE OVERHEAD MOUNTED AT 68.5" OR DOUBLE HEIGHT OVERHEAD MOUNTED AT 84"

MODEL #	W X H	YARDAGE	COM	A	B	C	D	E	F	G	H
AATB-2429	24 x 29	1	419	500	532	584	623	665	706	747	808
AATB-3029	30 x 29	1	510	611	658	719	771	821	873	927	998
AATB-3629	36 x 29	2	595	720	776	850	912	974	1,036	1,102	1,186
AATB-4229	42 x 29	2	675	824	892	978	1,052	1,127	1,202	1,278	1,371
AATB-4829	48 x 29	2	752	926	1,005	1,100	1,187	1,276	1,360	1,451	1,550
AATB-5429	54 x 29	2	824	1,022	1,112	1,224	1,318	1,420	1,519	1,620	1,725
AATB-6029	60 x 29	2	891	1,113	1,216	1,339	1,450	1,564	1,674	1,787	1,901
AATB-6629	66 x 29	2	943	1,200	1,328	1,450	1,579	1,706	1,833	1,960	2,070
AATB-7229	72 x 29	3	992	1,270	1,414	1,555	1,697	1,837	1,978	2,117	2,227
AATB-7829	78 x 29	3	1,043	1,354	1,505	1,662	1,819	1,973	2,128	2,281	2,394
AATB-8429	84 x 29	3	1,084	1,423	1,594	1,768	1,926	2,098	2,271	2,435	2,546
AATB-9029	90 x 29	3	1,128	1,492	1,677	1,860	2,042	2,223	2,414	2,594	2,708
AATB-9629	96 x 29	3	1,164	1,562	1,758	1,956	2,150	2,354	2,546	2,744	2,854
AATB-10229	102 x 29	3	1,207	1,633	1,841	2,053	2,269	2,475	2,683	2,898	3,009
AATB-10829	108 x 29	4	1,238	1,690	1,918	2,141	2,364	2,593	2,815	3,040	3,153
AATB-11429	114 x 29	4	1,267	1,748	1,989	2,227	2,466	2,654	3,003	3,186	3,296
AATB-12029	120 x 29	4	1,304	1,811	2,063	2,322	2,572	2,825	3,081	3,334	3,436

GENERAL INFORMATION

- Tackboards greater than 102" will have an even split two piece construction
- See page ix in the appendix for fabric restrictions
- Back panels extend 2" below work surface and rest upon the work surface supports
- Back panels above common case credenzas sit on the top of the credenza


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.


- Choose Fabric option



FABRIC WALL PANEL



41" HIGH WALL PANELS



44.5" HIGH WALL PANELS

41" HIGH WALL PANELS

FOR USE WITH STANDARD HEIGHT WORK SURFACES WITH NO OVERHEAD (OVERALL HEIGHT OF 68.5") OR SINGLE OVERHEAD MOUNTED AT 84"

MODEL #	W X H	YARDAGE	COM	A	B	C	D	E	F	G	H
AATB-2441	24 x 41	1	539	617	655	706	749	782	835	864	929
AATB-3041	30 x 41	1	629	727	775	838	892	934	999	1,042	1,118
AATB-3641	36 x 41	2	711	834	891	966	1,033	1,089	1,163	1,216	1,303
AATB-4241	42 x 41	2	788	933	1,004	1,090	1,167	1,238	1,321	1,388	1,485
AATB-4841	48 x 41	2	863	1,033	1,112	1,211	1,304	1,383	1,480	1,557	1,662
AATB-5441	54 x 41	2	931	1,127	1,218	1,331	1,433	1,527	1,634	1,723	1,835
AATB-6041	60 x 41	2	997	1,216	1,320	1,446	1,562	1,668	1,787	1,890	2,008
AATB-6641	66 x 41	2	1,048	1,297	1,430	1,552	1,687	1,804	1,941	2,056	2,174
AATB-7241	72 x 41	3	1,098	1,372	1,522	1,664	1,807	1,935	2,092	2,219	2,333
AATB-7841	78 x 41	3	1,149	1,453	1,612	1,764	1,928	2,072	2,241	2,379	2,498
AATB-8441	84 x 41	3	1,190	1,524	1,698	1,869	2,037	2,199	2,384	2,538	2,652
AATB-9041	90 x 41	3	1,237	1,595	1,786	1,969	2,155	2,323	2,529	2,694	2,811
AATB-9641	96 x 41	3	1,271	1,659	1,864	2,061	2,260	2,454	2,657	2,843	2,957
AATB-10241	102 x 41	3	1,312	1,731	1,944	2,161	2,380	2,574	2,798	2,999	3,115
AATB-10841	108 x 41	4	1,347	1,790	2,024	2,248	2,476	2,692	2,927	3,145	3,260
AATB-11441	114 x 41	4	1,376	1,848	2,093	2,333	2,578	2,812	3,060	3,289	3,405
AATB-12041	120 x 41	4	1,409	1,908	2,168	2,424	2,682	2,924	3,191	3,431	3,546

44.5" HIGH WALL PANELS

FOR USE WITH LOW HEIGHT WORK SURFACES WITH NO OVERHEAD (OVERALL HEIGHT OF 68.5") OR SINGLE OVERHEAD MOUNTED AT 84"

MODEL #	W X H	YARDAGE	COM	A	B	C	D	E	F	G	H
AATB-2444	24 x 44.5	1	558	631	672	721	769	796	849	878	946
AATB-3044	30 x 44.5	1	647	744	797	857	914	952	1,018	1,059	1,136
AATB-3644	36 x 44.5	2	737	854	914	990	1,058	1,108	1,184	1,237	1,325
AATB-4244	42 x 44.5	2	816	958	1,032	1,115	1,199	1,259	1,347	1,412	1,508
AATB-4844	48 x 44.5	2	892	1,058	1,143	1,241	1,334	1,409	1,504	1,582	1,687
AATB-5444	54 x 44.5	2	965	1,154	1,250	1,360	1,465	1,551	1,666	1,753	1,865
AATB-6044	60 x 44.5	2	1,029	1,245	1,355	1,478	1,595	1,696	1,819	1,920	2,037
AATB-6644	66 x 44.5	2	1,080	1,332	1,465	1,589	1,723	1,839	1,976	2,094	2,209
AATB-7244	72 x 44.5	3	1,132	1,401	1,552	1,694	1,841	1,970	2,124	2,249	2,365
AATB-7844	78 x 44.5	3	1,182	1,487	1,647	1,801	1,963	2,106	2,274	2,414	2,533
AATB-8444	84 x 44.5	3	1,225	1,557	1,733	1,905	2,071	2,231	2,416	2,568	2,686
AATB-9044	90 x 44.5	3	1,267	1,625	1,816	1,996	2,186	2,357	2,560	2,728	2,846
AATB-9644	96 x 44.5	3	1,304	1,694	1,900	2,095	2,294	2,485	2,692	2,877	2,994
AATB-10244	102 x 44.5	3	1,347	1,768	1,982	2,191	2,412	2,608	2,827	3,031	3,150
AATB-10844	108 x 44.5	4	1,376	1,825	2,057	2,281	2,509	2,726	2,960	3,175	3,292
AATB-11444	114 x 44.5	4	1,409	1,879	2,126	2,365	2,613	2,788	3,148	3,320	3,436
AATB-12044	120 x 44.5	4	1,444	1,944	2,203	2,460	2,717	2,957	3,226	3,469	3,576

GENERAL INFORMATION

- Tackboards greater than 102" will have an even split two piece construction
- See page ix in the appendix for fabric restrictions
- Back panels extend 2" below work surface and rest upon the work surface supports
- Back panels above common case credenzas sit on the top of the credenza


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.


- Choose Fabric option



MAGNETIC GLASS WALL PANEL



25.5" HIGH WALL PANELS



29" HIGH WALL PANELS

25.5" HIGH WALL PANELS

FOR USE WITH STANDARD HEIGHT WORK SURFACES WITH SINGLE OVERHEAD MOUNTED AT 68.5" OR DOUBLE HEIGHT OVERHEAD MOUNTED AT 84"

MODEL #	W X H	PRICE
AAGB-2425	24 x 25.5	1,649
AAGB-3025	30 x 25.5	2,030
AAGB-3625	36 x 25.5	2,396
AAGB-4225	42 x 25.5	2,750
AAGB-4825	48 x 25.5	3,091
AAGB-5425	54 x 25.5	3,418
AAGB-6025	60 x 25.5	3,733
AAGB-6625	66 x 25.5	3,887
AAGB-7225	72 x 25.5	4,041
AAGB-7825	78 x 25.5	4,400
AAGB-8425	84 x 25.5	4,757
AAGB-9025	90 x 25.5	5,138
AAGB-9625	96 x 25.5	5,524
AAGB-10225	102 x 25.5	5,700
AAGB-10825	108 x 25.5	5,872
AAGB-11425	114 x 25.5	6,051
AAGB-12025	120 x 25.5	6,223

29" HIGH WALL PANELS

FOR USE WITH LOW HEIGHT WORK SURFACES WITH SINGLE OVERHEAD MOUNTED AT 68.5" OR DOUBLE HEIGHT OVERHEAD MOUNTED AT 84"

MODEL #	W X H	PRICE
AAGB-2429	24 x 29	1,689
AAGB-3029	30 x 29	2,079
AAGB-3629	36 x 29	2,456
AAGB-4229	42 x 29	2,816
AAGB-4829	48 x 29	3,166
AAGB-5429	54 x 29	3,501
AAGB-6029	60 x 29	3,824
AAGB-6629	66 x 29	3,980
AAGB-7229	72 x 29	4,143
AAGB-7829	78 x 29	4,508
AAGB-8429	84 x 29	4,871
AAGB-9029	90 x 29	5,264
AAGB-9629	96 x 29	5,658
AAGB-10229	102 x 29	5,837
AAGB-10829	108 x 29	6,019
AAGB-11429	114 x 29	6,198
AAGB-12029	120 x 29	6,372

GENERAL INFORMATION

- Glass magnetic boards greater than 108" will have an even split two-piece construction
- Glass magnetic boards are only available in gloss finish
- Back-painted glass is low iron glass
- Magnets are included with the glass and veneer magnetic boards
- Back panels extend 2" below work surface and rest upon the work surface supports
- Back panels above common case credenzas sit on the top of the credenza
- Back panels always match case finish


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.


- Choose Paint Finish, if applicable



MAGNETIC GLASS WALL PANEL



41" HIGH WALL PANELS



44.5" HIGH WALL PANELS

41" HIGH WALL PANELS

FOR USE WITH STANDARD HEIGHT WORK SURFACES WITH NO OVERHEAD (OVERALL HEIGHT OF 68.5") OR SINGLE OVERHEAD MOUNTED AT 84"

MODEL #	W X H	PRICE
AAGB-2441	24 x 41	2,054
AAGB-3041	30 x 41	2,440
AAGB-3641	36 x 41	2,819
AAGB-4241	42 x 41	3,181
AAGB-4841	48 x 41	3,527
AAGB-5441	54 x 41	3,864
AAGB-6041	60 x 41	4,185
AAGB-6641	66 x 41	4,344
AAGB-7241	72 x 41	4,504
AAGB-7841	78 x 41	4,871
AAGB-8441	84 x 41	5,235
AAGB-9041	90 x 41	5,628
AAGB-9641	96 x 41	6,021
AAGB-10241	102 x 41	6,201
AAGB-10841	108 x 41	6,383
AAGB-11441	114 x 41	6,559
AAGB-12041	120 x 41	6,736

44.5" HIGH WALL PANELS

FOR USE WITH LOW HEIGHT WORK SURFACES WITH NO OVERHEAD (OVERALL HEIGHT OF 68.5") OR SINGLE OVERHEAD MOUNTED AT 84"

MODEL #	W X H	PRICE
AAGB-2444	24 x 44.5	2,227
AAGB-3044	30 x 44.5	2,606
AAGB-3644	36 x 44.5	2,971
AAGB-4244	42 x 44.5	3,325
AAGB-4844	48 x 44.5	3,665
AAGB-5444	54 x 44.5	3,995
AAGB-6044	60 x 44.5	4,308
AAGB-6644	66 x 44.5	4,461
AAGB-7244	72 x 44.5	4,617
AAGB-7844	78 x 44.5	4,975
AAGB-8444	84 x 44.5	5,334
AAGB-9044	90 x 44.5	5,714
AAGB-9644	96 x 44.5	6,098
AAGB-10244	102 x 44.5	6,276
AAGB-10844	108 x 44.5	6,447
AAGB-11444	114 x 44.5	6,625
AAGB-12044	120 x 44.5	6,798

GENERAL INFORMATION

- Glass magnetic boards greater than 108" will have an even split two-piece construction
- Glass magnetic boards are only available in gloss finish
- Back-painted glass is low iron glass
- Magnets are included with the glass and veneer magnetic boards
- Back panels extend 2" below work surface and rest upon the work surface supports
- Back panels above common case credenzas sit on the top of the credenza
- Back panels always match case finish


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.


- Choose Paint Finish, if applicable



MAGNETIC GLASS WALL PANEL



56.5" HIGH WALL PANELS



60" HIGH WALL PANELS

56.5" HIGH WALL PANELS FOR USE WITH STANDARD HEIGHT WORK SURFACES WITH NO OVERHEAD (OVERALL HEIGHT OF 84")

MODEL #	W X H	PRICE
AAGB-2456	24 x 56.5	2,589
AAGB-3056	30 x 56.5	2,969
AAGB-3656	36 x 56.5	3,335
AAGB-4256	42 x 56.5	3,690
AAGB-4856	48 x 56.5	4,032
AAGB-5456	54 x 56.5	4,359
AAGB-6056	60 x 56.5	4,672
AAGB-6656	66 x 56.5	4,825
AAGB-7256	72 x 56.5	4,982
AAGB-7856	78 x 56.5	5,341
AAGB-8456	84 x 56.5	5,698
AAGB-9056	90 x 56.5	6,080
AAGB-9656	96 x 56.5	6,462
AAGB-10256	102 x 56.5	6,641
AAGB-10856	108 x 56.5	6,811
AAGB-11456	114 x 56.5	6,990
AAGB-12056	120 x 56.5	7,163

60" HIGH WALL PANELS FOR USE WITH LOW HEIGHT WORK SURFACES WITH NO OVERHEAD (OVERALL HEIGHT OF 84")

MODEL #	W X H	PRICE
AAGB-2460	24 x 60	2,695
AAGB-3060	30 x 60	3,075
AAGB-3660	36 x 60	3,442
AAGB-4260	42 x 60	3,796
AAGB-4860	48 x 60	4,138
AAGB-5460	54 x 60	4,463
AAGB-6060	60 x 60	4,780
AAGB-6660	66 x 60	4,932
AAGB-7260	72 x 60	5,087
AAGB-7860	78 x 60	5,447
AAGB-8460	84 x 60	5,804
AAGB-9060	90 x 60	6,185
AAGB-9660	96 x 60	6,570
AAGB-10260	102 x 60	6,746
AAGB-10860	108 x 60	6,920
AAGB-11460	114 x 60	7,096
AAGB-12060	120 x 60	7,269

GENERAL INFORMATION

- Glass magnetic boards greater than 108" will have an even split two-piece construction
- Glass magnetic boards are only available in gloss finish
- Back-painted glass is low iron glass
- Magnets are included with the glass and veneer magnetic boards
- Back panels extend 2" below work surface and rest upon the work surface supports
- Back panels above common case credenzas sit on the top of the credenza
- Back panels always match case finish


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.


- Choose Paint Finish, if applicable



MAGNETIC VENEER WALL PANEL



25.5" HIGH WALL PANELS



29" HIGH WALL PANELS

25.5" HIGH WALL PANELS

FOR USE WITH STANDARD HEIGHT WORK SURFACES WITH SINGLE OVERHEAD MOUNTED AT 68.5" OR DOUBLE HEIGHT OVERHEAD MOUNTED AT 84"

MODEL #	W X H	PRICE
AAVB-2425	24 x 25.5	1,156
AAVB-3025	30 x 25.5	1,421
AAVB-3625	36 x 25.5	1,679
AAVB-4225	42 x 25.5	1,926
AAVB-4825	48 x 25.5	2,164
AAVB-5425	54 x 25.5	2,395
AAVB-6025	60 x 25.5	2,614
AAVB-6625	66 x 25.5	2,721
AAVB-7225	72 x 25.5	2,828
AAVB-7825	78 x 25.5	3,080
AAVB-8425	84 x 25.5	3,332
AAVB-9025	90 x 25.5	3,600
AAVB-9625	96 x 25.5	3,866
AAVB-10225	102 x 25.5	3,991
AAVB-10825	108 x 25.5	4,112
AAVB-11425	114 x 25.5	4,235
AAVB-12025	120 x 25.5	4,358

29" HIGH WALL PANELS

FOR USE WITH LOW HEIGHT WORK SURFACES WITH SINGLE OVERHEAD MOUNTED AT 68.5" OR DOUBLE HEIGHT OVERHEAD MOUNTED AT 84"

MODEL #	W X H	PRICE
AAVB-2429	24 x 29	1,184
AAVB-3029	30 x 29	1,456
AAVB-3629	36 x 29	1,719
AAVB-4229	42 x 29	1,972
AAVB-4829	48 x 29	2,216
AAVB-5429	54 x 29	2,452
AAVB-6029	60 x 29	2,677
AAVB-6629	66 x 29	2,788
AAVB-7229	72 x 29	2,900
AAVB-7829	78 x 29	3,156
AAVB-8429	84 x 29	3,410
AAVB-9029	90 x 29	3,686
AAVB-9629	96 x 29	3,963
AAVB-10229	102 x 29	4,087
AAVB-10829	108 x 29	4,216
AAVB-11429	114 x 29	4,338
AAVB-12029	120 x 29	4,461

GENERAL INFORMATION

- Vertical grain direction
- Veneer species often dictates cut, default veneer cut is flat
- Back panels extend 2" below work surface and rest upon the work surface supports
- Back panels above common case credenzas sit on the top of the credenza


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.


- Choose Veneer Finish, if applicable



MAGNETIC VENEER WALL PANELS



41" HIGH WALL PANELS



44.5" HIGH WALL PANELS

41" HIGH WALL PANELS

FOR USE WITH STANDARD HEIGHT WORK SURFACES WITH NO OVERHEAD (OVERALL HEIGHT OF 68.5") OR SINGLE OVERHEAD MOUNTED AT 84"

MODEL #	W X H	PRICE
AAVB-2441	24 x 41	1,438
AAVB-3041	30 x 41	1,712
AAVB-3641	36 x 41	1,973
AAVB-4241	42 x 41	2,227
AAVB-4841	48 x 41	2,472
AAVB-5441	54 x 41	2,708
AAVB-6041	60 x 41	2,931
AAVB-6641	66 x 41	3,040
AAVB-7241	72 x 41	3,154
AAVB-7841	78 x 41	3,410
AAVB-8441	84 x 41	3,664
AAVB-9041	90 x 41	3,940
AAVB-9641	96 x 41	4,217
AAVB-10241	102 x 41	4,342
AAVB-10841	108 x 41	4,470
AAVB-11441	114 x 41	4,591
AAVB-12041	120 x 41	4,717

44.5" HIGH WALL PANELS

FOR USE WITH LOW HEIGHT WORK SURFACES WITH NO OVERHEAD (OVERALL HEIGHT OF 68.5") OR SINGLE OVERHEAD MOUNTED AT 84"

MODEL #	W X H	PRICE
AAVB-2444	24 x 44.5	1,560
AAVB-3044	30 x 44.5	1,825
AAVB-3644	36 x 44.5	2,082
AAVB-4244	42 x 44.5	2,328
AAVB-4844	48 x 44.5	2,567
AAVB-5444	54 x 44.5	2,797
AAVB-6044	60 x 44.5	3,018
AAVB-6644	66 x 44.5	3,123
AAVB-7244	72 x 44.5	3,231
AAVB-7844	78 x 44.5	3,483
AAVB-8444	84 x 44.5	3,735
AAVB-9044	90 x 44.5	4,003
AAVB-9644	96 x 44.5	4,270
AAVB-10244	102 x 44.5	4,396
AAVB-10844	108 x 44.5	4,515
AAVB-11444	114 x 44.5	4,640
AAVB-12044	120 x 44.5	4,758

GENERAL INFORMATION

- Vertical grain direction
- Veneer species often dictates cut, default veneer cut is flat
- Back panels extend 2" below work surface and rest upon the work surface supports
- Back panels above common case credenzas sit on the top of the credenza


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.


- Choose Veneer Finish, if applicable



MAGNETIC VENEER WALL PANELS



56.5" HIGH WALL PANELS



60" HIGH WALL PANELS

56.5" HIGH WALL PANELS FOR USE WITH STANDARD HEIGHT WORK SURFACES WITH NO OVERHEAD (OVERALL HEIGHT OF 84")

MODEL #	W X H	PRICE
AAVB-2456	24 x 56.5	1,814
AAVB-3056	30 x 56.5	2,079
AAVB-3656	36 x 56.5	2,333
AAVB-4256	42 x 56.5	2,583
AAVB-4856	48 x 56.5	2,821
AAVB-5456	54 x 56.5	3,053
AAVB-6056	60 x 56.5	3,269
AAVB-6656	66 x 56.5	3,377
AAVB-7256	72 x 56.5	3,487
AAVB-7856	78 x 56.5	3,738
AAVB-8456	84 x 56.5	3,991
AAVB-9056	90 x 56.5	4,257
AAVB-9656	96 x 56.5	4,524
AAVB-10256	102 x 56.5	4,650
AAVB-10856	108 x 56.5	4,770
AAVB-11456	114 x 56.5	4,895
AAVB-12056	120 x 56.5	5,015

60" HIGH WALL PANELS FOR USE WITH LOW HEIGHT WORK SURFACES WITH NO OVERHEAD (OVERALL HEIGHT OF 84")

MODEL #	W X H	PRICE
AAVB-2460	24 x 60	1,887
AAVB-3060	30 x 60	2,154
AAVB-3660	36 x 60	2,410
AAVB-4260	42 x 60	2,657
AAVB-4860	48 x 60	2,897
AAVB-5460	54 x 60	3,126
AAVB-6060	60 x 60	3,347
AAVB-6660	66 x 60	3,454
AAVB-7260	72 x 60	3,561
AAVB-7860	78 x 60	3,813
AAVB-8460	84 x 60	4,066
AAVB-9060	90 x 60	4,331
AAVB-9660	96 x 60	4,600
AAVB-10260	102 x 60	4,722
AAVB-10860	108 x 60	4,844
AAVB-11460	114 x 60	4,969
AAVB-12060	120 x 60	5,089

GENERAL INFORMATION

- Vertical grain direction
- Veneer species often dictates cut, default veneer cut is flat
- Back panels extend 2" below work surface and rest upon the work surface supports
- Back panels above common case credenzas sit on the top of the credenza

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.


- Choose Veneer Finish, if applicable




ASCARI SERIES STORAGE SHELVES AND WALL PANEL

SURFACE MATERIAL KEY

S Painted Wall Panel
V Veneer Wall Panel




AAS1-3625



AAS1-3629

FOR USE BELOW A SINGLE 68.5"H OR DOUBLE 84"H OVERHEAD


MODEL #	DEPTH	WIDTH	HEIGHT	DESCRIPTION	-S	-V
AAS1-2425	13.7	24	25.5	Ascari Series Single Metal 24"W Storage Shelf	1,255	1,312
AAS1-3025	13.7	30	25.5	Ascari Series Single Metal 30"W Storage Shelf	1,505	1,578
AAS1-3625	13.7	36	25.5	Ascari Series Single Metal 36"W Storage Shelf	1,752	1,835
AAS1-2429	13.7	24	29	Ascari Series Single Metal 24"W Storage Shelf	1,282	1,341
AAS1-3029	13.7	30	29	Ascari Series Single Metal 30"W Storage Shelf	1,540	1,612
AAS1-3629	13.7	36	29	Ascari Series Single Metal 36"W Storage Shelf	1,790	1,877



AAS2-3641

FOR USE WITH STANDARD HEIGHT WORK SURFACE WITH NO OVERHEAD, 68.5"H OVERHEAD, OR SINGLE HEIGHT OVERHEAD MOUNTED AT 84"

MODEL #	DEPTH	WIDTH	HEIGHT	DESCRIPTION	-S	-V
AAS2-2441	13.7	24	41	Ascari Series Double Stacked 24"W Metal Storage Shelves	1,681	1,753
AAS2-3041	13.7	30	41	Ascari Series Double Stacked 30"W Metal Storage Shelves	1,940	2,027
AAS2-3641	13.7	36	41	Ascari Series Double Stacked 36"W Metal Storage Shelves	2,190	2,290




AAS2-3644

FOR USE WITH LOW HEIGHT WORK SURFACE WITH NO OVERHEAD, 68.5"H OVERHEAD, OR SINGLE HEIGHT OVERHEAD MOUNTED AT 84"

MODEL #	DEPTH	WIDTH	HEIGHT	DESCRIPTION	-S	-V
AAS2-2444	13.7	24	44	Ascari Series Double Stacked 24"W Metal Storage Shelves	1,794	1,874
AAS2-3044	13.7	30	44	Ascari Series Double Stacked 30"W Metal Storage Shelves	2,047	2,139
AAS2-3644	13.7	36	44	Ascari Series Double Stacked 36"W Metal Storage Shelves	2,291	2,396



ASCARI SERIES STORAGE SHELVES AND WALL PANEL




AAS2-3656

SURFACE MATERIAL KEY

- S Painted Wall Panel
- V Veneer Wall Panel

FOR USE WITH STANDARD HEIGHT WORK SURFACE WITH NO OVERHEAD, 84" OVERALL HEIGHT

MODEL #	DEPTH	WIDTH	HEIGHT	DESCRIPTION	-S	-V
AAS2-2456	13.7	24	56.5	Ascari Series Double Stacked 24"W Metal Storage Shelves	2,036	2,128
AAS2-3056	13.7	30	56.5	Ascari Series Double Stacked 30"W Metal Storage Shelves	2,290	2,394
AAS2-3656	13.7	36	56.5	Ascari Series Double Stacked 36"W Metal Storage Shelves	2,534	2,650



AAS3-3660

FOR USE WITH LOW HEIGHT WORK SURFACE WITH NO OVERHEAD, 84" OVERALL HEIGHT

MODEL #	DEPTH	WIDTH	HEIGHT	DESCRIPTION	-S	-V
AAS3-2460	13.7	24	60	Ascari Series Triple Stacked 24"W Metal Storage Shelves	2,265	2,358
AAS3-3060	13.7	30	60	Ascari Series Triple Stacked 30"W Metal Storage Shelves	2,515	2,624
AAS3-3660	13.7	36	60	Ascari Series Triple Stacked 36"W Metal Storage Shelves	2,761	2,881

OPTIONS	CODE	PRICE	NOTES
Polished Chrome Book Ends:	-PCBE	No Charge	

GENERAL INFORMATION

- Vertical grain direction
- Veneer species often dictates cut, default veneer cut is flat
- Storage shelf may not be positioned above a height adjustable work surface
- Usable storage shelf depth is 12.7"
- Wire book ends only on Ascari Series metal shelves
- Angled wire book ends require a metal finish selection powder coat or polished chrome
- Angled rod book ends are inset 1" from both the end and front edge of the shelf
- Storage shelves are not available with a tasklight
- Metal shelves and vertical back panel are only available in clear anodized
- The storage shelves are attached to a wall panel that can be finished in either veneer or paint. This wall panel below the bottom shelf will be exposed.

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.


- Choose Veneer Finish
- Choose Paint Finish, if applicable




METAL STORAGE SHELVES AND WALL PANEL

SURFACE MATERIAL KEY

- S Painted Wall Panel
- V Veneer Wall Panel




AAM1-3625



AAM1-3629

FOR USE BELOW A SINGLE 68.5"H OR DOUBLE 84"H OVERHEAD


MODEL #	DEPTH	WIDTH	HEIGHT	DESCRIPTION	-S	-V
AAM1-2425	13.7	24	25.5	Single Metal 24"W Storage Shelf	1,098	1,156
AAM1-3025	13.7	30	25.5	Single Metal 30"W Storage Shelf	1,350	1,421
AAM1-3625	13.7	36	25.5	Single Metal 36"W Storage Shelf	1,595	1,679
AAM1-2429	13.7	24	29	Single Metal 24"W Storage Shelf	1,126	1,184
AAM1-3029	13.7	30	29	Single Metal 30"W Storage Shelf	1,384	1,456
AAM1-3629	13.7	36	29	Single Metal 36"W Storage Shelf	1,633	1,719



AAM2-3641

FOR USE WITH STANDARD HEIGHT WORK SURFACE WITH NO OVERHEAD, 68.5"H OVERHEAD, OR SINGLE HEIGHT OVERHEAD MOUNTED AT 84"

MODEL #	DEPTH	WIDTH	HEIGHT	DESCRIPTION	-S	-V
AAM2-2441	13.7	24	41	Double Stacked 24"W Metal Storage Shelves	1,368	1,438
AAM2-3041	13.7	30	41	Double Stacked 30"W Metal Storage Shelves	1,626	1,712
AAM2-3641	13.7	36	41	Double Stacked 36"W Metal Storage Shelves	1,877	1,973




AAM2-3644

FOR USE WITH LOW HEIGHT WORK SURFACE WITH NO OVERHEAD, 68.5"H OVERHEAD, OR SINGLE HEIGHT OVERHEAD MOUNTED AT 84"

MODEL #	DEPTH	WIDTH	HEIGHT	DESCRIPTION	-S	-V
AAM2-2444	13.7	24	44	Double Stacked 24"W Metal Storage Shelves	1,482	1,560
AAM2-3044	13.7	30	44	Double Stacked 30"W Metal Storage Shelves	1,734	1,825
AAM2-3644	13.7	36	44	Double Stacked 36"W Metal Storage Shelves	1,976	2,082



METAL STORAGE SHELVES AND WALL PANEL




AAM2-3657

SURFACE MATERIAL KEY

- S Painted Wall Panel
- V Veneer Wall Panel

FOR USE WITH STANDARD HEIGHT WORK SURFACE WITH NO OVERHEAD, 84" OVERALL HEIGHT

MODEL #	DEPTH	WIDTH	HEIGHT	DESCRIPTION	-S	-V
AAM2-2457	13.7	24	56.5	Double Stacked 24"W Metal Storage Shelves	1,722	1,814
AAM2-3057	13.7	30	56.5	Double Stacked 30"W Metal Storage Shelves	1,975	2,079
AAM2-3657	13.7	36	56.5	Double Stacked 36"W Metal Storage Shelves	2,219	2,333



AAM3-3660

FOR USE WITH LOW HEIGHT WORK SURFACE WITH NO OVERHEAD, 84" OVERALL HEIGHT

MODEL #	DEPTH	WIDTH	HEIGHT	DESCRIPTION	-S	-V
AAM3-2460	13.7	24	60	Triple Stacked 24"W Metal Storage Shelves	1,793	1,887
AAM3-3060	13.7	30	60	Triple Stacked 30"W Metal Storage Shelves	2,046	2,154
AAM3-3660	13.7	36	60	Triple Stacked 36"W Metal Storage Shelves	2,290	2,410

GENERAL INFORMATION

- Storage shelf may not be positioned above a height adjustable work surface
- Usable storage shelf depth is 12.7"
- Wire book ends only on Ascari Series metal shelves
- Storage shelves are not available with a tasklight
- Metal storage shelves are 1/4"-thick
- Metal storage shelves are only available in clear anodized
- The storage shelves are attached to a wall panel that can be finished in either veneer or paint. This wall panel below the bottom shelf will be exposed.

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.


- Choose Veneer Finish
- Choose Metal Finish, if applicable
- Choose Paint Finish, if applicable




WOOD STORAGE SHELVES AND WALL PANEL

SURFACE MATERIAL KEY

S Painted Wall Panel
V Veneer Wall Panel




AAW1-3625



AAW1-3629

FOR USE BELOW A SINGLE 68.5" H OR DOUBLE 84" H OVERHEAD


MODEL #	DEPTH	WIDTH	HEIGHT	DESCRIPTION	-S	-V
AAW1-2425	13.7	24	25.5	Single wood 24"W storage shelf	878	926
AAW1-3025	13.7	30	25.5	Single wood 30"W storage shelf	1,080	1,136
AAW1-3625	13.7	36	25.5	Single wood 36"W storage shelf	1,277	1,345
AAW1-2429	13.7	24	29	Single wood 24"W storage shelf	900	947
AAW1-3029	13.7	30	29	Single wood 30"W storage shelf	1,108	1,165
AAW1-3629	13.7	36	29	Single wood 36"W storage shelf	1,309	1,375



AAW2-3641

FOR USE WITH STANDARD HEIGHT WORK SURFACE WITH NO OVERHEAD, 68.5" H OVERHEAD, OR SINGLE HEIGHT OVERHEAD MOUNTED AT 84"

MODEL #	DEPTH	WIDTH	HEIGHT	DESCRIPTION	-S	-V
AAW2-2441	13.7	24	41	Double stacked wood 24"W storage shelves	1,095	1,152
AAW2-3041	13.7	30	41	Double stacked wood 30"W storage shelves	1,302	1,370
AAW2-3641	13.7	36	41	Double stacked wood 36"W storage shelves	1,500	1,579




AAW2-3644

FOR USE WITH LOW HEIGHT WORK SURFACE WITH NO OVERHEAD, 68.5" H OVERHEAD, OR SINGLE HEIGHT OVERHEAD MOUNTED AT 84"

MODEL #	DEPTH	WIDTH	HEIGHT	DESCRIPTION	-S	-V
AAW2-2444	13.7	24	44	Double stacked 24"W wood storage shelves	1,185	1,246
AAW2-3044	13.7	30	44	Double stacked 30"W wood storage shelves	1,387	1,461
AAW2-3644	13.7	36	44	Double stacked 36"W wood storage shelves	1,582	1,668



WOOD STORAGE SHELVES AND WALL PANEL




AAW2-3657

SURFACE MATERIAL KEY

- S Painted Wall Panel
- V Veneer Wall Panel

FOR USE WITH STANDARD HEIGHT WORK SURFACE WITH NO OVERHEAD, 84" OVERALL HEIGHT

MODEL #	DEPTH	WIDTH	HEIGHT	DESCRIPTION	-S	-V
AAW2-2457	13.7	24	56.5	Double stacked 24"W wood storage shelves	1,381	1,451
AAW2-3057	13.7	30	56.5	Double stacked 30"W wood storage shelves	1,580	1,666
AAW2-3657	13.7	36	56.5	Double stacked 36"W wood storage shelves	1,775	1,868



AAW3-3660

FOR USE WITH LOW HEIGHT WORK SURFACE WITH NO OVERHEAD, 84" OVERALL HEIGHT

MODEL #	DEPTH	WIDTH	HEIGHT	DESCRIPTION	-S	-V
AAW3-2460	13.7	24	60	Triple stacked 24"W wood storage shelves	1,436	1,511
AAW3-3060	13.7	30	60	Triple stacked 30"W wood storage shelves	1,638	1,722
AAW3-3660	13.7	36	60	Triple stacked 36"W wood storage shelves	1,553	1,929

GENERAL INFORMATION

- Vertical grain direction
- Veneer species often dictates cut, default veneer cut is flat
- Storage shelf may not be positioned above a height adjustable work surface
- Usable storage shelf depth is 12.7"
- Wire book ends only on Ascari Series metal shelves
- Storage shelves are not available with a tasklight
- The storage shelves are attached to a wall panel that can be finished in either veneer or paint. This wall panel below the bottom shelf will be exposed.


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.


- Choose Veneer Finish
- Choose Paint Finish, if applicable



WALL-MOUNT OVERHEAD STORAGE



AAOW-F-72S



AAOW-F-72D

SURFACE MATERIAL KEY

S	All Paint
V	Veneer
VS	Veneer Case and Painted Front
SG	Painted Case and Glass Front
VG	Veneer Case and Glass Front

FULL-HINGED DOORS // SINGLE HEIGHT

MODEL #	DEPTH	WIDTH	HEIGHT	DESCRIPTION	-S	-V	-VS	-SG	-VG
AAOW-F-36S	17.25	36	15.5	2 Doors	6,363	6,696	6,696	7,507	7,900
AAOW-F-72S	17.25	72	15.5	4 Doors	7,507	7,900	7,900	9,235	9,722
AAOW-F-90S	17.25	90	15.5	5 Door	8,636	9,089	9,089	10,619	11,175
AAOW-F-108S	17.25	108	15.5	6 Doors	9,534	10,039	10,039	11,728	12,343

FULL-HINGED DOORS // DOUBLE HEIGHT

MODEL #	DEPTH	WIDTH	HEIGHT	DESCRIPTION	-S	-V	-VS	-SG	-VG
AAOW-F-36D	17.25	36	31	2 Doors	6,728	7,080	7,080	7,937	8,354
AAOW-F-72D	17.25	72	31	4 Doors	11,611	12,222	12,222	14,281	15,032
AAOW-F-90D	17.25	90	31	5 Door	13,350	14,053	14,053	16,419	17,282
AAOW-F-108D	17.25	108	31	6 Doors	14,746	15,518	15,518	18,132	19,086

OPTIONS

OPTIONS	CODE	PRICE	NOTES
Remove Task Light:	-NTL	Deduct \$376	
Satin Glass Options:			
Single Height Overhead Satin Glass	-SGS	\$550	
Double Height Overhead Satin Glass	-SGD	\$733	

GENERAL INFORMATION

- Vertical grain direction
- Veneer species often dictates cut, default veneer cut is flat
- All overhead storage is wall mount
- Overheads are shipped with mounting hardware for attachment to structural walls
- Customers are responsible for ensuring that the structural wall has adequate strength to support the overhead and it's contents
- Overhead depth is 17.25"; Interior depth is 14.25"
- Task light included on overheads 60 inches and over, but can be removed as an option
- Task lights can dim
- Single height overheads can be mounted at the 84" height
- Double height overheads cannot be mounted above a height adjustable work surface
- Glass overhead doors are tempered
- Back panel options consist of tackable fabric, magnetic glass, and magnetic veneer
- Back panel is recommended to be paired with all wall mount overheads to conceal any hardware and gap between the overhead and architectural wall
- Hinged doors are inset of the case and include a touch latch
- Overall installed height of single height is 68.5"
- Overall installed height of double height is 84"
- Shelves within double high overheads are adjustable


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Veneer Finish, if applicable
- Choose Metal Finish, if applicable
- Choose Paint Finish, if applicable
- Choose Glass Finishes, if applicable



ASCARI SERIES METAL SHELVES



SURFACE MATERIAL KEY

V Veneer

ASCARI SERIES SINGLE METAL SHELF

MODEL #	DEPTH	WIDTH	HEIGHT	DESCRIPTION	-V
AAOW-AM-30S	13.7	30	15.5	Single Metal Shelf with Metal Back Panel and Wire Book Ends	3,477
AAOW-AM-36S	13.7	36	15.5	Single Metal Shelf with Metal Back Panel and Wire Book Ends	4,047
AAOW-AM-42S	13.7	42	15.5	Single Metal Shelf with Metal Back Panel and Wire Book Ends	4,586
AAOW-AM-48S	13.7	48	15.5	Single Metal Shelf with Metal Back Panel and Wire Book Ends	5,093
AAOW-AM-54S	13.7	54	15.5	Single Metal Shelf with Metal Back Panel and Wire Book Ends	5,567
AAOW-AM-60S	13.7	60	15.5	Single Metal Shelf with Metal Back Panel and Wire Book Ends	5,858
AAOW-AM-66S	13.7	66	15.5	Single Metal Shelf with Metal Back Panel and Wire Book Ends	6,142
AAOW-AM-72S	13.7	72	15.5	Single Metal Shelf with Metal Back Panel and Wire Book Ends	6,427
AAOW-AM-78S	13.7	78	15.5	Single Metal Shelf with Metal Back Panel and Wire Book Ends	6,708
AAOW-AM-84S	13.7	84	15.5	Single Metal Shelf with Metal Back Panel and Wire Book Ends	6,994
AAOW-AM-90S	13.7	90	15.5	Single Metal Shelf with Metal Back Panel and Wire Book Ends	7,283
AAOW-AM-96S	13.7	96	15.5	Single Metal Shelf with Metal Back Panel and Wire Book Ends	7,563
AAOW-AM-102S	13.7	102	15.5	Single Metal Shelf with Metal Back Panel and Wire Book Ends	7,850
AAOW-AM-108S	13.7	108	15.5	Single Metal Shelf with Metal Back Panel and Wire Book Ends	8,134
AAOW-AM-114S	13.7	114	15.5	Single Metal Shelf with Metal Back Panel and Wire Book Ends	8,417
AAOW-AM-120S	13.7	120	15.5	Single Metal Shelf with Metal Back Panel and Wire Book Ends	8,705

ASCARI SERIES DOUBLE METAL SHELVES

MODEL #	DEPTH	WIDTH	HEIGHT	DESCRIPTION	-V
AAOW-AM-30D	13.7	30	31	Double Metal Shelf with Metal Back Panel and Wire Book Ends	5,444
AAOW-AM-36D	13.7	36	31	Double Metal Shelf with Metal Back Panel and Wire Book Ends	6,352
AAOW-AM-42D	13.7	42	31	Double Metal Shelf with Metal Back Panel and Wire Book Ends	7,212
AAOW-AM-48D	13.7	48	31	Double Metal Shelf with Metal Back Panel and Wire Book Ends	8,023
AAOW-AM-54D	13.7	54	31	Double Metal Shelf with Metal Back Panel and Wire Book Ends	8,780
AAOW-AM-60D	13.7	60	31	Double Metal Shelf with Metal Back Panel and Wire Book Ends	9,337
AAOW-AM-66D	13.7	66	31	Double Metal Shelf with Metal Back Panel and Wire Book Ends	9,795
AAOW-AM-72D	13.7	72	31	Double Metal Shelf with Metal Back Panel and Wire Book Ends	10,253
AAOW-AM-78D	13.7	78	31	Double Metal Shelf with Metal Back Panel and Wire Book Ends	10,714
AAOW-AM-84D	13.7	84	31	Double Metal Shelf with Metal Back Panel and Wire Book Ends	11,170
AAOW-AM-90D	13.7	90	31	Double Metal Shelf with Metal Back Panel and Wire Book Ends	11,626
AAOW-AM-96D	13.7	96	31	Double Metal Shelf with Metal Back Panel and Wire Book Ends	12,086
AAOW-AM-102D	13.7	102	31	Double Metal Shelf with Metal Back Panel and Wire Book Ends	12,547
AAOW-AM-108D	13.7	108	31	Double Metal Shelf with Metal Back Panel and Wire Book Ends	13,003
AAOW-AM-114D	13.7	114	31	Double Metal Shelf with Metal Back Panel and Wire Book Ends	13,462
AAOW-AM-120D	13.7	120	31	Double Metal Shelf with Metal Back Panel and Wire Book Ends	13,920



ASCARI SERIES METAL SHELVES

OPTIONS	CODE	PRICE	NOTES
Remove Task Light:	-NTL	Deduct \$376	
Polished Chrome Book Ends:	-PCBE	No Charge	

GENERAL INFORMATION

- All shelf storage is wall mount
- Shelves are shipped with mounting hardware for attachment to structural walls
- Customers are responsible for ensuring that the structural wall has adequate strength to support the shelf and its contents
- Usable Shelf depth is 12.7"
- Metal shelves are 1/4"-thick
- Metal shelves and vertical back panel are only available in clear anodized
- Ascari series metal shelves include a vertical metal back panel and 1/4" dia wire book end
- Task light included on shelves 60 inches and over, but can be removed as an option
- Task lights can dim
- Single height shelves can be mounted at the 84" height
- Double height shelves cannot be mounted above a height adjustable work surface
- Angled wire book ends are inset 1" from both the end and front edge of the shelf
- Angled wire book ends require a metal finish selection powder coat or polished chrome
- Overall installed height of single height is 68.5 inches
- Overall installed height of double height is 84 inches


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Veneer Finish, if applicable
- Choose Metal Finish, if applicable
- Choose Paint Finish, if applicable



METAL SHELVES



SURFACE MATERIAL KEY

V Veneer

SINGLE METAL SHELF

MODEL #	DEPTH	WIDTH	HEIGHT	DESCRIPTION	-V
AAOW-MM-30S	13.7	30	15.5	Single Metal Shelf	3,223
AAOW-MM-36S	13.7	36	15.5	Single Metal Shelf	3,779
AAOW-MM-42S	13.7	42	15.5	Single Metal Shelf	4,303
AAOW-MM-48S	13.7	48	15.5	Single Metal Shelf	4,798
AAOW-MM-54S	13.7	54	15.5	Single Metal Shelf	5,264
AAOW-MM-60S	13.7	60	15.5	Single Metal Shelf	5,700
AAOW-MM-66S	13.7	66	15.5	Single Metal Shelf	5,986
AAOW-MM-72S	13.7	72	15.5	Single Metal Shelf	6,271
AAOW-MM-78S	13.7	78	15.5	Single Metal Shelf	6,552
AAOW-MM-84S	13.7	84	15.5	Single Metal Shelf	6,840
AAOW-MM-90S	13.7	90	15.5	Single Metal Shelf	7,127
AAOW-MM-96S	13.7	96	15.5	Single Metal Shelf	7,408
AAOW-MM-102S	13.7	102	15.5	Single Metal Shelf	7,692
AAOW-MM-108S	13.7	108	15.5	Single Metal Shelf	7,976
AAOW-MM-114S	13.7	114	15.5	Single Metal Shelf	8,260
AAOW-MM-120S	13.7	120	15.5	Single Metal Shelf	8,547

DOUBLE METAL SHELVES

MODEL #	DEPTH	WIDTH	HEIGHT	DESCRIPTION	-V
AAOW-MM-30D	13.7	30	31	Double Metal Shelves	5,207
AAOW-MM-36D	13.7	36	31	Double Metal Shelves	6,099
AAOW-MM-42D	13.7	42	31	Double Metal Shelves	6,945
AAOW-MM-48D	13.7	48	31	Double Metal Shelves	7,739
AAOW-MM-54D	13.7	54	31	Double Metal Shelves	8,483
AAOW-MM-60D	13.7	60	31	Double Metal Shelves	9,180
AAOW-MM-66D	13.7	66	31	Double Metal Shelves	9,639
AAOW-MM-72D	13.7	72	31	Double Metal Shelves	10,095
AAOW-MM-78D	13.7	78	31	Double Metal Shelves	10,554
AAOW-MM-84D	13.7	84	31	Double Metal Shelves	11,014
AAOW-MM-90D	13.7	90	31	Double Metal Shelves	11,471
AAOW-MM-96D	13.7	96	31	Double Metal Shelves	11,930
AAOW-MM-102D	13.7	102	31	Double Metal Shelves	12,388
AAOW-MM-108D	13.7	108	31	Double Metal Shelves	12,847
AAOW-MM-114D	13.7	114	31	Double Metal Shelves	13,306
AAOW-MM-120D	13.7	120	31	Double Metal Shelves	13,764

OPTIONS

	CODE	PRICE	NOTES
Remove Task Light:	-NTL	Deduct \$376	

GENERAL INFORMATION


- Vertical grain direction
- Veneer species often dictates cut, default veneer cut is flat
- All shelf storage is wall mount
- Shelves are shipped with mounting hardware for attachment to structural walls
- Customers are responsible for ensuring that the structural wall has adequate strength to support the shelf and its contents
- Usable shelf depth is 12.7"
- Metal shelves are 1/4"-thick
- Metal shelves are only available in clear anodized
- Task light included on shelves 60 inches and over, but can be removed as an option
- Task lights can dim
- Single height shelves can be mounted at the 84" height
- Double height shelves cannot be mounted above a height adjustable work surface
- Overhead shelves require a back panel below to conceal mounting hardware
- Overall installed height of single height is 68.5 inches
- Overall installed height of double height is 84 inches

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
 See appendix pages vi-vii for surface material options.

- Choose Veneer Finish, if applicable
- Choose Paint Finish, if applicable



WOOD SHELVES



SURFACE MATERIAL KEY

V Veneer

SINGLE WOOD SHELF

MODEL #	DEPTH	WIDTH	HEIGHT	DESCRIPTION	-V
AAOW-WW-30S	13.7	30	15.5	Single Wood Shelf	2,580
AAOW-WW-36S	13.7	36	15.5	Single Wood Shelf	3,024
AAOW-WW-42S	13.7	42	15.5	Single Wood Shelf	3,443
AAOW-WW-48S	13.7	48	15.5	Single Wood Shelf	3,839
AAOW-WW-54S	13.7	54	15.5	Single Wood Shelf	4,214
AAOW-WW-60S	13.7	60	15.5	Single Wood Shelf	4,561
AAOW-WW-66S	13.7	66	15.5	Single Wood Shelf	4,789
AAOW-WW-72S	13.7	72	15.5	Single Wood Shelf	5,015
AAOW-WW-78S	13.7	78	15.5	Single Wood Shelf	5,241
AAOW-WW-84S	13.7	84	15.5	Single Wood Shelf	5,472
AAOW-WW-90S	13.7	90	15.5	Single Wood Shelf	5,700
AAOW-WW-96S	13.7	96	15.5	Single Wood Shelf	5,926
AAOW-WW-102S	13.7	102	15.5	Single Wood Shelf	6,155
AAOW-WW-108S	13.7	108	15.5	Single Wood Shelf	6,383
AAOW-WW-114S	13.7	114	15.5	Single Wood Shelf	6,609
AAOW-WW-120S	13.7	120	15.5	Single Wood Shelf	6,840

DOUBLE WOOD SHELVES

MODEL #	DEPTH	WIDTH	HEIGHT	DESCRIPTION	-V
AAOW-WW-30D	13.7	30	31	Double Wood Shelves	4,165
AAOW-WW-36D	13.7	36	31	Double Wood Shelves	4,882
AAOW-WW-42D	13.7	42	31	Double Wood Shelves	5,557
AAOW-WW-48D	13.7	48	31	Double Wood Shelves	6,192
AAOW-WW-54D	13.7	54	31	Double Wood Shelves	6,788
AAOW-WW-60D	13.7	60	31	Double Wood Shelves	7,343
AAOW-WW-66D	13.7	66	31	Double Wood Shelves	7,712
AAOW-WW-72D	13.7	72	31	Double Wood Shelves	8,076
AAOW-WW-78D	13.7	78	31	Double Wood Shelves	8,444
AAOW-WW-84D	13.7	84	31	Double Wood Shelves	8,811
AAOW-WW-90D	13.7	90	31	Double Wood Shelves	9,178
AAOW-WW-96D	13.7	96	31	Double Wood Shelves	9,544
AAOW-WW-102D	13.7	102	31	Double Wood Shelves	9,911
AAOW-WW-108D	13.7	108	31	Double Wood Shelves	10,278
AAOW-WW-114D	13.7	114	31	Double Wood Shelves	10,646
AAOW-WW-120D	13.7	120	31	Double Wood Shelves	11,012

OPTIONS	CODE	PRICE	NOTES
Remove Task Light:	-NTL	Deduct \$376	

GENERAL INFORMATION

- Vertical grain direction
- Veneer species often dictates cut, default veneer cut is flat
- All shelf storage is wall mount
- Shelves are shipped with mounting hardware for attachment to structural walls
- Customers are responsible for ensuring that the structural wall has adequate strength to support the shelf and its contents
- Usable shelf depth is 12.7"
- Wood shelves are 1"-thick
- Task light included on shelves 60 inches and over, but can be removed as an option
- Task lights can dim
- Single height shelves can be mounted at the 84" height
- Double height shelves cannot be mounted above a height adjustable work surface
- Overhead shelves require a back panel below to conceal mounting hardware
- Overall installed height of single height is 68.5 inches
- Overall installed height of double height is 84 inches


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.


- Choose Veneer Finish, if applicable
- Choose Paint Finish, if applicable




FREESTANDING STORAGE




AACC-F-LF-9026



AABC-3017-30



AABC-3617-84



AALF-3626-30

SURFACE MATERIAL KEY

- S All Paint
- V Veneer
- VS Veneer Case and Painted Front

COMMON CASE CREDENZA // 26"-DEEP CREDENZA WORK SURFACE MUST BE SPECIFIED SEPARATELY

MODEL #	DEPTH	WIDTH	HEIGHT	DESCRIPTION	-S	-V	-VS
AACC-F-LF-6026	26	60	29.5	(2) 30"w Lateral Files	6,661	7,011	7,011
AACC-F-LF-7226	26	72	29.5	(2) 36"w Lateral Files	7,011	7,378	7,378
AACC-F-LF-9026	26	90	29.5	(3) 30"w Lateral Files	9,987	10,514	10,514
AACC-F-LF-10826	26	108	29.5	(3) 36"w Lateral Files	10,514	11,066	11,066

BOOKCASE


MODEL #	DEPTH	WIDTH	HEIGHT	DESCRIPTION	-S	-V	-VS
AABC-3017-30	17	30	30	Open Shelf Bookcase with (1) Shelf	3,643	3,836	-
AABC-3017-42	17	30	42	Open Shelf Bookcase with (2) Shelves	4,550	4,791	-
AABC-3017-68	17	30	68.5	Open Shelf Bookcase with (4) Shelves. One shelf fixed at 30"H.	5,208	5,482	-
AABC-3017-84	17	30	84	Open Shelf Bookcase with (5) Shelves. One shelf fixed at 30"H.	5,920	6,233	-
AABC-3617-30	17	36	30	Open Shelf Bookcase with (1) Shelf	4,047	4,260	-
AABC-3617-42	17	36	42	Open Shelf Bookcase with (2) Shelves	5,056	5,323	-
AABC-3617-68	17	36	68.5	Open Shelf Bookcase with (4) Shelves. One shelf fixed at 30"H.	5,786	6,091	-
AABC-3617-84	17	36	84	Open Shelf Bookcase with (5) Shelves. One shelf fixed at 30"H.	6,576	6,923	-

LATERAL FILE


MODEL #	DEPTH	WIDTH	HEIGHT	DESCRIPTION	-S	-V	-VS
AALF-3626-30	26	36	30	2 Drawer Lateral File	4,381	4,612	4,612
AALF-3626-42	26	36	42	3 Drawer Lateral File	5,475	5,765	5,765
AALF-3626-54	26	36	54	4 Drawer Lateral File	6,977	7,205	7,205



FREESTANDING STORAGE



MOBILE PEDESTAL



FREESTANDING PEDESTAL

SURFACE MATERIAL KEY

- S All Paint
- V Veneer
- VS Veneer Case and Painted Front

MOBILE PEDESTAL

MODEL #	W x D x H	DESCRIPTION	-S	-V	-VS
AAMP-1822	18 x 22 x 23.5	Mobile Box / File	3,622	3,622	3,622

FREESTANDING PEDESTAL

MODEL #	W x D x H	DESCRIPTION	-S	-V	-VS
AAFP-1522	15.5 x 22 x 23.5	Freestanding Box / File	3,576	3,576	3,576


OPTIONS

No Locks (Pedestals):


CODE	PRICE	NOTES
-NL	No Charge	

Pull Options:

Integrated Pull (Metal Accent)	-MIP	No Charge	
Integrated Pull (Wood Accent)	-WIP	No Charge	
Metal Tab Pull	-MP	No Charge	
Polished Chrome Pulls	-PCP	\$286	per Pull



-MIP or -WIP



-MP

GENERAL INFORMATION

- Mobile pedestal is on recessed casters
- Freestanding pedestal on glides
- Vertical grain direction
- Veneer species often dictates cut, default veneer cut is flat
- Mitered case construction
- Face locking standard on all storage components
- Storage fronts will be grain-matched set
- All lateral, pedestal and box file drawers are standard with white drawer boxes and undermount soft closing slides
- Door and open shelf storage pedestals include a single adjustable height shelf
- Integrated pull includes a horizontal accent in which a finish must be specified; finish options include veneer, powdercoat, chrome accent, or clear anodized
- Metal Tab Pull finish options include powdercoat, chrome, or clear anodized
- Box drawers include fabric wrapped drawer bottoms. Felt (K1207) or Hopsack (K1206) selection required. If no selection is made, the default choice will be Knoll Felt - Pewter.
- The back of the integrated pull will reflect the wood or metal selection (see shaded area of drawing)
- Common Case Credenza does not include the 2"-thick work surface. Additional 26"-deep credenza work surface must be specified.

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- See appendix pages vi-vii for surface material options.
- Choose Veneer Finish, if applicable
 - Choose Metal Finish, if applicable
 - Choose Paint Finish, if applicable
 - Choose Pull option for Pedestals: Integrated Pull (-MIP or -WIP) or Metal Pull (-MP)
 - Choose Fabric option, if applicable



MEETING TABLES



ROUND



SQUARE

SURFACE MATERIAL KEY

- V Veneer
- G Glass
- S Stone
- SS Solid Surface

ROUND TABLE // COLUMN BASE

MODEL #	DIAMETER	BASE QTY.	TOP SECTIONS	SEATING CAPACITY	-V	-G	-S	-SS
AARO-XC-36	36	1	1	3	4,377	5,471	8,311	5,689
AARO-XC-42	42	1	1	4	4,861	6,078	9,235	6,318
AARO-XC-48	48	1	1	5	5,943	7,429	11,289	7,725

SQUARE TABLE // COLUMN BASE


MODEL #	DIAMETER	BASE QTY.	TOP SECTIONS	SEATING CAPACITY	-V	-G	-S	-SS
AASQ-XC-36	36	1	1	4	4,377	5,471	-	5,689
AASQ-XC-42	42	1	1	4	4,861	6,078	-	6,318
AASQ-XC-48	48	1	1	4	5,943	7,429	-	7,725



ROUND



SQUARE



ELLIPSE

ROUND TABLE // OPEN FRAME BASE

MODEL #	DIAMETER	BASE QTY.	TOP SECTIONS	SEATING CAPACITY	-V	-G	-S	-SS
AARO-XF-54	54	1	1	4	7,611	9,514	-	9,894
AARO-XF-60	60	1	1	6	9,132	11,413	-	11,871
AARO-XF-66	66	1	2	6	10,275	12,840	-	13,354
AARO-XF-72	72	1	2	8	11,413	14,269	-	14,837

SQUARE TABLE // OPEN FRAME BASE

MODEL #	DIAMETER	BASE QTY.	TOP SECTIONS	SEATING CAPACITY	-V	-G	-S	-SS
AASQ-XF-54	54	1	1	4	7,611	9,514	-	9,894
AASQ-XF-60	60	1	1	6	9,132	11,413	-	11,871
AASQ-XF-66	66	1	2	8	10,275	12,840	-	13,354
AASQ-XF-72	72	1	2	8	11,413	14,269	-	14,837

ELLIPSE TABLE // OPEN FRAME BASE

MODEL #	D x W	BASE QTY.	TOP SECTIONS	SEATING CAPACITY	-V	-G	-S	-SS
AAOV-XF-3666	36 x 66	1	1	4	9,132	11,413	-	11,871
AAOV-XF-4272	42 x 72	1	1	4	10,275	12,840	-	13,354
AAOV-XF-4878	48 x 78	1	1	4	11,413	14,269	-	14,837



MEETING TABLES

OPTIONS	CODE	PRICE	NOTES
Satin Glass:	-RSG	\$398	
Polished Chrome Base:	-PCB	\$3,136	

EDGE PROFILE



GENERAL INFORMATION


- Veneer tops are 2"-thick with square edge
- Overall table height is 30"; Stone and Solid Surface tables are 30.5"H
- Base is Steel
- Choose powder coat finish for base
- Glass top is 3/8"-thick and tempered with a 3" overhang from the subtop
- Solid Surface top is 1/2"-thick with a 3" overhang from the subtop
- Stone top is 2cm (.79") thick with a 3" overhang from the subtop

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
 See appendix pages vi-vii for surface material options.

- Choose Veneer Finish, if applicable
- Choose Metal Finish, if applicable
- Choose Glass Finish, if applicable
- Choose Solid Surface Finish, if applicable
- Choose Stone Finish, if applicable



POWER AND DATA OPTIONS

POWER SPEC	MODEL #	DESCRIPTION	PRICE
 PWR-R-W	PWR-R-B	Round Power Spec with Black Faceplate	121
	PWR-R-W	Round Power Spec with White Faceplate	121
	PWR-SQ-B	Square Power Spec with Black Faceplate	121
	PWR-SQ-W	Square Power Spec with White Faceplate	121




PWR-SQ-W

GENERAL INFORMATION

- Includes one simplex receptable
- 12' cord

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
 See appendix pages vi-vii for surface material options.

- Choose Metal Finish: Satin Nickel (SNB) or Chrome (CB)
- Work surface must be specified with Spec location code to include cutout that accepts Spec unit

USB SPEC	MODEL #	DESCRIPTION	PRICE
 USBC-R-W	USBC-R-B	Round Data Spec with Black Faceplate	253
	USBC-R-W	Round Data Spec with White Faceplate	253
	USBC-SQ-B	Square Data Spec with Black Faceplate	253
	USBC-SQ-W	Square Data Spec with White Faceplate	253




USBC-SQ-W

GENERAL INFORMATION


- Includes one charging USB-A+C
- 12' cord

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
 See appendix pages vi-vii for surface material options.

- Choose Metal Finish: Satin Nickel (SNB) or Chrome (CB)
- Work surface must be specified with Spec location code to include cutout that accepts Spec unit

TECH ZONE	MODEL #	DESCRIPTION	SIMPLEX OUTLETS	OPEN DATA PORTS	CHARGING USB-A+C	BLUETOOTH SPEAKER	PRICE
 ZONE-USB-C	ZONE-DATA	(2) Simplex receptacles, (2) Open data ports	2	2	-	-	355
	ZONE-USB-C	(2) Simplex receptacles, (1) Charging USB-A+C, (1) Open data port	2	1	1	-	425

ZONE-USB-C



ZONE-DATA




ZONE-USB-C

GENERAL INFORMATION


- 72" long plug-in infeed cord
- Finish is black
- Includes a Voice/Data Adapter Kit to accept couplers and jacks when required




ACCESSORIES




EQUIPMENT SHELF



PLUG STRIP



PENCIL DRAWER



PENCIL TRAY

EQUIPMENT SHELF

MODEL #	W x D x H	DESCRIPTION	PRICE
AAEQ-18	16.28 x 23.5 x 11.69	Equipment Shelf - 18" wide	647
AAEQ-24	22.28 x 23.5 x 11.69	Equipment Shelf - 24" wide	668

GENERAL INFORMATION

- Only compatible with door pedestals
- Solid wood front and side rail
- Bottom and back panel veneered to match case
- A field cut wire pass through is required on the pedestal where it will be used

PLUG STRIP

MODEL #	W x D x H	DESCRIPTION	PRICE
MOA-10	2.05 x 11.69 x 1.32	Black Power Plug Strip	190

GENERAL INFORMATION

- 15 amps - Mounts into Wire Trough
- Includes (7) outlets, surge protection and 12' electrical cord

PENCIL DRAWER

MODEL #	W x D x H	DESCRIPTION	PRICE
AA-CD	22-3/16 x 23-5/8 x 2	Organizer Drawer	1,765

GENERAL INFORMATION

- Pencil Drawer only available on Static Free Standing Desks
- Solid wood frame and front rail
- Solid wood core, veneered to match case
- Pencil drawer bottoms include Felt and Hopsack drawer liner. (Selection required)
- Drawer dividers are aluminum polished chrome. (Dividers are adjustable)

PENCIL TRAY

MODEL #	W x D x H	DESCRIPTION	PRICE
AAPT-18	13 x 4.25 x 1	Pencil Tray for Box Drawer	265

GENERAL INFORMATION

- Solid wood frame, painted white to match pedestal drawer.
- Pencil drawer bottoms include Felt and Hopsack drawer liner. (Selection required)
- Drawer dividers are aluminum polished chrome. (Dividers are adjustable).

PENCIL STOP

MODEL #	DESCRIPTION	PRICE
APS-XX	Pencil Stop	159
APX-XX-PC	Polished Pencil Stop	248

GENERAL INFORMATION

- Pencil Stop runs along the length of the work surface. Final part number should be the actual length of Pencil Stop needed. Example: APS-36



Appendix



GENERAL INFORMATION

This price book supercedes all previous versions.

Before placing your order, confirm you have all required information necessary. Lead times for orders begin after all required information is included and correct.

Delivery Information

We know lead times are important and sticking to them even more so. We work to maintain a 6-8 week lead time on all standard products in this book from receipt of a clean order. All orders are acknowledged with an approximate shipping date and will be invoiced with the price in effect at the date the purchase order is received. For current lead times, please review www.nucraft.com/resources/lead-times.

Shipping charges are prepaid (within the continental U.S.). Therefore, pricing is a delivered price based on normal ground transportation. If you have special instructions, need to ship by air, or are shipping to Alaska or Hawaii, contact Nucraft Customer Service. Nucraft can also help arrange to have products blanket wrapped for an additional charge. Contact the Nucraft Customer Service team or specify it on your purchase order.

Minimum Freight Charge: Any order below \$2,900 net will be assessed a \$475 net minimum freight charge (one per order).

Orders are subject to acquiring the materials required for manufacturing. Fulfillment can be affected by strikes, fires, embargoes and acts of government. These elements are beyond our control.

Nucraft offers a variety of services to accommodate a wide range of delivery requirements. Availability of these services is dependent on a number of factors and may not be offered with all shipments. Examples of delivery services that have additional fees include:

- Specific date
- Specific time of day, morning or afternoon
- Delivery to a warehouse before delivery to its final destination (unless product is picked up at the warehouse)

Contact the Nucraft Customer Service team for availability and pricing on these services.

Freight Terms

Shipping charges for Nucraft products are prepaid for standard delivery in the continental United States. Standard delivery is defined as follows: Product is delivered on a 53' trailer being pulled by a long-haul tractor (total length of 85'). Facility will receive delivery Monday through Friday between the hours of 8:00 AM and 4:00 PM. Facility has docks with levelers and a fork truck for unloading. Product will be loaded on load bars two levels high. Receiving facility is responsible to have personnel on hand to unload the truck upon arrival, drivers do not unload. Delivery sites or times that do not meet these criteria may be accommodated, but will incur a charge to cover additional shipping costs. Please **notify Nucraft a minimum of two weeks prior to shipment** to arrange special services and determine additional charges.

Storage

Nucraft has no storage facilities for finished product. If a customer cannot accept an order when it is ready for shipment, the customer must designate an alternative shipping address. If no address is provided, Nucraft may, at its discretion, transfer the product to storage. If product is transferred to an off-site storage facility, the customer may be charged for transportation to the facility and for any associated storage fees. Nucraft considers transfer of the product to a storage facility the equivalent of shipment, including invoicing and payment. Customers assume the risk of damage or loss during storage.

Transportation Times and Delays

Third party carriers that Nucraft contracts with will make reasonable efforts to accommodate requested delivery times and dates. Scheduled delivery appointments may, however, be delayed for a variety of reasons, including inclement weather, traffic, transportation equipment problems, and delays encountered at other delivery locations along the delivery route. Nucraft does not recommend scheduling activities that depend on the delivery appointment (for example, scheduling furniture installers to install furniture the day of the delivery appointment). Nucraft shall not be liable for any costs incurred as a result of a missed delivery appointment.

Shipment Damage Claims

Legal title to merchandise passes to the buyer upon acceptance by the carrier. Inspect all cartons upon delivery. Details of visible damage should be noted on the delivery receipt. Do not destroy packaging, transport to site, or install product if damage is found upon inspection. Inspection of products should be completed upon delivery to the receiver. If visible damage is apparent, a claim should be filed immediately with Nucraft Customer Service. If visible damage is not apparent, sign the delivery receipt "No visible damage." This will allow recourse for a concealed damage claim. Concealed damage claims must be filed within 15 days of receipt, **prior to transporting or installing any product.**

Do not destroy packing materials until shipment has been inspected. If damage is found, proceed to file a claim with Nucraft Customer Service.

Failure to make any claims against Nucraft within 15 days shall constitute acceptance of the merchandise and a waiver of any defects, errors or shortages discovered upon inspection.

Cancellations

Cancellations must be reviewed by our Customer Service team. Because we build your products to order, orders cannot be cancelled once processing has begun. Processing includes but is not limited to development of shop drawings and other engineering drawings. If cancellation is approved, a processing fee of 20-100% will be assessed based on the status of the order.

Change Order Policy

Nucraft will make every attempt to honor any reasonable change request to product provided that the request is received prior to start of production. Change orders will be accepted only if the request is made in writing and received in time to make the change. Nucraft reserves the right to increase our acknowledged price and ship date if necessary to make the requested changes. Please submit any change order request to our Customer Service team. Nucraft will assess charges to the customer as stipulated in the following:

- Standard Orders: Change orders received prior to production will be charged \$400 net to cover administrative costs.
- Special Orders: Change orders received prior to production will be charged \$400 net to cover administrative costs. There may be additional costs associated with engineering labor required for the change order.
- Change orders received after production must be evaluated by Nucraft. If approved, the charge will be \$400 net plus any restocking charges accumulated. There may be additional costs associated with engineering and/or manufacturing labor, as well as material costs, required for the change order.



GENERAL INFORMATION

Repair Authorization

Prior written approval is required for repairs of merchandise charged to NuCraft. Failure to do so will result in customer funded repairs.

Payment Terms

Deposits are required at the time of order due to the custom nature of our products. See information regarding Cancellations above.

Credit terms are available to qualified customers. Please contact AR@NuCraft.com to start the application process. Note that the credit application process requires a valid sales tax exemption or resale tax certificate, Form W-9, and three current trade references.

Credit Card Payments are accepted via web portal. Please contact AR@NuCraft.com for payment instructions. Note that a 2% convenience fee will be added for using this payment method and no early pay discounts are allowed on credit card payments.

Warranty

NuCraft Furniture is warranted to be free from defects in materials and workmanship for a period of ten years of single shift use. Limitations include:

- Mechanical Devices such as latches, casters, and other moving components are warranted for five years of the date of original delivery.
- Height adjustable components are warranted for two years of the date of original delivery.
- The following are warranted for one year of the date of original delivery:
 - Textiles
 - Electrical Components
 - Refrigeration Units
 - Custom Products not described in NuCraft's Catalogue

This warranty is applicable only if furniture is properly installed and maintained in an office environment. This warranty extends only to products manufactured and sold in North America and only to original purchasers acquiring new NuCraft product through authorized dealers or approved sellers.

During this warranty period, NuCraft's sole obligation is to repair or replace, at NuCraft's discretion, products which prove to be defective during the warranty period.

This warranty does not cover:

- Damage caused by a carrier.
- Damage from user modification, misuse, abuse, accident, or negligence.
- Customer's Own Material (COM) specified by the customer that is not a standard product offering.
- Color, grain, or texture of wood and other covering material.

NuCraft extends no other warranties, expressed or implied, including warranty of merchantability or fitness for a particular purpose. NuCraft shall not be liable for loss of time, inconvenience, commercial loss, incidental or consequential damages.

Environmental Statement

NuCraft is committed to supporting responsible environmental policies and practices in all that we do. We strive for sustainability, weighing our business decisions against the costs to the ecological, social and economic systems they affect.

Our products are manufactured to meet the credit requirements of the U.S. Green Building Council's LEED rating systems in one or more of the following categories:

- Recycled Content
- Certified Wood
- Low-Emitting Materials

Computer Aided Planning

NuCraft products and pricing are available via CET and 2020 Cap, an AutoCAD®-based space planning tool.

2020 Cap is an integrated software system developed specifically for interior designers and facility planners to enhance workplace performance. This modern suite of applications works together seamlessly, in concert. Navigate catalogs, select products, design in plan view and 3D, assign options, create worksheets and build a project where you want, when you want. Take your pick. It's dynamic and interactive. Design projects are a work in progress. And now you can perform any of the many discrete tasks that go into a project any time, any place.

For additional information, you may contact 2020 Cap direct at 800-227-0038.

Product symbols (Revit, 2D and 3D) are available on the NuCraft website at www.nucraft.com/resources/product-symbols.

iSpec®

NuCraft offers a free online product configuration and specification service that saves you time and allows you to be creative while leaving the nuts and bolts to someone else. No specific software is required, nor is there any learning curve. This service applies to all NuCraft products. For additional information, call 1-877-NUCRAFT and ask for the iSpec Team or log on to www.nucraft.com/resources/ispec.



FINISH INFORMATION

Surface Materials Palette

We crafted our materials palette using the same demanding standards that distinguish our furniture. Thoughtful design and attention to every detail elevate your possibilities.

Anchored by Nucraft veneers, unrivaled for clarity, quality, and depth of finish, our collection of surface materials comprises a sophisticated set of balanced elements that supports your design vision.

Some elements have their roots in Nucraft's rich heritage. Others are new materials and reflect current trends and taste. Together, they ensure that you're ready for today and positioned well for the future. Beautifully.

Custom Finishes

Nucraft specializes in expert custom finish matching. For a nominal upcharge we can provide custom finishes, and we are frequently asked to match the finishes of other furniture manufacturers. For finishes that appear unusual to match or for customers directly requesting a sample, a finish sample will be sent for approval prior to entering the order.

Custom finishes requiring colored varnishes to create a painted look can only be applied to Maple veneer and require one extra week in addition to the standard lead time. Nucraft's standard black finish (G82) can be applied to all Nucraft standard veneers. Walnut is the standard black veneer. Other species must be specified when ordering.

Clear coat on a special veneer requires an approved sample.

Custom finishes carry a 10% upcharge per item, per finish, capped at \$2,100 List.

Custom finish upcharges are not applied to any item that is not wood. Example: casters, ganging connectors, power options..

Treatments

Note: Default veneer sheen will vary per finish and product. Default finish is bolded on pages vi-vii. If no direction is provided on incoming orders, default sheen will be selected. In addition, default veneer cut is noted in the price list. If no direction is provided on incoming orders, default cut will be selected.

Gloss: Gloss is a durable finish that tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a medium gloss open pore appearance (40 – 50 sheen range). Finish numbers preceded by the letter "G" indicate a Gloss finish.

Matte: Like Gloss, Matte is durable, tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a low luster, open pore appearance (10 – 20 sheen range). Finish numbers preceded by the letter "M" indicate a Matte finish.

Since each veneer type responds differently to both types of treatment, all will have a distinctive look and feel when finished. For example, a Walnut veneer with a Gloss treatment will remain much more textured than a Cherry veneer with the same treatment.

About the Wood

All Nucraft veneers are carefully selected for uniformity of color and grain. Still, wood is a natural substance and minor variations may occur due to its own uniqueness. Because of this, the furniture you receive may not be an exact match to our samples.

Nucraft takes great pride in our finish color consistency. However, wood is a natural product that will have color variation within a single piece of furniture, as well as from one piece to the next. Other factors also affect color over time, such as exposure to light (both intensity and duration). For example, lighter finishes cause more variation in colors over time.

In cases where a returning customer wants a precise match with existing furniture, we recommend sending a sample of the existing furniture finish. Please contact Nucraft Customer Service to determine an appropriate sample. This will ensure a finish match between old and new orders. This type of order is considered a control sample. There will be a 10% upcharge on an order of this type. Due to natural aging of veneers, natural finishes may vary.

Care and Maintenance of Wood Finishes

Our finish material is a crystal clear, urethane acrylic blend. This type of finish may be repaired in the field by a qualified refinisher.

Nucraft recommends using a damp cloth to clean your fine wood furniture. Always wipe with the grain of the wood. Should your wood furniture require a more thorough cleaning, we recommend using a mild cleaner such as Joy dish soap or Murphy's oil soap, thoroughly diluted in water (one part soap to thirty parts water). Water will not damage Nucraft's finish, but it may leave surface spots when it dries. To avoid this, dry the surface with a soft cloth after it is cleaned. Marks that cannot be removed with the cleaning methods above may be able to be removed using naphtha, a mild degreasing solvent.

Caution: while the use of polishes that contain wax, petroleum solvents or silicones may immediately enhance the "shine" of a product, it may also eventually remove the fine original finish applied in our factory. Silicone on the surface of wood may also make it very difficult to respray or refinish.

All Nucraft furniture is inspected and polished before it leaves our factory. In some instances, the packing materials may imprint on the factory polish. Cleaning and polishing the furniture once it is unpacked will normally restore the furniture to its original beauty.

In some cases, the rubber support feet used on the bottom of common office equipment (teleconferencing phones, laptops, microphones, copiers, etc.) can create unsightly marks in the surface of wood tops, due to oxidation of the lacquer finish. We suggest these machines be placed on a protective type of padding, such as felt.

Wood will fade as a result of exposure to UV light. This is particularly prevalent with light finishes. If color changes due to fading are a concern for your application, the impact can be minimized by selecting medium to dark stains for your wood surfaces. Our top coat includes a UV inhibitor which makes the finishes less prone to fading.



FINISH INFORMATION

Laminates

Selected Formica®, Nevamar®, and Wilsonart® laminates are available on Training Tables, Conference Tables, Conference Room Furniture and select Occasional Tables. For standard laminate and wood pricing, refer to individual item pricing columns.

Non-Standard Laminates and Linoleums

To order a color other than those on our list (see pages vi-vii), refer to Nevamar or Formica standard grade, matte texture laminate offerings and Forbo Furniture Linoleums (excluding manufacturers' non-standard matte offering).

Nucraft can support other laminate and linoleum options beyond what can be found as standard options on pages vi-viii. For pricing, please send a request to quotes@nucraft.com.

Care and Maintenance of Laminate and Novawrap

Laminate and Novawrap surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

Care and Maintenance of Metal

Metal surfaces can be wiped with a damp cloth and rubbed dry. A mild non-abrasive household liquid detergent can be used if necessary. Regular maintenance of metal components, including tightening of fasteners and light lubrication of moving parts, will extend the life of your furniture.

Satin Etched Glass

Glass color may vary slightly on multi-piece conference table tops over 180" x 60" when satin etched glass is specified due to the iron content and etching process of the glass.

Care and Maintenance of Glass

Clear or frosted glass may be cleaned with commercial glass cleaner. Be sure to use a lint-free cloth if cleaning the frosted side of the glass.

Stone and Solid Surface Material

Despite its reputation for durability, natural stone can easily be broken during handling and/or installation if proper techniques are not followed. In addition, Nucraft is not responsible for the installation of natural stone or solid surface materials on its products. Therefore, installers specifically trained in the installation of these materials must be utilized to ensure a quality installation. Nucraft shall not be liable for any damages incurred during the handling and/or installation of natural stone or solid surface materials on its products.

Care and Maintenance of Granite

Granite surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

Care and Maintenance of Leather

Genuine leather requires very little care. Nucraft recommends that leather be dusted regularly. If a more thorough cleaning is needed, use lukewarm water and a mild, non-abrasive soap. Generate some lather and lightly rub the surface with cheesecloth. Rinse off any soap film with clean water and towel dry. The leather may dry dull. To restore the leather to a normal gloss, rub it with a clean towel. Never use furniture polish, oil, varnish or ammonia. Saddle soap may be used to prevent the leather from becoming brittle or cracked and to maintain the original supple finish.

Touch Up Finish Kits

Model #	Description	Price
KIT-M	Metal Kit	85
KIT-P	Paint Kit	85
KIT-S	Stain Kit	85

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- Kit model number
- Quantity of kits
- Specify finish (See pages vi-vii)

General Information:

- Touch-up kits must be ordered on a purchase order separate from Nucraft product due to Hazmat shipping

Retrofit & Replacements

If needing a partial placement or retrofit solution, please reach out to our quote team. Grain/color matched in a set.



ASCARI CASEGOOD SURFACE MATERIALS

WOOD FINISHES

STANDARD

Default veneer sheen will vary per finish and were determined by a team of experts who reviewed the colorways to determine if gloss or matte best highlighted the natural characteristics of the species of wood and the color of the stain. Default finish is bolded. If no direction is provided, default sheen will be selected.

	Matte	Gloss
Rift Cut Oak		
Carbon	M03	G03

Flat Cut Oak		
Dune	M05	G05
Portobello	M7413	G7413

Flaky Oak		
Sahara	M61	G61

Quarter Cut Cherry		
Cognac	M21	G21
Auburn	M93	G93

Quarter Cut Walnut		
Marron	M35	G35
Mocha	M33	G33
Zinc	M30	G30
Onyx	M82	G82
Otter	M31	G31

Quarter Cut Maple		
Natural Maple	M60	G60

Linea		
Oak Linea	M08	G08
Walnut Linea	M27	G27
Euro Birch Linea	M09	G09
Silver Birch Linea	M10	G10

Quarter Cut Paldao		
Thicket	M75	G75
Paldao	M76	G76
Canyon	M77	G77

METAL FINISHES

Powder Coat

Aged Bronze	A8010
Black	A44
Burnished	A8009
Cloud	A8004
Foil	A8006
Galaxy	A8007
Moonlight	A87
Satin Bronze	A8011
Shadow	A8005
Storm	A8012

Metal

Clear Anodized	CA
----------------	----

PAINTS

Aged Bronze	S8010
Black	S44
Burnished	S88
Cloud	S8004
Foil	S8006
Galaxy	S8007
Moonlight	S87
Satin Bronze	S8011
Shadow	S8005

Paint to Match

To request a custom paint color, contact Nucraft Customer Service. A paint sample must be matched and approved prior to order.

GLASS (SATIN OR GLOSS)

	Satin	Gloss
Black	BS	-
Clove	VS	VG
Meringue	MS	MG
Moonlight	MLS	MLG
Storm	STS	STG
Quill	QS	QG
White	WS	WG

SOLID SURFACE TOPS

Wilsonart Designer White	ST11
--------------------------	------



STONE TOPS

Stone orders may affect lead times. Please contact Nucraft Customer Service for details.

Stone		Subtop Paint Color
Absolute Black Honed Granite	ST01	S8007
Carrara Marble	ST16	S8004

Quartz | Cambria® Signature

Ainsley	STC100	S8004
Armitage	STC101	S44
Avalene	STC192	S8004
Bellingham	STC102	S8004
Berkeley	STC103	S8004
Berwyn	STC104	S8004
Blackbrook	STC105	S44
Bradshaw	STC106	S8004
Bradwell	STC107	S8004
Cambria Black	STC109	S44
Carrick	STC110	S44
Clifton	STC112	S8004
Colton	STC113	S8004
Copeland	STC200	S8004
Crowndale	STC114	S8004
Devon	STC115	S44
Fairbourne	STC116	S8004
Fieldstone	STC117	S44
Hadley	STC201	S8004
Halewood	STC119	S8004
Hermitage	STC120	S8004
Kendal	STC122	S8004
Laneshaw	STC124	S44
MacBeth	STC202	S8004
Malvern	STC125	S8004
Montgomery	STC128	S8004
New Quay	STC130	S8004
Pendle Hill	STC131	S8004
Praa Sands	STC132	S8004
Ridgegate	STC203	S8004
Rose Bay	STC133	S8004
Sandgate	STC135	S8004
Seacourt	STC204	S8004
Smithfield	STC136	S8004
Sutherland	STC138	S8004
Swanbridge	STC139	S8004
Torquay	STC140	S8004
Trafalgar	STC205	S8004
Travella	STC141	S8004
Weybourne	STC143	S8004
Whitendale	STC206	S8004
Whitney	STC144	S8004
Woodcroft	STC146	S44

Quartz | Cambria® Luxury

Abbey	STC147	S8004
Annaleigh - Luxe	STC193	S8004
Annicca	STC148	S8004
Beckington	STC150	S8004
Bentley	STC151	S8004
Blackpool Matte	STC152	S44
Brighton	STC212	S8004
Brittanicca	STC153	S8004
Brittanicca Gold Cool	STC154	S8004
Brittanicca Gold Warm	STC155	S8004
Brittanicca Warm	STC156	S8004
Clovelly	STC158	S8004
Delamere	STC159	S44
Delgatie	STC160	S8004
Ella	STC161	S8004
Everleigh	STC162	S8004
Everleigh Warm	STC191	S8004
Gladstone	STC163	S8004
Golden Dragon	STC164	S44
Hailey	STC165	S8004
Harlow	STC166	S8004
Hemsworth	STC167	S8004
Huntley	STC168	S8004
Inverness Blakeley	STC190	S8004
Inverness Bristol Bay	STC169	S8004
Inverness Bronze	STC170	S8004
Inverness Cobalt	STC171	S8004
Inverness Everleigh	STC172	S8004
Inverness Frost	STC196	S8004
Inverness Gold	STC197	S8004
Inverness Platinum	STC173	S8004
Inverness Swansea	STC174	S8004
Ironsbridge	STC175	S8004
Iverness Frost	STC176	S8004
Iverness Gold	STC177	S8004
Lakedale	STC179	S8004
Mayfair	STC181	S8004
Mersey	STC182	S44
MonTaj - Luxe & Satin	STC199	S8004
Notting Hill	STC183	S8004
Oakleigh	STC184	S8004
Portrush	STC185	S8004
Queen Anne	STC186	S8006
Remington Brass Satin	STC210	S44
Remington Steel Satin	STC211	S44
Skara Brae	STC187	S8004
Southport	STC188	S8004
White Cliff	STC189	S8004

Quartz | Wilsonart

Carrara Codena	ST21	S8004
Serene	ST17	S8004



Applies to Pedestal Cushions

Nucraft is pleased to have partnered with KnollTextiles, Spinneybeck, and UltraFabrics to offer a concise selection of standard upholstery fabrics pre-approved for use on our products, with prices that are figured into our graded-in system. We've carefully curated a selection of each of the textile's color lines to coordinate with our materials offering. However, all colorways are approved and available as standard. Please contact fabric manufacturer for sampling support.

Knoll Felt* | K1207 | Grade C

Ivory	1
Apple	3
Canary	5
Poppy	7
Cadet	11
Mocha	15
Pewter	17
Tar	20

Knoll Hopsack* | K1206 | Grade C

Buff	1
Stucco	2
Lime	4
Magenta	9
Red	10
Admiral	11
Putty	13
Black	16

Spinneybeck Volo | VO | Grade F

Lichen	902
Rust	905
Talc	939
Mauve Beige	954
Oatmeal	957
Parchment	960
Petroglyph	962
Tuscany	963
Casablanca	975
Dromedary	977
Black	BLCK

Spinneybeck Vincenza | VZ | Grade E

Salvi	2101
Ponte Furo	2102
Villabalzana	2108
Castello di Bellaguardia	2112
Scamozzi	2114
Peralolo	2115
Costozza	2116
Nocciola	2117
Appia Antica	2120
Cinque Terre	2122
Black	BLCK

UltraFabrics Brisa Original | 533 | Grade B

French Vanilla	3866
Birch	3019
White	5747
Bone	3822
Shiitake	3022
New Sand	3946
Bark	3914
Peat	3200
Canyon	3825
Coffee Bean	3023
Black Onyx	5749

GRADED-IN FABRIC PROGRAM

Top quality upholstery and fabrics from some of the biggest names in the textile industry have been graded into this price list. For a current list of graded-in manufacturers and additional information on our graded-in fabrics program, please go to www.nucraft.com.

NET PRICE PER YARD	NUCRAFT GRADE
\$0 - \$25.00	A
\$25.01 - \$40.00	B
\$40.01 - \$55.00	C
\$55.01 - \$70.00	D
\$70.01 - \$85.00	E
\$85.01 - \$100.00	F
\$100.01 - \$115.00	G
\$115.01 - \$130.00	H

*In addition to being available on all of our Pedestal cushion applications, these upholstery fabrics are approved for tackzone application and drawer bottoms on Nucraft products.



KNOLLTEXTILES

Nucraft is pleased to have partnered with KnollTextiles to offer a concise selection of standard fabrics pre-approved for use on our products, with prices that are figured into our graded-in system. We've carefully curated a selection of each of the textile's color lines to coordinate with our materials offering. However, all colorways are approved and available as standard. Please contact fabric manufacturer for sampling support.

All tackzone fabrics are applied railroaded

KnollTextiles Beacon | W1597 | Grade A

Spotlight	1
Tusk	2
Fossil	3
Marsh	4
Saffron	5
Hotshot	6
Bonfire	7
Reef	8
Nile	9
Putty	10
Cool Gray	11
Dust	12

KnollTextiles Reflect | W884 | Grade B

Ice	1A
Titanium	2A
Sterling*	3A
Ecru	5A
Ember	9A
Target	10A
Sharkskin	13A
Lagoon	14A

*Default Fabric

GRADED-IN FABRIC PROGRAM

Top quality upholstery and fabrics have been graded into the price list. We work with various distributors and now offer a larger selection of fabrics. For a current list of graded-in manufacturers, check our website at www.nucraft.com

NET PRICE PER YARD	N U C R A F T G R A D E
\$0 - \$25.00	A
\$25.01 - \$40.00	B
\$40.01 - \$55.00	C
\$55.01 - \$70.00	D
\$70.01 - \$85.00	E
\$85.01 - \$100.00	F
\$100.01 - \$115.00	G
\$115.01 - \$130.00	H

For additional information on our graded-in fabrics program, please go to www.nucraft.com.



COM SPECIFICATION

For COM orders please include the following:

- Name of customer
- Customer's purchase order number
- Model number and quantity of piece(s) to be covered
- Specify right-way or railroad application (railroad is the default if no selection is made)
- If fabric is a stripe or pattern, specify vertical or horizontal application
- Supplier's name, material number and description

YARDAGE ESTIMATING

All yardages in the price list are based on 54" wide plain (no match) fabric. The following is a guide for fabrics that are less than 54" wide or have a pattern match.

Fabric Less Than 54" Wide

- For 50" wide fabrics allow 10% additional fabric
- For 48" wide fabrics allow 15% additional fabric
- For 45" wide fabrics allow 20% additional fabric
- For 36" wide fabrics allow 50% additional fabric

For Pattern Match Fabrics

- 3" to 14" repeat allow 15% additional fabric
- 15" to 19" repeat allow 20% additional fabric
- 20" to 27" repeat allow 25% additional fabric
- 28" to 36" repeat allow 30% additional fabric

Nucraft may add a charge for sewing, cutting and matching unusual COM or COL materials to cover additional costs. Call customer service for pricing.

It is the sole responsibility of the customer to determine that the fabric is appropriate for the application in which it will be used.

Once COM/COL is accepted, Nucraft assumes no responsibility for its overall appearance, flammability, normal durability, color fastness or any other quality after upholstered on a Nucraft product beyond our normal quality standards.

FIRE RESISTANCE

Nucraft will only work with textiles that meet the ACT Voluntary Performance Guidelines:

- Nucraft fabric tack panels incorporate fabrics that meet the ASTM E 84 standard US flammability test for wrapped panels.
- Nucraft upholstery fabrics for benches and cushions must meet one or more of the following flammability tests; NFPA 260, NFPA 701, or CAL 117.
- All COM fabrics must meet the required flammability standards per fabric application.
- Nucraft reserves the right to decline any fabrics that do not meet ACT standard flammability requirements.

COM LEATHER SPECIFICS

The following is a guide for specifying leather requirements. The guide is based on the following general information.

A full "domestic" hide is approximately 50-60 square feet. A specialty or calf hide is approximately 35 square feet. Of this footage there are various non-usable areas included in the hide's size. Conversion of fabric yardage to leather is approximately 1 yard = 18 square feet.

Bench Requirements

48" benches will require 1/2 domestic hide or 1 full calf hide.

60" benches will require 1 domestic hide or 2 calf hides.

72" benches will require approximately 1 full domestic hide or 3 calf hides.

The boxing around the seat, if required, will have 4-6 seams that will be placed aesthetically based on the yield and usable remains of the hides.